Electronics Letters

INDEX VOLUME 9 1973

Computer-program descriptions

Bramer, B., and Banerjee, A.R. Fitting of measured data to a known relationship 184 Errata 348
Coldham, D., and Bruton, L.T. Computer analysis of nullor networks 80
Munro, E.W., and McInnes, P.A. Calculation of the radiation pattern and impedance of a log-periodic dipole array 530
Munro, E.W., Whitaker, A.J.T., and McInnes, P.A. Calculation of the secondary-radiation pattern for a paraboloid reflector with a given illumination function and feed position 234 Errata 348
Nakhla, Mrs M., Singhal, K., and Vlach, J. Nakhla, Mrs M. Singhal, K. Vlach, J. Numerical inversion of the laplace transform (Computer-program description) 313
Piessens, R., and Haegemans, A. Piessens, R. Haegemans, A. Numerical calculation of Fourier-transform integrals 108

Author index

A

Abdul Hadi, Z.M., and Jackson, L.A. Channel-dropping coupled-line filter 462
Acar, C. Simple derivation of Chen's multiple-node removal algorithm 186
Adam, J.D., Collins, J.H., and Owens, J.M. Magnetostatic wave group-delay equaliser 557
Adam, J.D., Owens, J.M., and Collins, J.H. Ferromagnetic-resonance linewidth of thick yttrium-iron-garnet films grown by liquid-phase epitaxy 325
Adby, P.R., and Baxter, J.R. Frequency-to-time-domain sensitivity matrix 455
Aggarwal, K.K. Reliability estimation for probabilistic switching circuits 441
Ahmed, M.J. Avalanche-diode amplifier-upconvertor 490
Ahmed, N., Natarajan, T., and Rao, K.R. Cooley-Tukey-type algorithm for the Haar transform 276
Ahmed, N., Rao, K.R., and Revuluri, K. (see Rao, K.R.)
Ainger, F.W., Burgess, J.W., Hales, M.C., and Porter, R.J. (see Burgess, J.W.)
Akaiwa, Y. Input impedance of a circulator with an inphase eigen-excitation resonator 274
Akhtarzad, S., and Johns, P.B. Transmission-line-matrix solution of waveguides with wall losses 335
Al-Hariri, A.M.B., and Lewin, L. (see Lewin, L.)
Al-Rishi, H.B., and Gootnikov, V.S. (see Gootnikov, V.S.)
Alden, A.W., and Boothroyd, A.R. Pulsed measuring technique for isothermal transistor characteristics 82
Aleksander, I., Stonham, T.J., Camp, M., Shaw, M.A., and Pike, W.T. (see Stonham, T.J.)
Allen, C.R., and Thomas, C.R. Detection of phosphorus in heavily diffused silicon by He^+ backscattering 475
Allen, S.G. Simple TRAPATT circuit model 178
Anday, F. Analysis of RLC gyrator networks 403
Anday, F. Comment on active RC realisation of a 3rd-order lowpass Butterworth characteristic 212
Anday, F. Realisation of transfer function with prescribed sensitivity function 53
Anderson, A.P., Orme, R.D., and Mawani, S.J. Direct microwave imaging with enhanced resolution 205
Anderson, R.B., Van Niekerk, H.R., and Gertenbach, J.J. Improved lightning-earth flash counter 394
Angerstein, J., and Voges, E. (see Voges, E.)
Antoniou, A., and Shekher, C. Invariant-sinusoid approximation method for recursive digital filters 498
Arbabi, M., and Watson, P.A. Slant-path microwave radio propagation through distorted raindrops 187 Errata 380
Arbabi, M., and Watson, P.A. (see Watson, P.A.)
Armstrong, G.A. Preferential excitation of 2nd-mode piezoelectric surface waves in zinc-oxide-layered substrates 322
Arnaud, J.A., and Ruscio, J.T. Resonant-grid quasioptical diplexer 589
Ash, E.A., and Wickramsinghe, H.K. (see Wickramsinghe, H.K.)
Ash, E.A., Zakarevicius, R.A., and Mason, I.M. (see Zakarevicius, R.A.)
Ashford, A., Constant, J., Kirton, J., and Raynes, E.P. Electro-optic performance of a new room-temperature nematic liquid crystal 118
Ashton, R., and Baldwin, R. Rectangular horn with dielectric-slab insert 26
Atherton, D.P. Series expansion for two input describing functions 266
Atikiouzel, J., and Holt, A.G.J. (see Holt, A.G.J.)

B

Baechtold, W., Daetwyler, K., Forster, T., Mohr, T.O., Walter, W., and Wolf, P. Si and GaAs 0.5 μm-gate Schottky-barrier field-effect transistors 232
Bahr, A.J., and Lee, R.E. Equivalent-circuit model for interdigital transducers with varying electrode widths 281
Baker, I.M., Beynon, J.D.E., and Copeland, M.A. Charge-coupled devices with submicron electrode separations 48
Baker, P.W. Predictive algorithms for some elementary functions in radix 2 493
Baker, P.W. Suppression of 3rd-order truncation error in linear digital differential analysers 582
Baldwin, R., and Ashton, R. (see Ashton, R.)
Ball, E. Realisation of the mean-value function 528
Balmain, K.G. Charging of spacecraft materials simulated in a scanning electron microscope 544
Balmain, K.G. Plasma-probe self detection of resonance cones 312
Banasiewicz, H., Williamson, S.E., and Lovering, W.F. Use of synchronized dither in pseudorandom-sequence testing 334 480
Banerjee, A.R., and Bramer, B. (see Bramer, B.)
Banerjee, D.K., and Neelakantaswamy, P.S. (see Neelakantaswamy, P.S.)
Bar-Lev, A., Neugroshel, A., and Margalit, S. (see Neugroshel, A.)
Barker, R.W.J., and Hart, B.L. (see Hart, B.L.)
Barna, A. Optimisation of delay and risetime in iterative multistage wideband amplifier circuits 143
Barron, M.B., and Butler, W.J. J.F.E.T. bucket-brigade circuit: some recent experimental results 603
Barron, M.B., Butler, W.J., and Puckette, C.M. (see Butler, W.J.)
Barry, R., and Lewin, D.W. Table-lockup method for the state assignment at asynchronous machines 574
Batt, R.J., Bradley, H.L., and Harris, D.J. Open resonator operating at 337 μm wavelength 78
Bauhahn, P.E., and Haddad, G.I. Effect of recombination time on efficiency and frequency of operation in GaAs TRAPATT devices 455
Bauhahn, P.E., Haddad, G.I., and Masnari, N.A. Comparison of the hot electron-diffusion rates for GaAs and InP 460
Baxter, J.R., and Adby, P.R. (see Adby, P.R.)
Beatty, R.W. 2-port $\lambda_g/4$ waveguide standard of voltage standing-wave ratio 24
Bennett, L.A.M., and Harris, J.R. (see Harris, J.R.)
Bennetts, R.G., and Stentiford, F.W.M. Observation on the construction of C sets in incompletely specified state tables 27
Berland, R., and Dussauchoy, A. Electronic quencher for microdischarges in an industrial vacuum (Translated from French title) 283
Bers, A., Smith, J.M., and Stern, E. (see Smith, J.M.)
Bertoni, H.L., Peng, S.T., and Tamir, T. (see Peng, S.T.)
Beynon, J.D.E., Baker, I.M., and Copeland, M.A. (see Baker, I.M.)
Bianco, B., and Ridella, S. Natural frequencies of piecewise uniform transmission lines 287
Bierig, R., Kim, C., and Steele, R. (see Kim, C.)
Bird, T.S. Evaluation of attenuation from lossless triangular-finite-element solutions for inhomogeneously filled guiding structures 590
Blakey, J.R. Radiation properties of a composite-dielectric-rod aerial 146
Blomfield, D.L.H., and Pointon, A.J. Short-term frequency stability of an L band oscillator with a superconducting cavity 461
Boers, P.M. Comment on determination of the velocity field characteristic for n-type indium phosphide from dipole-domain measurements 134
Boothroyd, A.R., and Alden, A.W. (see Alden, A.W.)
Bording, J., and Ingebrigsten, K.A. Scattering parameters of surface-wave multistrip directional couplers: a field approach 63
Borisov, M.I., and Burov, J.I. 1-arm phase optical bridge with axial symmetry (with interference Newton fringes) for measuring small periodic displacements 355
Bower, R., Mohsen, A.M., McGill, T.C., and Zimmerman, T. (see Mohsen, A.M.)
Braddock, P.W., and Gray, K.W. Low-noise wideband indium-phosphide transferred-electron amplifiers 36
Bradley, H.L., Batt, R.J., and Harris, D.J. (see Batt, R.J.)
Brain, M.C., Dyott, R.B., and Day, C.R. (see Dyott, R.B.)
Bramer, B., and Banerjee, A.R. Fitting of measured data to a known relationship (Computer-program description) (Computer-program description) 184 Errata 348
Braun, F., Kinzl, A., and Rothenbuhler, H. Chebyshev approximation of arbitary frequency response for nonrecursive digital filters with linear phase 507 Errata 624
Bridgen, R. Pulsed measurement of transistor-base charge against collector current 366
Bridoux, E., Rouvaen, J.M., Gremillet, N., Delannoy, M., and Torguet, R. (see Rouvaen, J.M.)
Brook, P., and Smith, J.G. Spreading resistance of multiple-layer cylindrical structures 253 Errata 348
Brown, A.W., Miller, A.J., and Mars, P. (see Miller, A.J.)
Brown, D.A.H. Construction of block-error-detection and correction codes to any base 290

Brown, E.C., and Knight, D.J.E. (see Knight, D.J.E.)
Brown, M.A.C.S., Hannis, W.J., Skinner, J.M., and Turton, D.K. Use of a surface-acoustic-wave delay line to provide pseudocoherence in a clutter-reference pulse Doppler radar 17
Brownlie, G.D. Digital-phase-shifter performance 190
Brubaker, T.A., and Risch, P.R. (see Risch, P.R.)
Bruton, L.T., and Coldham, D. (see Coldham, D.)
Bui, N.C., Neirynck, J., and Tran, C. (see Neirynck, J.)
Burgess, J.W., Hales, M.C., Ainger, F.W., and Porter, R.J. Single-mode resonance in $LiNbO_3$ for filter design 251
Burov, J.I., and Borisov, M.I. (see Borisov, M.I.)
Burrows, R.M., and James, J.R. (see James, J.R.)
Butler, W.J., Puckette, C.M., and Barron, M.B. Implementation of a moving-target indicator by bucket-brigade circuits Errata 72
Butler, W.J., Puckette, C.McD., and Smith, D.A. Differential mode of operation for bucket-brigade circuits 106
Butler, W.J., and Barron, M.B. (see Barron, M.B.)
Byrne, P.C., and Sheeran, M. Comment on geometric criterion for the absence of limit cycles in nonlinear control systems 576

C

Cahit, I., and Cahit, R. Structual reliability of centralised tree network 621
Calzolari, P.U., Graffi, S., and Morandi, C. Effects of nonuniform doping on generation-lifetime measurement in m.o.s. capacitors 273
Camp, M., Stonham, T.J., Aleksander, I., Shaw, M.A., and Pike, W.T. (see Stonham, T.J.)
Campbell, C.K., and Dupuis, P.A.J. (see Dupuis, P.A.J.)
Cantoni, A. Astable multivibrator with independent mark- and space-time control 158
Caprio, R. Precision differential voltage-current convertor 147
Card, H.C., and Worrall, A.G. Electrically alterable avalanche-injection memory 14
Cardwell, M.J., and Peart, R.F. Measurement of carrier-concentration profiles in epitaxial indium phosphide 88
Carroll, J.E. Effects of diode-package cutoff frequency on TRAPATT operation 387 Errata 464
Carroll, J.E., and Farrington, J.G. Short-pulse modulation of gallium-arsenide lasers with TRAPATT diodes 166
Carson, C.T., and Elias, M.C. (see Elias, M.C.)
Carson, C.T., and Vu Khac, T. (see Vu Khac, T.)
Carson, C.T., and Wynn, D.C. (see Wynn, D.C.)
Carter, C.R., and Haykin, S.S. Fast synchronisation of an earth station to a switching satellite 513
Castagne, R., and Vapaille, A. Method of rapid numerical calculation of transient processes in a thyristor 305
Ceyhun, Y., and Penbeci, S. Realisation of colmers and rowmers 364
Chang, K.K.N., Risko, J., Thomas, J., and Prager, H.J. (see Risko, J.)
Chao, G. Monolithic surface-acoustic-wave phase shifter 49
Charlton, R., de Sa, B.A.E., and Hobson, G.S. Comments on new measurement method of Gunn-diode impedance 61
Charlton, R., and Hobson, G.S. Intermodulation distortion in transferred-electron reflection amplifiers 622
Chaturvedi, P.K., and Khokle, W.S. Temperature-dependent design parameters of TRAPATT diodes 170
Chen, L.W., and Felsen, L.B. Waveguide analysis of unstable resonators 311
Chiang, V.S., Swartz, G.A., Wen, C.P., and Young, A. (see Swartz, G.A.)
Chobeljich, S.N., and Jovanovich, A.D. (see Jovanovich, A.D.)
Chohan, V.C., and Fidler, J.K. Generalised transient response of bandpass transfer functions to F.S.K.- and P.S.K.-type signals 320
Chong, S.L., Olver, A.D., and Clarricoats, P.J.B. (see Olver, A.D.)
Chown, M., Goodwin, A.R., Lovelace, D.F., Thompson, G.H.B., and Selway, P.R. Direct modulation of double-heterostructure lasers at rates up to 1 Gbit/s 34
Christie, J., and Stewart, J.A.C. Comparison of metal-n-p^+ and p^+-n-p^+ BARITT small-signal noise measures 553
Chubachi, N., Kushibiki, J., and Kikuchi, Y. Monolithically integrated Bragg deflector for an optical guided wave made of zinc-oxide film 193
Chubachi, N., Sasaki, H., and Kikuchi, Y. (see Sasaki, H.)
Claasen, T.A.C.M., Mecklenbrauker, W.F.G., and Peek, J.B.H. Second-order digital filter with only one magnitude-truncation quantiser and having practically no limit cycles 531
Clark, B.W., Wasse, M.P., and Conlon, R.F.B. (see Wasse, M.P.)
Clarricoats, P.J.B., and Olver, A.D. Low attenuation in corrugated circular waveguides 376
Clarricoats, P.J.B., and Seng, L.M. Influence of horn length on radiation pattern of oblique-flare-angle corrugated horn 15
Clarricoats, P.J.B., and Seng, L.M. Propagation and radiation characteristics of corrugated horns 7
Clarricoats, P.J.B., Olver, A.D., and Chong, S.L. (see Olver, A.D.)
Claydon, B. Antenna with multibeam applications 517
Claydon, B., and Poulton, G.T. (see Poulton, G.T.)
Cleverley, M.E. Observation of the small-scale structure of intense rain by the scattering of microwaves 535
Cobbold, R.S.C., and El-Siasi, H. (see El-Siasi, H.)
Coldham, D., and Bruton, L.T. Computer analysis of nullor networks (Computer-program description) 80
Collins, J.H., Adam, J.D., and Owens, J.M. (see Adam, J.D.)
Conlon, R.F.B., Wasse, M.P., and Clark, B.W. (see Wasse, M.P.)
Constant, J., and Raynes, E.P. Cholesteric-nematic phase-change effect in mixtures containing the liquid-crystal p.c.b. 561
Constant, J., Ashford, A., Kirton, J., and Raynes, E.P. (see Ashford, A.)
Cooper, D.C. Zero-steering antenna system for receiving a signal close to the direction of strong interference 140 Errata 260
Cooper, R., Varlow, B.R., and White, J.P. Dependence of conduction current in polythene on specimen thickness 259
Copeland, M.A., Baker, I.M., and Beynon, J.D.E. (see Baker, I.M.)
Cornbleet, S. Feed arrangement for axis definition of paraboloid reflector 66
Corr, D.G., McRitchie, W.K., and Kharadly, M.M.Z. (see McRitchie, W.K.)
Cottam, M.G. Analytic theory for silicon double-sided n^+-n-p-p^+ TRAPATT-diode structures 353
Court, R.A. Microwave loss measurement 278
Cowan, J.H. Dual-band reflector-feed element for frequency-reuse applications 596
Cox, N.W., Gsteiger, K.E., Hill, G.N., and Rucker, C.T. X band c.w. TRAPATT oscillators using ring diodes on diamond heat spreaders 269
Crabb, J., Lewis, M.F., and Maines, J.D. Surface-acoustic-wave oscillators: mode selection and frequency modulation 195
Crisp, J.J., and Heeks, J.S. Code generation with s.a.w. tapped delay lines 239
Croll, M.G., Moffat, M.E.B., and Osborne, D.W. 'Nearly instantaneous' digital compandor for transmitting six sound-programme signals in a 2.048 Mbit/s multiplex 298
Crossley, T.R., and Porter, B. Simple proof of the Simon-Mitter controllability theorem 51

D

da Silva, E.F., and McPhun, M.K. Calibration of microwave network analyser for computer-corrected *S* parameter measurements 126
Daetwyler, K., Baechtold, W., Forster, T., Mohr, T.O., Walter, W., and Wolf, P. (see Baechtold, W.)
Damon, L., Nicholls, N.S., and Schoffield, B.P. (see Nicholls, N.S.)
Das, S., and Sarkar, B. Quadratic performance measure for optimum design of linear systems 57
Dave, M.P. Comment on new definition of multiple-root sensitivity 215
Davies, C., and Wragg, A. (see Wragg, A.)
Davies, D.E.N., and Makridis, H. Two-frequency secondary radar incorporating passive transponders 592
Davies, J.B., Davies, O.J., and Saad, S.S. Computer analysis of gradually tapered waveguide of arbitrary cross-sections 46
Davies, O.J., Doshi, R.B., and Nagenthiram, B. Correction of microwave-network-analyser measurements of 2-port devices 543
Davies, O.J., Davies, J.B., and Saad, S.S. (see Davies, J.B.)
Davio, M., and Quisquater, J.J. Rectangular universal iterative array 485
Davis, K.L., Newhouse, V.L., Lee, C.W., and Gunshor, R.L. Active surface-wave directional coupler 199
Davis, R.M., and Downing, B.R. Zero-voltage detection in thyristor and triac convertors 267
Day, C.R., Dyott, R.B., and Brain, M.C. (see Dyott, R.B.)
De Chambost, E. Estimate of substrate influence on space-charge-limited current 351
de Coulon, F., and Rumley, P.A. Pseudorandom Poisson-process generator 466
De La Rue, A.M., Stewart, C., Wilkinson, C.D.W., and Williamson, I.R. Frequency-controlled beam steering of surface acoustic waves using a stepped transducer array 326
De Lotto, I., and Dotti, D. Large-matrix-ordering technique with applications to trans-position 374
De Man, H., Mertens, R., and Van Overstraeten, R. Influence of heavy doping effects on the f, prediction of transistors 174
De Mey, G. Integral equation for the potential distribution in a Hall generator 264
de Sa, B.A.E., Charlton, R., and Hobson, G.S. (see Charlton, R.)
de Waard, P.J. Measurement of admittance of Gunn diodes in passive and active regions of bias voltage 59
Deacon, J.M., Heighway, J., Hooper, D.E., and Tarrant, D.W. Electronically variable analogue delay 229
Deacon, J.M., Heighway, J., and Jenkins, J.A. Multistrip coupler in acoustic-surface-wave filters 235
Decreton, M., McDonald, B.H., Friedman, M., and Wexler, A. (see McDonald, B.H.)
Delagebeauderf, D., and Lacombe, J. Power limitation of punchthrough injection transit-time oscillators 538
Delannoy, M., Rouvaen, J.M., Gremillet, N., Bridoux, E., and Torguet, R. (see Rouvaen, J.M.)
Delashmit, W.H., and Webber, R.F. (see Webber, R.F.)
Dervisoglu, B. State-assignment technique for synchronous sequential machines 416
detectors, and *n*- and *p*-channel M.O.S.F.E.T.*s* as Rayleigh-surface-wave (see *n*- and *p*-channel M.O.S.F.E.T.*s* as Rayleigh-surface-wave)
Devanathan, R. Continuously equivalent networks in state space 372
Diamand, F. Low-noise silicon IMPATT structure 405
Dijk, J., and Maanders, E.J. Some errors in the calculation of the radiation patterns of reflector antennas, using Kirchhoff integration 510
Doroudian, M., Vojdani, S., and Sharifnai, A. (see Vojdani, S.)
Doshi, R.B., Davies, O.J., and Nagenthiram, B. (see Davies, O.J.)
Dosso, H.W., and Ramaswamy, V. (see Ramaswamy, V.)
Dotti, D., and De Lotto, I. (see De Lotto, I.)
Douce, J.L., and Godfrey, K.R. (see Godfrey, K.R.)
Downing, B.J., and Myers, F.A. Q band (38 GHz) varactor-tuned Gunn oscillators 244 Errata 348
Downing, B.J., and Robson, P.N. Microwave-package measurements at the Q band 245
Downing, B.R., and Davis, R.M. (see Davis, R.M.)
Dragović, M.B., Popovic, B.D., and Jensen, N.E. Some experimental results for a capacitively loaded V antenna 45
Drury, M.J. New method for the testing of capacitors for internal ionisation discharges 215
Dubock, P.A., Zaluska, E.J., and Kemhadjian, H.A. (see Zaluska, E.J.)
Dunn, P.J., and Mellor, P.J.T. (see Mellor, P.J.T.)
Dupuis, P.A.J., and Campbell, C.K. Characteristic impedance of surface-strip coplanar waveguides 354
Dussauchoy, A., and Berland, R. (see Berland, R.)
Dyott, R.B., Day, C.R., and Brain, M.C. Glass-fibre waveguide with a triangular core 288

E

Eames, R., Roberts, J.B.G., and Roche, K.A. (see Roberts, J.B.G.)
Easter, B., and Richings, J.G. Microstrip band-pass filters with reduced radiation effects 93
Eccleston, W., and Stuart, R.A. (see Stuart, R.A.)
Edwards, T.C. Viscous dielectric materials for application in microwave microcircuits 406
El-Siasi, H., and Cobbold, R.S.C. Numerical calculation of the ideal C/V characteristics of nonuniformly doped m.o.s. capacitors 594
Elias, M.C., and Carson, C.T. Direct analysis of folded dipole by method of moments 520
Elliott, G., Harvey, D., and Williams, M.G. Dielectric anisotropy of new liquid-crystal mixtures and its effect on dynamic scattering 399
Esteve, D., and Ezz el Arab, M. Electrical properties and simplified theory of a particular junction field-effect transistor operating with a forward gate-source bias 339
Evans, B.G. Chebyshev quarter-wave stepped balun transformer 514
Evans, B.G., and Thompson, P.T. Use of cancellation techniques in the measurement of atmospheric crosspolarisation 447

Evans, F.J., and Holding, D.J. (see Holding, D.J.)
Ezz el Arab, M., and Esteve, D. (see Esteve, D.)

F

Falkner, A.H. Generalised Cockcroft-Walton voltage multipliers 585
Farnell, G.W., and Maerfeld, C. (see Maerfeld, C.)
Farnell, G.W., Yip, G.L., and Matrucci, J. (see Yip, G.L.)
Farrington, J.G., and Carroll, J.E. (see Carroll, J.E.)
Fawcett, W., and Herbert, D.C. High-field transport in indium phosphide 308
Felix, M.O. Moire effects in professional, videotape recorders 440
Felsen, L.B., and Chen, L.W. (see Chen, L.W.)
Fidler, J.K., and Chohan, V.C. (see Chohan, V.C.)
Fisher, T.S., Patterson, E., and Scotter, D.G. Surface-wave correlator with inclined transducer 55
Ford, J.S. Current-zero detection in thyristor convertors 73
Forster, T., Baechtold, W., Daetwyler, K., Mohr, T.O., Walter, W., and Wolf, P. (see Baechtold, W.)
Freund, E. Decoupling and pole assignment in nonlinear systems 373
Frey, J., and Lee, C.A. (see Lee, C.A.)
Frey, W. Bucket-brigade device with improved charge transfer 588
Frey, W. Optimum r.f.-power transport in *nd*-limited gallium-arsenide travelling-wave amplifiers 12
Friedman, M., McDonald, B.H., Decreton, M., and Wexler, A. (see McDonald, B.H.)
Funahashi, Y., and Nakamura, K. Estimation of discrete-time systems using pseudorandom sequences 208
Funahashi, Y., and Nakamura, K. Estimation of weighting-sequence matrices by correlation method 209

G

Gallop, J.C., and Petley, B.W. High-precision measurement of 2e/h that uses cryogenic electronic components 488
Gambling, W.A., and Matsumura, H. Pulse response of a graded-index optical fibre 336
Gambling, W.A., Payne, D.N., and Matsumura, H. Mode excitation in a multimode optical-fibre waveguide 412
Gertenbach, J.J., Anderson, R.B., and Van Niekerk, H.R. (see Anderson, R.B.)
Ghobrial, S.I. Some data for the design of low-crosspolarisation feeds 465
Ghobrial, S.I., and Watson, P.A. (see Watson, P.A.)
Gibbins, C.J. Nomograms for estimating clear-sky zenith atmospheric attenuation in range 80 - 130 GHz 605
Gibbons, G., Watts, B.E., and Howard, A.M. (see Watts, B.E.)
Godfrey, K.R., and Douce, J.L. Comment on use of synchronised dither in pseudorandom-sequence testing 450 Errata 480
Goodwin, A.R., Chown, M., Lovelace, D.F., Thompson, G.H.B., and Selway, P.R. (see Chown, M.)
Gootnikov, V.S., and Al-Rishi, H.B. New method of differential-input operational-amplifier-network analysis 341
Gosling, W. New mute for land mobile radio receivers 541
Gould, J.W., and Rhodes, G.M. Computer correction of a microwave network analyser without accurate frequency measurement 494
Graffi, S., Calzolari, P.U., and Morandi, C. (see Calzolari, P.U.)
Gray, G.W., Harrison, K.J., and Nash, J.A. New family of nematic liquid crystals for displays 130
Gray, G.W., Harrison, K.J., Nash, J.A., and Raynes, E.P. New cholesteric liquid crystals for displays 616
Gray, K.W., and Braddock, P.W. (see Braddock, P.W.)
Gray, R.J. Serial residue generator for use in a self-checking computer 411
Green, D.H., and Taylor, I.S. (see Taylor, I.S.)
Green, M.A., and Shewchun, J. Efficient numerical solution of the transmission-line equivalent-circuit model of a semiconductor 474
Gremillet, N., Rouvaen, J.M., Delannoy, M., Bridoux, E., and Torguet, R. (see Rouvaen, J.M.)
Groves, I.S., and Kenyon, N.D. Measurement technique for large-signal admittance of IMPATT diodes 331
Gsteiger, K.E., Cox, N.W., Hill, G.N., and Rucker, C.T. (see Cox, N.W.)
Gulamhusein, M.N. Simple matrix-theory proof of the discrete dyadic convolution theorem 238
Gunshor, R.L., Davis, K.L., Newhouse, V.L., and Lee, C.W. (see Davis, K.L.)

H

Haddad, G.I., and Bauhahn, P.E. (see Bauhahn, P.E.)
Haddad, G.I., Bauhahn, P.E., and Masnari, N.A. (see Bauhahn, P.E.)
Haddad, G.I., Tang, D., and Lomax, R.J. (see Tang, D.)
Haegemans, A., and Piessens, R. (see Piessens, R.)
Haeri, S.Y. GaP electroluminescent memory switch 279
Hagan, B.J., and Magowan, J.A. Extension of the moment-analysis method for statistical analysis to include linear-correlation effects 261
Hagan, B.J., and Magowan, J.A. Statistical approach to the prediction of m.o.s.-device performance 23
Hahn, S.L. Analysis of superposition of two resonant lines in atomic-beam device 608
Hales, M.C., Burgess, J.W., Ainger, F.W., and Porter, R.J. (see Burgess, J.W.)
Hall, W.F. Derivation of current/voltage characteristics for graded heterojunctions 548
Hamed, A., and Sutcliffe, H. Floating switch with large-signal capability 79
Hamid, M.A.K. Reflection coefficient of dielectric-loaded waveguide bends 37
Hammar, C., and Vinter, B. Diffusion of hot electrons in *n* indium phosphide 9
Hampton, R.L.T. Unsupervised learning of the Kalman filter 383
Hanke, G., and Lorek, W. 640 Mbit/s waveguide transmitter at 38 GHz 86
Hannah, R.S., and Mee, D.H. Use of unity-rank output feedback to guide the selection of feedback coefficients 263
Hannah, R.S., and Mee, D.H. (see Mee, D.H.)
Hannis, W.J., Brown, M.A.C.S., Skinner, J.M., and Turton, D.K. (see Brown, M.A.C.S.)
Hansen, R.C. Efficiency transition point for inductively loaded monopole 117
Hariu, T., and Hartnagel, H. Experimental verification of new Gunn-effect reflection-insensitive pulse regenerator 112
Harper, B., Watton, R., Smith, G., and Wreathall, W.M. (see Watton, R.)
Harris, D.J., Batt, R.J., and Bradley, H.L. (see Batt, R.J.)
Harris, J.R., and Bennett, L.A.M. Analogue multiplexing using a digital technique 158
Harrison, K.J., Gray, G.W., and Nash, J.A. (see Gray, G.W.)
Harrison, K.J., Gray, G.W., Nash, J.A., and Raynes, E.P. (see Gray, G.W.)
Hart, B.L., and Barker, R.W.J. Fast high-input-impedance unity-gain buffer stage 223
Hartemann, P. Frequency-selective scanning of acoustic surface wave 246
Hartemann, P., and Morizot, M.(Miss) Increase in surface-acoustic-wave velocity produced by ion implantation in quartz 497
Harth, W. Large-signal direct modulation of injection lasers 532 Errata 576
Hartnagel, H. Comments on new measurement method of Gunn-diode impedance 84
Hartnagel, H., and Hariu, T. (see Hariu, T.)
Harvey, D., Elliott, G., and Williams, M.G. (see Elliott, G.)
Harvey, J.T. Symbol set for regenerated communications 384
Hawkins, D.C., and Sangster, A.J. (see Sangster, A.J.)
Haykin, S.S., and Carter, C.R. (see Carter, C.R.)
Heeks, J.S., and Crisp, J.J. (see Crisp, J.J.)
Heighway, J., Deacon, J.M., Hooper, D.E., and Tarrant, D.W. (see Deacon, J.M.)
Heighway, J., Deacon, J.M., and Jenkins, J.A. (see Deacon, J.M.)
Henaff, J. Image processing using acoustic surface waves 102
Hendry, A., and McCormick, G.C. (see McCormick, G.C.)
Herbert, D.C., and Fawcett, W. (see Fawcett, W.)
Hevn, H.-J., and Kiesel, K. (see Kiesel, K.)
Hill, G.N., Cox, N.W., Gsteiger, K.E., and Rucker, C.T. (see Cox, N.W.)
Hirsch, N., and Hunsperger, R.G. (see Hunsperger, R.G.)
Hobdell, J., and Watson, P.A. (see Watson, P.A.)
Hobson, G.S. Ambient-temperature effects in transferred-electron amplifiers 559
Hobson, G.S. Measurement of external Q factor of microwave oscillators using frequency pulling or frequency locking 191
Hobson, G.S., and Charlton, R. (see Charlton, R.)
Hobson, G.S., Charlton, R., and de Sa, B.A.E. (see Charlton, R.)
Hockham, G.A. Radiation from a solid-state laser 389
Hodson, K., and Jefferis, A.K. (see Jefferis, A.K.)
Hoefer, W.J.R. Power-frequency distribution in a cavity containing a resonant ferrite sample 357
Hofflinger, B., and Schemmert, W. (see Schemmert, W.)
Holding, D.J., and Evans, F.J. Tensor-field interpretation of the dynamic behaviour of networks 56
Holmes, F.E., and Salama, C.A.T. V groove m.o.s. transistor technology 457
Holt, A.G.J., and Atikiouzel, J. Maximim Q factors for bandpass filters 434 Errata 576
Hooper, D.E., Deacon, J.M., Heighway, J., and Tarrant, D.W. (see Deacon, J.M.)
Howard, A.M., Watts, B.E., and Gibbons, G. (see Watts, B.E.)
Howard, B.V. Duality principle for asynchronous control circuits for directed graphs 546
Howard, J.F. Probability distribution of the cross-correlation function of finite-duration single-bit random waveforms Errata 72
Hsu, H., and Yu, C. Complete photon conversion in backward-travelling-wave parametric amplification and oscillation 442 Errata 624
Hugh, J.A.C. Numerical computation of the current distribution and far-field-radiation pattern of the axial-mode helical aerial 257
Hughes, D.J. Equivalence of the Box-Jenkins-Astrom control law to the Kalman linear regulator 220
Hunsperger, R.G., and Hirsch, N. GaAs field-effect transistors with ion-implanted channels 577
Hurst, S.L. Improvements in circuit realisation of threshold-logic gates 123

I

Ingebrigsten, K.A., and Bording, J. (see Bording, J.)
Ingram, D.G.W. Computer evaluation of network S parameters 542
Isailovic, J. Possible improvement in television-signal prediction due to interframe correlation 427
Ivanek, F. Increasing the locking bandwidth of a waveguide-cavity oscillator through the use of a double-tuned circuit 444

J

Jackson, L.A., and Abdul Hadi, Z.M. (see Abdul Hadi, Z.M.)
Jager, D., and Rabus, W. Bias-dependent phase delay of Schottky contact microstrip line 201
Jalade, J., Prajoux, R., and Thierry, P. (see Prajoux, R.)
James, G.L., and Poulton, G.T. Modified diffraction coefficients for focusing reflectors 537
James, J.R., and Burrows, R.M. Resonance properties of dielectric-loaded short unipoles 300
James, J.R., and Ladbrooke, P.H. Surface-wave phenomena associated with open-circuited stripline terminations 570
Jefferis, A.K., and Hodson, K. New synchronisation scheme for communication-satellite time-division multiple-access systems 566
Jenkins, J.A., Deacon, J.M., and Heighway, J. (see Deacon, J.M.)
Jensen, N.E., Dragovic, M.B., and Popovic, B.D. (see Dragovic, M.B.)
Johns, P.B., and Slater, G.F. Transient analysis of waveguides with curved boundaries 486
Johns, P.B., and Akhtarzad, S. (see Akhtarzad, S.)
Johnson, N. Improved binary multiplication system 6 Errata 120
Jones, D., and Rees, H.D. Overlength modes of transferred-electron oscillators 105
Jovanovich, A.D., and Chobeljich, S.N. Fast algorithm for finding a forest of a linear graph 504

K

Kaesser, R. Optimum source admittance matching for low-noise receivers without transformers 124
Kallback, B. Noise performance of gallium-arsenide and indium-phosphide injection-limited diodes 11
Kanbe, H., Shimizu, N., and Kumabe, K. Characteristics of a gallium-arsenide travelling-wave amplifier with Schottky-barrier contacts 29
Karivaratharajan, P., and Murti, V.G.K. Procedure for the generation of eqiripple functions 522
Kato, Y., and Usami, A. Effects of boron density on radiation resistance of copper-contaminated *n/p* type silicon solar cells 18
Keen, A.W., and Usui, G. Signal-flowgraph representation of electronic-amplifier networks 33
Kemhadjian, H.A., Zaluska, E.J., and Dubock, P.A. (see Zaluska, E.J.)

Kent, M. Rapid method suitable for liquids and powders for determination of relative permittivities in the microwave region 39
Kenyon, N.D., and Groves, I.S. (see Groves, I.S.)
Kerr, J.A., Slatter, J.A.G., and Vinton, D. An f, anomaly 338
Kharadly, M.M.Z., McRitchie, W.K., and Corr, D.G. (see McRitchie, W.K.)
Khokle, W.S., and Chaturvedi, P.K. (see Chaturvedi, P.K.)
Kiesel, K., and Hevn, H.-J. Complex predistortion of high-frequency signals(Komplexe Vorverzerrung hochfrequenter Signale) 565
Kikuchi, Y., Chubachi, N., and Kushibiki, J. (see Chubachi, N.)
Kikuchi, Y., Sasaki, H., and Chubachi, N. (see sasaki, H.)
Kim, C., Steele, R., and Bierig, R. High-power high-efficiency operation of Read-type IMPATT-diode oscillators 173
King, R.A., and Wong, K.M. (see Wong, K.M.)
Kingsbury, N.G. Digital-filter 2nd-order element with low quantising noise for poles and zeros at low frequencies 271 Errata 348
Kino, G.S. F.E.T. theory of strip-coupled Rayleigh-wave amplifier 52
Kino, G.S., and Wagers, R. (see Wagers, R.)
Kinzl, A., Braun, F., and Rothenbuhler, H. (see Braun, F.)
Kirkby, P.A., and Thompson, G.H.B. (see Thompson, G.H.B.)
Kirton, J., Ashford, A., Constant, J., and Raynes, E.P. (see Ashford, A.)
Kluge, W. Cellular dynamic memory array with reduced data-access time 458 Errata 556
Knight, D.J.E., and Brown, E.C. Frequency stability of millimetre-band reflex klystrons with various cooling techniques 163
Koch, R.W., and Paul, C.R. Piecewise-linear-basis-function expansions 332
Koch, R.W., and Paul, C.R. (see Paul, C.R.)
Kodandapani, K.L. Rectangular universal cellular array 286
Kouril, F., and Ricny, V. Linear and nonlinear high-quality synthetic inductors 430
Kumabe, K., Kanbe, H., and Shimizu, N. (see Kanbe, H.)
Kushibiki, J., Chubachi, N., and Kikuchi, Y. (see Chubachi, N.)
Kyaw, A.T., and Steele, R. Constant-factor delta modulator 96

L

Lacombe, J., and Delagebeauderf, D. (see Delagebeauderf, D.)
Ladbrooke, P.H. Improved instrument for probing static potential profiles in semiconductor devices 315
Ladbrooke, P.H., and James, J.R. (see James, J.R.)
Lamensdorf, D. Capacitively tuned dipole 445
Laprie, J.C., and Souny, M. Sequential generators using read-only memories 142
LaRosa, R., and Vasile, C.F. Broadband bulk-wave cancellation in acoustic-surface-wave devices Errata 72
Larosa, R., Vasile, C.F., and Zagardo, D.V. Comparison of surface-wave reflection coefficients for different metals on quartz 495
Lau, P.K., and Watson, P.A. Low-noise room-temperature parametric amplifier 581
Laughton, M.A., and Sardharwalla, A.B. (see Sardharwalla, A.B.)
Lee, C.A., and Frey, J. Comparison of plasma formation in n+p and p+n TRAPATT diodes 318
Lee, C.W., Davis, K.L., Newhouse, V.L., and Gunshor, R.L. (see Davis, K.L.)
Lee, R.E., and Bahr, A.J. (see Bahr, A.J.)
Leedy, L.M., and Portnoy, W.M. (see Portnoy, W.M.)
Lekholm, A., and Mayr, J. Computer optimisation of double-drift-region IMPATT diodes 64
Lewin, D.W., and Barry, R. (see Barry, R.)
Lewin, L. Local form of the radiation condition: application to curved dielectric structures 468
Lewin, L., and Al-Hariri, A.M.B. Attenuation in an elliptic waveguide 388 Errata 480
Lewis, M.F. Surface-acoustic-wave filters employing symmetric phase-weighted transducers 138
Lewis, M.F., Crabb, J., and Maines, J.D. (see Crabb, J.)
Litovski, V.B., and Rakovich, B.D. (see Rakovich, B.D.)
Lomax, R.J., Tang, D., and Haddad, G.I. (see Tang, D.)
Lorek, W., and Hanke, G. (see Hanke, G.)
Loretan, R.P. Simulation of p.c.m. transmission system for use in subscriber network 42
Lovelace, D.F., Chown, M., Goodwin, A.R., Thompson, G.H.B., and Selway, P.R. (see Chown, M.)
Lovering, W.F., Banasiewicz, H., and Williamson, S.E. (see Banasiewicz, H.)
Luque, A., Rodriguez, T., and Mulet, J. (see Rodriguez, T.)
Luukkala, M., and Merilainen, P. Variable delay for acoustic surface waves by electro-acousto-optic interaction 471
Luukkala, M., and Ostrovski, I. (see Ostrovski, I.)
Luypaert, P.J., and Schoonaert, D.H. (see Schoonaert, D.H.)
Luypaert, P.J., and Van de Capelle, A.R. (see Van de Capelle, A.R.)

M

Maanders, E.J., and Dijk, J. (see Dijk, J.)
McCormick, G.C., and Hendry, A. Method for measuring the anisotropy of precipitation media 216
McDonald, B.H., Friedman, M., Decreton, M., and Wexler, A. Integral finite-element approach for solving the Laplace equation 242
McGill, T.C., Mohsen, A.M., Bower, R., and Zimmerman, T. (see Mohsen, A.M.)
McGinn, M. All n-p-n4-quadrant analogue multiplier 472
McInnes, P.A., and Munro, E.W. (see Munro, E.W.)
McInnes, P.A., Munro, E.W., and Whitaker, A.J.T. (see Munro, E.W.)
MacIver, B.A. Characteristics of ion-implanted hybrid voltage-variable capacitors 210
McLennan, D.J., Mavor, J., Vanstone, G.F., and Windle, D.J. Novel tapping technique for charge-coupled devices 610
Macleod, C.J. Comment on estimation of discrete-time systems using pseudorandom sequences 326
Macleod, C.J. Comparison of methods of parameter estimation using pseudorandom sequences 342
McPhun, M.K., and da Silva, E.F. (see da Silva, E.F.)
McRitchie, W.K., Kharadly, M.M.Z., and Corr, D.G. Field-matching solution of transverse discontinuities in inhomogeneous waveguides 291
Maerfeld, C., and Farnell, G.W. Nonsymmetrical multistrip coupler as a surface-wave beam compressor of large bandwidth 432
Maerfeld, C., and Tournois, P. Perturbation theory for multistrip acoustoelectric surface-wave amplifier 113
Maerfeld, C., and Tournois, P. Perturbation theory for the surface-wave multistrip coupler 115
Maes, H., and Van Overstraeten, R. Low-field tunnelling current in thin-oxide m.n.o.s. memory transistors 19
Magowan, J.A., and Hagan, B.J. (see Hagan, B.J.)
Maines, J.D., Moule, G.L., Ogg, N.R., and Rich, G. Improvements in surface-acoustic-wave pulse-compression filters 156
Maines, J.D., Crabb, J., and Lewis, M.F. (see Crabb, J.)
Majithia, J.C. Pipeline array for square-root extraction 4
Majithia, J.C., and Werenko, A. (see Werenko, A.)
Makridis, H., and Davies, D.E.N. (see Davies, D.E.N.)
Margalit, S., Neugroshel, A., and Bar-Lev, A. (see Neugroshel, A.)
Marjanovic, S. High-accuracy digital-analogue convertor 131
Mars, P., Miller, A.J., and Brown, A.W. (see Miller, A.J.)
Martinot, H., and Rossel, P. (see Rossel, P.)
Masamitsu, N. Generalisation of the bandpass-lowpass analogy and its application to a phase-shift-keying signal Errata 168
Masetti, G., Solmi, S., and Soncini, G. Boron redistribution at the oxide-silicon interface during drive in in oxidising atmospheres 226 Errata 380
Masnari, N.A., Bauhahn, P.E., and Haddad, G.I. (see Bauhahn, P.E.)
Mason, I.M., and Papadofrangakis, E. (see Papadofrangakis, E.)
Mason, I.M., Zakarevicius, R.A., and Ash, E.A. (see Zakarevicius, R.A.)
Mason, J.D.S. Effects of binary quantisation when using the fast Fourier transform to compute power spectral estimates 361 Errata 436
Matrucci, J., Yip, G.L., and Farnell, G.W. (see Yip, G.L.)
Matsumura, H., and Gambling, W.A. (see Gambling, W.A.)
Matsumura, H., Gambling, W.A., and Payne, D.N. (see Gambling, W.A.)
Mavor, J. Metal-nitride-oxide-silicon avalanche-injection memory 111 349
Mavor, J., McLennan, D.J., Vanstone, G.F., and Windle, D.J. (see McLennan, D.J.)
Mawani, S.J., Anderson, A.P., and Orme, R.D. (see Anderson, A.P.)
Mayne, D.Q. Comment on effect of unity-rank feedback on the transfer-function matrix of a multivariable system 569
Mayne, D.Q. Comment on nonminimum-phase difficulties in multivariable-control-system design 571
Mayr, J., and Lekholm, A. (see Lekholm, A.)
Mecklenbrauker, W.F.G., Claasen, T.A.C.M., and Peek, J.B.H. (see Claasen, T.A.C.M.)
Mee, D.H., and Hannah, R.S. Nonminimum-phase difficulties in multivariable-control-system design 469
Mee, D.H., and Hannah, R.S. (see Hannah, R.S.)
Meier, P.J. Equivalent relaive permittivity and unloaded Q factor of integrated finline 162
Mellitt, B. Data-transmission characteristics of railway track 550 Errata 624
Mellor, P.J.T., and Dunn, P.J. Comment on metal-nitride-oxide-silicon avalanche-injection memory 252 349
Merilainen, P., and Luukkala, M. (see Luukkala, M.)
Mertens, R., De Man, H., and Van Overstraeten, R. (see De Man, H.)
Metaxaki-Kossionides, C. Automation of the synthesis of asynchronous sequential circuits 478
Methiwalla, A.E., and Tomlinson, M. (see Tomlinson, M.)
Meyer, P.C., and Shulz, M.B. Temperature effects in reflective surface-acoustic-wave delay lines 523
Miller, A.J., Brown, A.W., and Mars, P. Adaptive logic circuits for digital stochastic computers 500
Milsom, R.F., Reilly, N.H.C., and Redwood, M. (see Reilly, N.H.C.)
Milson, R.F., and Redwood, M. Generation of Bleustein-Gulyaev and bulk-shear waves by interdigital transducers on a piezoelectric ceramic 417
Mink, J.W. Rain-attenuation measurements of millimetre waves over short paths 198
Mitchell, D.J., and Snyder, A.W. (see Snyder, A.W.)
Moffat, M.E.B., Croll, M.G., and Osborne, D.W. (see Croll, M.G.)
Mohr, T.O., Baechtold, W., Daetwyler, K., Forster, T., Walter, W., and Wolf, P. (see Baechtold, W.)
Mohsen, A.M., Bower, R., McGill, T.C., and Zimmerman, T. Overlapping-gate buried-channel charge-coupled devices 396
Mok, T.D., and Salama, C.A.T. M.O.S. bucket-brigade and-or logic array 135
Monds, F.C., and Moore, J.W. (see Moore, J.W.)
Moore, J.W., and Monds, F.C. Proportional electromyogram-controlled demand muscle stimulator 284
Moore, R.H., and Patterson, J.D. (see Patterson, J.D.)
Morandi, C., Calzolari, P.U., and Graffi, S. (see Calzolari, P.U.)
Morison, I., and Ponsonby, J.E.B. (see Ponsonby, J.E.B.)
Morizot, M.(Miss), and Hartemann, P. (see Hartemann, P.)
Moule, G.L., Maines, J.D., Ogg, N.R., and Rich, G. (see Maines, J.D.)
Mulet, J., Rodriguez, T., and Luque, A. (see Rodriguez, T.)
Munro, E.W., and McInnes, P.A. Calculation of the radiation pattern and impedance of a log-periodic dipole array (Computer-Program Description) (Computer-program description) 530
Munro, E.W., Whitaker, A.J.T., and McInnes, P.A. Calculation of the secondary-radiation pattern for a paraboloid reflector with a given illumination function and feed position (Computer program description) (Computer-program description) 234 Errata 348
Murdoch, P. Dual-observer design procedure 270
Murray, H., and Tosser, A. ZnS sputtered photocells 491
Murti, V.G.K., and Karivaratharajan, P. (see Karivaratharajan, P.)
Myers, B.R. Generating function for spanning trees 360 Errata 464
Myers, F.A., and Downing, B.J. (see Downing, B.J.)

N

n- and *p*-channel M.O.S.F.E.T.*s* as Rayleigh-surface-wave, and detectors n- and p-channel M.O.S.F.E.T.S as Rayleigh-surface-wave detectors 125
Nagenthiram, B., Davies, O.J., and Doshi, R.B. (see Davies, O.J.)
Nakamura, K., and Funahashi, Y. (see Funahashi, Y.)
Nakhla, M., Singhal, K., and Vlach, J. Admittance-matrix representation of an ideal differential operational amplifier 562
Nakhla, Mrs M., Singhal, K., and Vlach, J. Numerical inversion of the laplace transform (Computer-program description) 313
Narayan, S.Y., and Upadhyayula, L.C. (see Upadhyayula, L.C.)

Nash, J.A., Gray, G.W., and Harrison, K.J. (see Gray, G.W.)
Nash, J.A., Gray, G.W., Harrison, K.J., and Raynes, E.P. (see Gray, G.W.)
Natarajan, T., Ahmed, N., and Rao, K.R. (see Ahmed, N.)
Neelakantaswamy, P.S., and Banerjee, D.K. Radiation characteristics of waveguide-excited dielectric spheres with matched sphere-air boundary 40 Errata 348
Neilsen, P.T. Distributed frame synchronisation by nonlinear-shift-register sequences 73
Neirynck, J., Bui, N.C., and Tran, C. Influence of the extraction order of attenuation poles in a lowpass filter 381
Neugroshel, A., Margalit, S., and Bar-Lev, A. n-channel enhancement m.o.s. transistor built in germanium-doped silicon 153
Newhouse, V.L., Davis, K.L., Lee, C.W., and Gunshor, R.L. (see Davis, K.L.)
Newns, G.R., Stewart, C.E.E., Tyldesley, D., Scott, B., and Rawson, H. (see Stewart, C.E.E.)
Newton, C.O. Transducer and multistrip-coupler performance for leaky surface waves on lithium niobate 481
Nicholls, N.S., Damon, L., and Schoffield, B.P. Reduction of noise in high-power crossed-field amplifiers 398
Nicolson, A.M. Forming the fast Fourier transform of a step response in time-domain metrology 317
Nitzberg, R. Limitation of m.t.i. improvement-factor due to oscillator instability 470

O

O'Donovan, P.L., and Rudge, A.W. Adaptive control of a flexible linear array 121
Ogg, N.R., Maines, J.D., Moule, G.L., and Rich, G. (see Maines, J.D.)
Oguey, H., and Vittoz, E. CODYMOS frequency dividers achieve low power consumption and high frequency 386
Oguey, H., and Vittoz, E. (see Vittoz, E.)
Olver, A.D., Clarricoats, P.J.B., and Chong, S.L. Experimental determination of attenuation in corrugated circular waveguides 424 Errata 480
Olver, A.D., and Clarricoats, P.J.B. (see Clarricoats, P.J.B.)
Orme, R.D., Anderson, A.P., and Mawani, S.J. (see Anderson, A.P.)
Osborne, D.W., Croll, M.G., and Moffat, M.E.B. (see Croll, M.G.)
Ostrovski, I., and Luukkala, M. Detection of acoustoelectric voltage by shear-horizontal-plate waves in cadmium-sulphide plates 154
Otto, D.V., and Williamson, A.G. (see Williamson, A.G.)
Owens, D.H. Structural modification of dyadic transfer-function matrices using feedback 379
Owens, J.M., Adam, J.D., and Collins, J.H. (see Adam, J.D.)
Ozguner, U. Signal-flowgraph analysis using only loops 359

P

Panigrahi, G. Numerical calculation of low-frequency capacitance/voltage curves of m.o.s. capacitors with nonconstant doping profiles 43
Papadofrangakis, E., and Mason, I.M. Diffraction on helical acoustic-surface-wave delay lines and the concept of an anisotropic edge lens 304
Papakonstantinou, G. Synthesis of cutpoint cellular arrays 97
Papakonstantinou, G. Synthesis of cutpoint cellular arrays with any cell-index set 350
Parkin, D. Computational estimate of applicability of infinite-array theory 94
Parks, C.M., and Salama, C.A.T. V.M.O.S. conductively coupled charge coupled device 593
Patterson, E., Fisher, T.S., and Scotter, D.G. (see Fisher, T.S.)
Patterson, J.D., and Moore, R.H. Secant algorithm applied to the solution for the steady-state condition in nonlinear-circuit analysis 496
Paul, C.R., and Koch, R.W. Piecewise-linear-signal representation 194
Paul, C.R., and Koch, R.W. (see Koch, R.W.)
Payne, D.N., Gambling, W.A., and Matsumura, H. (see Gambling, W.A.)
Peart, R.F., and Cardwell, M.J. (see Cardwell, M.J.)
Peek, J.B.H., Claasen, T.A.C.M., and Mecklenbrauker, W.F.G. (see Claasen, T.A.C.M.)
Penbeci, S., and Ceyhun, Y. (see Ceyhun, Y.)
Peng, S.T., Tamir, T., and Bertoni, H.L. Leaky-wave analysis of optical periodic couplers 150
Pennington, H., and Steele, R. A-law pulse-code modulation by a delta-modulation technique 171
Perlstein, J.H., Sayed, M.M., and Westgate, C.R. (see Sayed, M.M.)
Petley, B.W., and Gallop, J.C. (see Gallop, J.C.)
Pfund, G., Podell, A., and Tarakci, U. Pulsed silicon double-drift IMPATTs for microwave and millimetre-wave applications 518
Piessens, R., and Haegemans, A. Numerical calculation of Fourier-transform integrals (Computer Program Description) (Computer-program description) 108
Pike, W.T., Stonham, T.J., Aleksander, I., Camp, M., and Shaw, M.A. (see Stonham, T.J.)
Pitt, C.W. Sputtered-glass optical waveguides 401
Podell, A., Pfund, G., and Tarakci, U. (see Pfund, G.)
Pointon, A.J., and Blomfield, D.L.H. (see Blomfield, D.L.H.)
Ponsonby, J.E.B., and Morison, I. Sampling phase rotator for removal of Doppler shift in a lunar radar 409
Popović, B.D., Dragovic, M.B., and Jensen, N.E. (see Dragovic, M.B.)
Porter, B. Deadbeat control of discrete-time systems incorporating deadbeat discrete-time observers 547
Porter, B. Deadbeat control of linear multivariable discrete-time systems 83
Porter, B. Deadbeat state reconstruction of linear multivariable discrete-time systems 176
Porter, B. Normality conditions for the time-optimal control of time-invariant linear systems 343
Porter, B., and Crossley, T.R. (see Crossley, T.R.)
Porter, R.J., Burgess, J.W., Hales, M.C., and Ainger, F.W. (see Burgess, J.W.)
Portnoy, W.M., and Leedy, L.M. Tungsten masking against boron implantation 129
Poulton, G.T., and Claydon, B. Determination of crosspolarisation by the use of focal-region fields 568
Poulton, G.T., and James, G.L. (see James, G.L.)
Power, H.M. General strategy for increasing type number of control systems 614
Power, H.M., and Simpson, R.J. (see Simpson, R.J.)
Prager, H.J., Risko, J., Thomas, J., and Chang, K.K.N. (see Risko, J.)
Prajoux, R., Thierry, P., and Jalade, J. Extension of a small-signal model for thyristor-rectifier control loops when using an asynchronous delay-type firing circuit 228
Puckette, C.M., Butler, W.J., and Barron, M.B. (see Butler, W.J.)
Puckette, C.McD., Butler, W.J., and Smith, D.A. (see Butler, W.J.)
Pullen, F.D. Signal-coupling system for intrabundle communication on high-voltage lines 109

Q

Quisquater, J.J., and Davio, M. (see Davio, M.)

R

Rabus, W., and Jager, D. (see Jager, D.)
Rakovich, B.D., and Litovski, V.B. Least-squares monotonic lowpass filters with sharp cutoff 75
Rama Rao, B. Nonlinear power amplification at the second harmonic in TRAPATT diodes 526
Ramaswamy, V., and Dosso, H.W. Locating a horizontal magnetic dipole buried in a 2-laye earth 99
Rao, K.R., Revuluri, K., and Ahmed, N. Generalised autocorrelation theorm 212
Rao, K.R., Ahmed, N., and Natarajan, T. (see Ahmed, N.)
Rawson, H., Stewart, C.E.E., Tyldesley, D., Scott, B., and Newns, G.R. (see Stewart, C.E.E.)
Rayner, P.J.W., and Terrell, P.M. (see Terrell, P.M.)
Raynes, E.P. Twisted nematic liquid-crystal electro-optic devices with areas of reverse twist 101 Errata 260
Raynes, E.P., Ashford, A., Constant, J., and Kirton, J. (see Ashford, A.)
Raynes, E.P., and Constant, J. (see Constant, J.)
Raynes, E.P., Gray, G.W., Harrison, K.J., and Nash, J.A. (see Gray, G.W.)
Reddy, D.C., and Reddy, P.K. (see Reddy, P.K.)
Reddy, P.K., and Reddy, D.C. Volterra kernels in nonlinear systems 426
Redwood, M., and Milson, R.F. (see Milson, R.F.)
Redwood, M., Reilly, N.H.C., and Milsom, R.F. (see Reilly, N.H.C.)
Reeder, T.M. Insertion loss and saturation effects in the diode correlator 254
Rees, H.D., and Jones, D. (see Jones, D.)
Reilly, N.H.C., Milsom, R.F., and Redwood, M. Generation of Rayleigh and bulk waves by interdigital transducers on y-cut z-propagating lithium niobate 419
Revuluri, K., Rao, K.R., and Ahmed, N. (see Rao, K.R.)
Rhodes, G.M., and Gould, J.W. (see Gould, J.W.)
Rich, G., Maines, J.D., Moule, G.L., and Ogg, N.R. (see Maines, J.D.)
Richards, D.L. Choice of parameters for calculating loudness ratings of telephone speech paths 249
Richards, D.L. New definitions for loudness ratings 448
Richings, J.G., and Easter, B. (see Easter, B.)
Richy, V., and Kouril, F. (see Kouril, F.)
Ridella, S., and Bianco, B. (see Bianco, B.)
Risch, P.R., and Brubaker, T.A. Evaluation of data reconstruction using Walsh functions 489
Risko, J., Thomas, J., Prager, H.J., and Chang, K.K.N. I band (8-10 GHz) TRAPPAT-diode sources 572
Roberts, J.B.G., Eames, R., and Roche, K.A. Moving-target-indicator recursive radar filter using bucket-brigade circuits 89
Robson, P.N., and Downing, B.J. (see Downing, B.J.)
Roche, K.A., Roberts, J.B.G., and Eames, R. (see Roberts, J.B.G.)
Rodriguez, T., Mulet, J., and Luque, A. Behaviour of burst noise under mechanical stress 248
Rollett, J.M. Economical *RC* active lossy ladder filters 70 Errata 152
Rootenberg, J., and Walk, R. (see Walk, R.)
Rossel, P., and Martinot, H. Modele phenomenologique de transistor m.o.s. en regime de saturation 414
Rothenbuhler, H., Braun, F., and Kinzl, A. (see Braun, F.)
Rouvaen, J.M., Gremillet, N., Delannoy, M., Bridoux, E., and Torguet, R. Bragg imaging of high-frequency sound fields 275
Rouzeyre, M., and Sagnes, G. Nonlinear interaction of acoustic surface waves with carriers 160
Rucker, C.T., Cox, N.W., Gsteiger, K.E., and Hill, G.N. (see Cox, N.W.)
Rudge, A.W. Offset-reflector antennas with offset feeds 611
Rudge, A.W., and O'Donovan, P.L. (see O'Donovan, P.L.)
Rumley, P.A., and de Coulon, F. (see de Coulon, F.)
Ruscio, J.T., and Arnaud, J.A. (see Arnaud, J.A.)

S

Saad, S.S., Davies, J.B., and Davies, O.J. (see Davies, J.B.)
Sabine, P.V.H. Analysis of the surface-acoustic-wave crossbar coupler 136
Sagnes, G., and Rouzeyre, M. (see Rouzeyre, M.)
Salama, C.A.T., and Holmes, F.E. (see Holmes, F.E.)
Salama, C.A.T., and Mok, T.D. (see Mok, T.D.)
Salama, C.A.T., and Parks, C.M. (see Parks, C.M.)
Salerno, M. Time-domain synthesis with multiple-shift-sequence digital filters 613
Sangster, A.J., and Hawkins, D.C. Radiating apertures in a corrugated rectangular waveguide 329
Sardharwalla, A.B., and Laughton, M.A. *j* multiplier: a new network device 231
Sarkar, B., and Das, S. (see Das, S.)
sasaki, H., Chubachi, N., and Kikuchi, Y. Thickness dependence of effective coupling factors of ZnO thin-film surface-wave transducers 92
Satyanarayana, N. Frequency multiplier for square waves 509
Sayed, M.M., Westgate, C.R., and Perlstein, J.H. Microwave Hall-mobility measurements on 1-dimensional conducting systems 529
Schemmert, W., and Hofflinger, B. Optimisation of depletion-mode transistors for an m.o.s. p-channel technology 555
Schicketanz, D. Pulse broadening in multimode fibres excited by GaAs lasers 5
Schoffield, B.P., Nicholls, N.S., and Damon, L. (see Nicholls, N.S.)
Schoonaert, D.H., and Luypaert, P.J. Use of nonseparable solutions of Helmholtz wave equation in waveguides and cavities 617
Scibor-Rylski, M.T.V. Total-internal-reflection electro-optic diffraction deflector/modulator 309
Scott, B., Stewart, C.E.E., Tyldesley, D., Rawson, H., and Newns, G.R. (see Stewart, C.E.E.)
Scotter, D.G., Fisher, T.S., and Patterson, E. (see Fisher, T.S.)
Selway, P.R., Chown, M., Goodwin, A.R., Lovelace, D.F., and Thompson, G.H.B. (see Chown, M.)
Seng, L.M., and Clarricoats, P.J.B. (see Clarricoats, P.J.B.)
Seraji, H. Effect of unity-rank feedback on the transfer-function matrix of a multivariable system 477

Sharifnai, A., Vojdani, S., and Doroudian, M. (see Vojdani, S.)
Shaw, M.A., Stonham, T.J., Aleksander, I., Camp, M., and Pike, W.T. (see Stonham, T.J.)
Sheeran, M., and Byrne, P.C. (see Byrne, P.C.)
Shekher, C., and Antoniou, A. (see Antoniou, A.)
Shewchun, J., and Green, M.A. (see Green, M.A.)
Shimizu, N., Kanbe, H., and Kumabe, K. (see Kanbe, H.)
Shukla, V. Estimation in linear time-delay system with coloured observation noise 1
Shulz, M.B., and Meyer, P.C. (see Meyer, P.C.)
Shurmer, H.V. Calibration procedure for computer-corrected s parameter characterisation of devices mounted in microstrip 323
Simpson, G. Acoustic surface waves on paratellurite 21
Simpson, R.J., and Power, H.M. Use of dither to eliminate hysteresis effects in rotating amplifiers 369
Singhal, K., Nakhla, M., and Vlach, J. (see Nakhla, M.)
Sinha, N.K. Adaptive Kalman filtering using stochastic approximation 177
Sjolund, A. Small-signal noise analysis of $p+$-n-$p+$ BARITT diodes 2
Skinner, J.M., Brown, M.A.C.S., Hannis, W.J., and Turton, D.K. (see Brown, M.A.C.S.)
Skoric, M.M., and Stanic, B.V. (see Stanic, B.V.)
Slater, G.F., and Johns, P.B. (see Johns, P.B.)
Slatter, J.A.G., Kerr. J.A., and Vinton, D. (see Kerr. J.A.)
Slobodnik, A.J., and Szabo, T.L. Ultraflow-diffraction acoustic-surface-wave propagation on $Bi_{12}GeO_{20}$ 149
Smith, D.A., Butler, W.J., and Puckette, C.McD. (see Butler, W.J.)
Smith, G., Watton, R., Harper, B., and Wreathall, W.M. (see Watton, R.)
Smith, J.G., and Brook, P. (see Brook, P.)
Smith, J.M., Stern, E., and Bers, A. Accumulation-layer surface-wave convolver 145
Snyder, A.W., and Mitchell, D.J. Generalised Fresnel's law for loss due to curvature 609
Snyder, A.W., and Mitchell, D.J. Leaky rays cause failure of geometric optics on optical fibres 437
Soliman, A.M. Realisation of operational-amplifier allpass networks 67
Solmi, S., Masetti, G., and Soncini, G. (see Masetti, G.)
Solymar, L. Derivation of diffraction coefficients for a thin wire of finite length 438
Somlo, P.I. Time-domain reflectometry from Smith-chart plotting 221
Soncini, G., Masetti, G., and Solmi, S. (see Masetti, G.)
Souny, M., and Laprie, J.C. (see Laprie, J.C.)
Spencer, A.J. Cost and radix 521
Spies. K.P., and Wait, J.R. (see Wait, J.R.)
Spirito, P. Multiplication factors and breakdown voltages of n⁺-p and p⁺-n abrupt junctions 367
Squire, W. Comment on numerical calculation of Fourier-transform integrals 291
Srinivasan, R. Feedback-rate control in fading channels 395
Stanic, B.V., and Skoric, M.M. Propagation of an arbitrary impulsive plane wave with arbitrary angle of incidence and polarisation in isotropic-plasma halfspace 583
Steele, R., Kim, C., and Bierig, R. (see Kim, C.)
Steele, R., and Kyaw, A.T. (see Kyaw, A.T.)
Steele, R., and Pennington, H. (see Pennington, H.)
Stentiford, F.W.M., and Bennetts, R.G. (see Bennetts, R.G.)
Stephenson, F.W. Comparative performance of equal-valued-capacitor active RC structures 505
Stern, E., Smith, J.M., and Bers, A. (see Smith, J.M.)
Stewart, C., De La Rue, A.M., Wilkinson, C.D.W., and Williamson, I.R. (see De La Rue, A.M.)
Stewart, C.E.E., Tyldesley, D., Scott, B., Rawson, H., and Newns, G.R. High-purity glasses for optical-fibre communication 482
Stewart, J.A.C., and Christie, J. (see Christie, J.)
Stonham, T.J., Aleksander, I., Camp, M., Shaw, M.A., and Pike, W.T. Automatic classification of mass spectra by means of digital learning nets 391
Stouten, P. Equivalent capacitances of T junctions 552
Stuart, R.A., and Eccleston, W. Punchthrough currents in short-channel m.o.s.t. devices 586
Sutcliffe, H. Correlation of noise current and voltage in transistor-base regions 375
Sutcliffe, H., and Hamed, A. (see Hamed, A.)
Swartz, G.A., Chiang, V.S., Wen, C.P., and Young, A. F.M.-noise measurements on p-type and n-type silicon IMPATT oscillators 578
Szabo, T.L., and Slobodnik, A.J. (see Slobodnik, A.J.)
Szekely, V. Accurate calculation of device heat dynamics: a special feature of the trans-tran circuit-analysis program 132

T

Tamir, T., Peng, S.T., and Bertoni, H.L. (see Peng, S.T.)
Tancrell, R.H. Improvement of an acoustic-surface-wave filter with a multistrip coupler 316
Tang, D., Lomax, R.J., and Haddad, G.I. Effect of circuit load on the phase of bias tuning in transferred-electron devices 564
Tarakci, U., Pfund, G., and Podell, A. (see Pfund, G.)
Tarrant, D.W., Deacon, J.M., Heighway, J., and Hooper, D.E. (see Deacon, J.M.)
Tavsanoglu, V. Application of Howitt transformations to 2-element-kind networks 206
Tavsanolgu, V. Simple evaluation of the matrix T that relates two equivalent Foster networks 422
Taylor, I.S., and Green, D.H. Restriction of non-binary commafree codes 60
Teh, G.A., and Wilson, M.G.F. (see Wilson, M.G.F.)
Terrell, P.M., and Rayner, P.J.W. Improved algorithm for low-order digital convolution 618
Tesche, F.M. Calculation of the exterior natural frequencies of a wire by the use of Hallen's integral equation 558
Thierry, P., Prajoux, R., and Jalade, J. (see Prajoux, R.)
Thomas, B.W., and Walsh, D. Metal-insulator semiconductor-electroluminescent diodes in single-crystal zinc oxide 362
Thomas, C.R., and Allen, C.R. (see Allen, C.R.)
Thomas, J., Risko, J., Prager, H.J., and Chang, K.K.N. (see Risko, J.)
Thompson, G.H.B., and Kirkby, P.A. Low threshold-current density in 5-layer-heterostructure (GaAl)As/GaAs localised-gain-region injection lasers 295
Thompson, G.H.B., Chown, M., Goodwin, A.R., Lovelace, D.F., and Selway, P.R. (see Chown, M.)
Thompson, P.T., and Evans, B.G. (see Evans, B.G.)
Tien-Lin Chang Binary read-only-memory multiplier 580
Tirtoprodjo, S. Series-parallel RLC synthesis of bicubic impedance 370
Tomlinson, M., and Methiwalla, A.E. Good performance i.f. and premodulation filters for simple f.s.k. system 620
Torguet, R., Rouvaen, J.M., Gremillet, N., Delannoy, M., and Bridoux, E. (see Rouvaen, J.M.)
Tosser, A., and Murray, H. (see Murray, H.)
Tourki, P. Quartz oscillator in complementary m.o.s. technology 451
Tournois, P., and Maerfeld, C. (see Maerfeld, C.)
Tran, C., Neirynck, J., and Bui, N.C. (see Neirynck, J.)
Tripathi, J.N. Signal/noise ratio in rectangular-wave modulation 256
Turton, D.K., Brown, M.A.C.S., Hannis, W.J., and Skinner, J.M. (see Brown, M.A.C.S.)
Tyldesley, D., Stewart, C.E.E., Scott, B., Rawson, H., and Newns, G.R. (see Stewart, C.E.E.)

U

Unrau, U. Band-splitting filters in oversized rectangular waveguide 30
Upadhyayula, L.C., and Narayan, S.Y. Microwave frequency division using transferred-electron devices 85
Usami, A., and Kato, Y. (see Kato, Y.)
Usui, G., and Keen, A.W. (see Keen, A.W.)

V

Van de Capelle, A.R., and Luypaert, P.J. Fundamental- and higher-order modes in open microstrip lines 345
Van Niekerk, H.R., Anderson, R.B., and Gertenbach, J.J. (see Anderson, R.B.)
Van Overstraeten, R., De Man, H., and Mertens, R. (see De Man, H.)
Van Overstraeten, R., and Maes, H. (see Maes, H.)
Vanstone, G.F., McLennan, D.J., Mavor, J., and Windle, D.J. (see McLennan, D.J.)
Vapaille, A., and Castagne, R. (see Castagne, R.)
Varlow, B.R., Cooper, R., and White, J.P. (see Cooper, R.)
Varshney, R.C. Simple theory for threshold-voltage modulation in short-channel m.o.s. transistors 600
Vasile, C.F., and LaRosa, R. (see LaRosa, R.)
Vasile, C.F., Larosa, R., and Zagardo, D.V. (see Larosa, R.)
Verhoeven, L. More aspects of quantisation noise associated with digital coding of colour-television signals 69 Errata 152
Vinter, B., and Hammar, C. (see Hammar, C.)
Vinton, D., Kerr. J.A., and Slatter, J.A.G. (see Kerr. J.A.)
Vittoz, E., and Oguey, H. Complementary dynamic m.o.s. logic circuits 77
Vittoz, E., and Oguey, H. (see Oguey, H.)
Vlach, J., Nakhla, M., and Singhal, K. (see Nakhla, M.)
Voges, E., and Angerstein, J. Piezoelectric coupling parameter $\Delta v/v$ for acoustic surface waves in a layered CdSe-on-yz-cut-$LiNbO_3$ structure 241
Vojdani, S., Sharifnai, A., and Doroudian, M. Photovoltaic junctions formed on silk-screened cadmium-sulphide layers 128
Vollmann, E. Effect of doping profile on avalanche noise of silicon IMPATT diodes 602
Vorgucic, A.D. Double-resonance bridge 408
Vu Khac, T., and Carson, C.T. m = O, n = O mode and rectangular-waveguide slot discontinuity 431

W

Wagers, R., and Kino, G.S. Bonded acoustic-surface-wave transducers 165
Wagers, R.S. Analysis of thin-film-dielectric decoupling of interdigital transducers 302
Wait, J.R. Resistance of earth electrodes 90
Wait, J.R., and Spies. K.P. Low-frequency impedance of a circular loop over a conducting ground 346
Walk, R., and Rootenberg, J. Use of tachometric feedback in nonlinear systems 180
Walsh, D., and Thomas, B.W. (see Thomas, B.W.)
Walter, W., Baechtold, W., Daetwyler, K., Forster, T., Mohr, T.O., and Wolf, P. (see Baechtold, W.)
Wasse, M.P., Clark, B.W., and Conlon, R.F.B. AgSn cathode contact in gallium-arsenide transferred-electron devices 189
Watson, P.A., and Arbabi, M. Crosspolarisation isolation and discrimination 516
Watson, P.A., and Ghobrial, S.I. Crosspolarisation in Cassegrain and front-fed antennas 297
Watson, P.A., and Hobdell, J. P.S.K. regenerator using phase-script logic 47
Watson, P.A., and Arbabi, M. (see Arbabi, M.)
Watson, P.A., and Lau, P.K. (see Lau, P.K.)
Watton, R., Smith, G., Harper, B., and Wreathall, W.M. Infrared television: performance of pyroelectric vidicon at 8 to 14 μm 534
Watts, B.E., Howard, A.M., and Gibbons, G. Double-drift millimetre-wave IMPATT diodes prepared by epitaxial growth 183
Webber, R.F., and Delashmit, W.H. Correlator performance and the squared coherency 496 Errata 624
Weller, K.P. Power-generation potential of various IMPATT structures from a scaling approximation 420
Wen, C.P., Swartz, G.A., Chiang, V.S., and Young, A. (see Swartz, G.A.)
Werenko, A., and Majithia, J.C. Design of circulating-type analogue-digital convertor using bucket-brigade delay lines 428
Westgate, C.R., Sayed, M.M., and Perlstein, J.H. (see Sayed, M.M.)
Wexler, A., McDonald, B.H., Friedman, M., and Decreton, M. (see McDonald, B.H.)
Whitaker, A.J.T., Munro, E.W., and McInnes, P.A. (see Munro, E.W.)
White, J.P., Cooper, R., and Varlow, B.R. (see Cooper, R.)
Wickramsinghe, H.K., and Ash, E.A. Surface-wave nondestructive testing using 1-dimensional acoustic holography 327
Wilkinson, C.D.W., De La Rue, A.M., Stewart, C., and Williamson, I.R. (see De La Rue, A.M.)
Williams, M.G., Elliott, G., and Harvey, D. (see Elliott, G.)
Williamson, A.G., and Otto, D.V. Coaxially fed hollow cylindrical monopole in a rectangular waveguide 218
Williamson, I.R., De La Rue, A.M., Stewart, C., and Wilkinson, C.D.W. (see De La Rue, A.M.)
Williamson, S.E., Banasiewicz, H., and Lovering, W.F. (see Banasiewicz, H.)
Wilson, M.G.F., and Teh, G.A. Improved tolerance in optical directional couplers 453
Wilson, M.G.F., and Wright, S. (see Wright, S.)
Windle, D.J., McLennan, D.J., Mavor, J., and Vanstone, G.F. (see McLennan, D.J.)
Wolf, P., Baechtold, W., Daetwyler, K., Forster, T., Mohr, T.O., and Walter, W. (see Baechtold, W.)
Wong, K.M. State-space approach to the multiplication error in a digital filter 224
Wong, K.M., and King, R.A. Pole sensitivity of a digital filter with multishift sequences in each sampling interval 502
Wong, K.M., and King, R.A. State-space description of a multirate digital filter 32 Errata 120

Wood, H.B. Injection-locked IMPATT oscillators applied to f.d.m. microwave transmission 141
Wood, P.J. Crosspolarisation with Cassegrainian and front-fed reflectors 597
Wood, P.J. Depolarisation with Cassegrainian and front-fed reflectors 181
Wood, P.J. Tracking sensitivity with peripheral-horn autotrack 484
Worrall, A.G., and Card, H.C. (see Card, H.C.)
Wragg, A., and Davies, C. Evaluation of the matrix exponential 525
Wreathall, W.M., Watton, R., Smith, G., and Harper, B. (see Watton, R.)
Wright, S., and Wilson, M.G.F. New form of electro-optic deflector 169
Wynn, D.C., and Carson, C.T. Numerical computation of the input impedance of a finite helix 203

Y

Yip, G.L., Matrucci, J., and Farnell, G.W. Scattering loss in a cladded-fibre optical waveguide 293
Yoshiro Ohmachi Acousto-optic TE_0-TM_0 mode conversion in a thin film of amorphous tellurium dioxide 539
Young, A., Swartz, G.A., Chiang, V.S., and Wen, C.P. (see Swartz, G.A.)
Yu, C., and Hsu, H. (see Hsu, H.)

Z

Zagardo, D.V., Larosa, R., and Vasile, C.F. (see Larosa, R.)
Zakarevicius, R.A., Ash, E.A., and Mason, I.M. Convolution and imaging in acoustic-surface-wave-thin-film guides 363
Zaluska, E.J., Dubock, P.A., and Kemhadjian, H.A. Practical 2-dimensional bipolar-transistor-analysis algorithm 599
Zavody, A.M. Effect of scattering on radiometer measurements of attenuation in rain 328
Zimmerman, T., Mohsen, A.M., Bower, R., and McGill, T.C. (see Mohsen, A.M.)
Zimmerman, W. Experimental verification of the Shockley-Read-Hall recombination theory in silicon 378

Subject index

130 - 80 GHz, in range, nomograms for estimating clear-sky zenith atmospheric attenuation. C.J.Gibbins 605
1-arm phase optical bridge with axial symmetry (with interference Newton fringes) for measuring small periodic displacements. M.I.Borisov and J.I.Burov 355
2-port $\lambda_g/4$ waveguide standard of voltage standing-wave ratio. R.W.Beatty 24
337 μm wavelength, open resonator operating at. R.J.Batt, H.L.Bradley and D.J.Harris 78
38 GHz, 640 Mbit/s waveguide transmitter at. G.Hanke and W.Lorek 86
640 Mbit/s waveguide transmitter at 38 GHz. G.Hanke and W.Lorek 86
80 - 130 GHz, in range, nomograms for estimating clear-sky zenith atmospheric attenuation. C.J.Gibbins 605

A

A-law pulse-code modulation by a delta-modulation technique. H.Pennington and R.Steele 171
Accumulation-layer surface-wave convolver. J.M.Smith, E.Stern and A.Bers 145
Accurate calculation of device heat dynamics: a special feature of the trans-tran circuit-analysis program. V.Szekely 132
Acoustic-surface-wave delay lines, helical, diffraction on, and the concept of an anisotropic edge lens. E.Papadofrangakis and I.M.Mason 304
Acoustic-surface-wave devices, broadband bulk-wave cancellation in. R.LaRosa and C.F.Vasile Errata 72
Acoustic-surface-wave filter, improvement of an, with a multistrip coupler. R.H.Tancrell 316
Acoustic-surface-wave filters, multistrip coupler in. J.M.Deacon, J.Heighway and J.A.Jenkins 235
Acoustic surface wave, frequency-selective scanning of. P.Hartemann 246
Acoustic-surface-wave thin-film guides, convolution and imaging in. R.A.Zakarevicius, E.A.Ash and I.M.Mason 363
Acoustic-surface-wave transducers, bonded. R.Wagers and G.S.Kino
Acoustic surface waves, image processing using. J.Henaff 102
Acoustic surface waves in a layered CdSe-on-yz-cut-$LiNbO_3$ structure, piezoelectric coupling parameter $\Delta v/v$ for. E.Voges and J.Angerstein 241
Acoustic surface waves on paratellurite. G.Simpson 21
Acoustic surface waves, variable delay for, by electro-acousto-optic interaction. M.Luukkala and P.Merilainen 471
Acoustic surface waves with carriers, nonlinear interaction of. M.Rouzeyre and G.Sagnes 160
Acoustic-wave, surface-, oscillators: mode selection and frequency modulation. J.Crabb, M.F.Lewis and J.D.Maines 195
Acoustic-wave, surface, pulse-compression filters, improvements in. J.D.Maines, G.L.Moule, N.R.Ogg and G.Rich 156
Acousto-optic TE_0-TM_0 mode conversion in a thin film of amorphous tellurium dioxide. Yoshiro Ohmachi 539
Acoustoelectric surface-wave amplifier, multistrip, perturbation theory for. C.Maerfeld and P.Tournois 113
Acoustoelectric voltage, detection of, by shear-horizontal-plate waves in cadmium-sulphide plates. I.Ostrovski and M.Luukkala 154
Active lossy ladder filters, economical *RC*. J.M.Rollett 70 Errata 152
Active RC realisation of a 3rd-order lowpass Butterworth characteristic, comment on. F.Anday 212
Active surface-wave directional coupler. K.L.Davis, V.L.Newhouse, C.W.Lee and R.L.Gunshor 199
Adaptive control of a flexible linear array. P.L.O'Donovan and A.W.Rudge 121
Adaptive Kalman filtering using stochastic approximation. N.K.Sinha 177
Adaptive logic circuits for digital stochastic computers. A.J.Miller, A.W.Brown and P.Mars 500
Admittance, large-signal, of IMPATT diodes, measurement technique for. I.S.Groves and N.D.Kenyon 331
Admittance-matrix representation of an ideal differential operational amplifier. M.Nakhla, K.Singhal and J.Vlach 562
Admittance, measurement of, of Gunn diodes in passive and active regions of bias voltage. P.J.de Waard 59
Aerial, composite-dielectric-rod, radiation properties of a. J.R.Blakey 146
AgSn cathode contact in gallium-arsenide transferred-electron devices. M.P.Wasse, B.W.Clark and R.F.B.Conlon 189
Algorithm, fast, for finding a forest of a linear graph. A.D.Jovanovich and S.N.Chobeljich 504
Algorithm, improved, for low-order digital convolution. P.M.Terrell and P.J.W.Rayner 618
Algorithm, secant, applied to the solution for the steady-state condition in nonlinear-circuit analysis. J.D.Patterson and R.H.Moore 496
All n-p-n4-quadrant analogue multiplier. M.McGinn 472
Ambient-temperature effects in transferred-electron amplifiers. G.S.Hobson 559
Amplifier circuits, iterative multistage wideband, optimisation of delay and risetime in. A.Barna 143
Amplifier, gallium-arsenide travelling-wave, characteristics of a, with Schottky-barrier contacts. H.Kanbe, N.Shimizu and K.Kumabe 29
Amplifier, multistrip acoustoelectric surface-wave, perturbation theory for. C.Maerfeld and P.Tournois 113
Amplifier-network analysis, differential-input operational, new method of. V.S.Gootnikov and H.B.Al-Rishi 341
Amplifier, strip-coupled Rayleigh-wave, f.e.t. theory of. G.S.Kino 52
Amplifier-upconvertor, avalanche-diode. M.J.Ahmed 490
Amplifiers, high-power crossed-field, reduction of noise in. N.S.Nicholls, L.Damon and B.P.Schoffield 398
Amplifiers, low-noise wideband indium-phosphide transferred-electron. P.W.Braddock and K.W.Gray 36
Amplifiers, *nd*-limited gallium-arsenide travelling-wave, optimum r.f.-power transport in. W.Frey 12
Amplifiers, rotating, use of dither to eliminate hysteresis effects in. R.J.Simpson and H.M.Power 369
Amplifiers, transferred-electron, ambient-temperature effects in. G.S.Hobson 559
Amplifiers, transferred-electron reflection, intermodulation distortion in. R.Charlton and G.S.Hobson 622
An f_t anomaly. Kerr. J.A., J.A.G.Slatter and D.Vinton 338
Analogue multiplexing using a digital technique. J.R.Harris and L.A.M.Bennett 158
Analogue multiplier, n-p-n4-quadrant, all. M.McGinn 472
Analysis, differential-input operational-amplifier-network, new method of. V.S.Gootnikov and H.B.Al-Rishi 341
Analysis of RLC gyrator networks. F.Anday 403
Analysis of superposition of two resonant lines in atomic-beam device. S.L.Hahn 608
Analysis of the surface-acoustic-wave crossbar coupler. P.V.H.Sabine 136
Analysis of thin-film-dielectric decoupling of interdigital transducers. R.S.Wagers 302
Analysis, signal-flowgraph, using only loops. U.Ozguner 359
Analysis, transient, of waveguides with curved boundaries. P.B.Johns and G.F.Slater 486
Analytic theory for silicon double-sided n^+-n-p-p^+ TRAPATT-diode structures. M.G.Cottam 353
Anisotropy, dielectric, of new liquid-crystal mixtures and its effect on dynamic scattering. G.Elliott, D.Harvey and M.G.Williams 399
Anisotropy of precipitation media, method for measuring the. G.C.McCormick and A.Hendry 216
Anomaly, f_t, an. Kerr. J.A., J.A.G.Slatter and D.Vinton 338
Antenna, capacitively loaded V, some experimental results for a. M.B.Dragovic, B.D.Popovic and N.E.Jensen 45
Antenna system, zero-steering, for receiving a signal close to the direction of strong interference. D.C.Cooper 140 Errata 260
Antenna with multibeam applications. B.Claydon 517
Antennas, Cassegrain and front-fed, crosspolarisation in. P.A.Watson and S.I.Ghobrial 297
Antennas, offset-reflector, with offset feeds. A.W.Rudge 611
Apertures, radiating, in a corrugated rectangular waveguide. A.J.Sangster and D.C.Hawkins 329
Application of Howitt transformations to 2-element-kind networks. V.Tavsanoglu 206
Approximation method, invariant-sinusoid, for recursive digital filters. A.Antoniou and C.Shekher 498
Array, flexible linear, adaptive control of a. P.L.O'Donovan and A.W.Rudge 121
Array, infinite, theory, computational estimate of applicability of. D.Parkin 94
Array, pipeline, for square-root extraction. J.C.Majithia 4
Array, rectangular universal iterative. M.Davio and J.J.Quisquater 485
Arrays, cutpoint cellular, synthesis of, with any cell-index set. G.Papakonstantinou 350
Astable multivibrator with independent mark- and space-time control. A.Cantoni 158
Asynchronous machines, table-lookup method for the state assignment of. R.Barry and D.W.Lewin 574
Asynchronous sequential circuits, automation of the synthesis of. C.Metaxaki-Kossionides 478
Atmospheric attenuation, clear-sky zenith, in range 80 - 130 GHz, nomograms for estimating. C.J.Gibbins 605
Atmospheric crosspolarisation, use of cancellation techniques in the measurement of. B.G.Evans and P.T.Thompson 447
Atomic-beam device, analysis of superposition of two resonant lines in. S.L.Hahn 608
Attenuation, clear-sky zenith atmospheric, in range 80 - 130 GHz, nomograms for estimating. C.J.Gibbins 605
Attenuation, experimental determination of, in corrugated circular waveguides. A.D.Olver, P.J.B.Clarricoats and S.L.Chong 424 Errata 480
Attenuation in an elliptic waveguide. L.Lewin and A.M.B.Al-Hariri 388 Errata 480
Attenuation in rain, effect of scattering on radiometer measurements of. A.M.Zavody 328
Attenuation, low, in corrugated circular waveguides. P.J.B.Clarricoats and A.D.Olver 376
Attenuation poles, influence of the extraction order of, in a lowpass filter. J.Neirynck, N.C.Bui and C.Tran 381
Autocorrelation theorem, generalised. K.R.Rao, K.Revuluri and N.Ahmed 212

Automatic classification of mass spectra by means of digital learning nets. T.J.Stonham, I.Aleksander, M.Camp, M.A.Shaw and W.T.Pike 391

Automation of the synthesis of asynchronous sequential circuits. C.Metaxaki-Kossionides 478

Avalanche-diode amplifier-upconvertor. M.J.Ahmed 490

Avalanche-injection memory, metal-nitride-oxide-silicon. J.Mavor 111 349

Avalanche-injection memory, metal-nitride-oxide-silicon, comment on. P.J.T.Mellor and P.J.Dunn 252 349

B

Backscattering, He^+, detection of phosphorus in heavily diffused silicon by. C.R.Allen and C.R.Thomas 475

Backward-travelling-wave parametric amplification and oscillation, complete photon conversion in. H.Hsu and C.Yu 442 Errata 624

Balun transformer, Chebyshev quarter-wave stepped. B.G.Evans 514

Band-splitting filters in oversized rectangular waveguide. U.Unrau 30

Bandpass filters, maximum Q factors for. A.G.J.Holt and J.Atikiouzel 434 Errata 576

Bandpass filters, microstrip, with reduced radiation effects. B.Easter and J.G.Richings 93

Bandwidth, locking, increasing the, of a waveguide-cavity oscillator through the use of a double-tuned circuit. F.Ivanek 444

BARITT diodes, p^+-n-p^+, small-signal noise analysis of. A.Sjolund 2

BARITT small-signal noise measures, comparison of metal-n-p^+ and p^+-n-p^+. J.Christie and J.A.C.Stewart 553

Behaviour of burst noise under mechanical stress. T.Rodriguez, J.Mulet and A.Luque 248

$Bi_{12}GeO_{20}$, ultraflow-diffraction acoustic-surface-wave propagation on. A.J.Slobodnik and T.L.Szabo 149

Bias-dependent phase delay of Schottky contact microstrip line. D.Jager and W.Rabus 201

Binary read-only-memory multiplier. Tien-Lin Chang 580

Bipolar-transistor-analysis, practical 2-dimensional algorithm. E.J.Zaluska, P.A.Dubock and H.A.Kemhadjian 599

Bleustein-Gulyaev and bulk-shear waves, generation of, by interdigital transducers on a piezoelectric ceramic. R.F.Milson and M.Redwood 417

Bonded acoustic-surface-wave transducers. R.Wagers and G.S.Kino 165

Boron implantation, tungsten masking against. W.M.Portnoy and L.M.Leedy 129

Boron redistribution at the oxide-silicon interface during drive in in oxidising atmospheres. G.Masetti, S.Solmi and G.Soncini 226 Errata 380

Box-Jenkins-Astrom control law, equivalence of the, to the Kalman linear regulator. D.J.Hughes 220

Bragg deflector, monolithically integrated, for an optical guided wave made of zinc-oxide film. N.Chubachi, J.Kushibiki and Y.Kikuchi 193

Bragg imaging of high-frequency sound fields. J.M.Rouvaen, N.Gremillet, M.Delannoy, E.Bridoux and R.Torguet 275

Breakdown voltages and multiplication factors of n^+-p and p^+-n abrupt junctions. P.Spirito 367

Bridge, 1-arm phase optical, with axial symmetry (with interference Newton fringes) for measuring small periodic displacements. M.I.Borisov and J.I.Burov 355

Bridge, double-resonance. A.D.Vorgucic 408

Broadband bulk-wave cancellation in acoustic-surface-wave devices. R.LaRosa and C.F.Vasile Errata 72

Bucket-brigade circuits, differential mode of operation for. W.J.Butler, C.McD.Puckette and D.A.Smith 106

Bucket-brigade circuits, implementation of a moving-target indicator by. W.J.Butler, C.M.Puckette and M.B.Barron Errata 72

Bucket-brigade circuits, moving-target-indicator recursive radar filter using. J.B.G.Roberts, R.Eames and K.A.Roche 89

Bucket-brigade device with improved charge transfer. W.Frey 588

Bucket-brigade, m.o.s., and-or logic array. T.D.Mok and C.A.T.Salama 135

Buffer stage, fast high-input-impedance unity-gain. B.L.Hart and R.W.J.Barker 223

Bulk and Rayleigh waves, generation of, by interdigital transducers on y-cut z-propagating lithium niobate. N.H.C.Reilly, R.F.Milsom and M.Redwood 419

Bulk-shear and Bleustein-Gulyaev waves, generation of, by interdigital transducers on a piezoelectric ceramic. R.F.Milson and M.Redwood 417

Butterworth characteristic, 3rd-order lowpass, active RC realisation of a, comment on. F.Anday 212

C

Cadmium-sulphide layers, silk-screened, photovoltaic junctions formed on. S.Vojdani, A.Sharifnai and M.Doroudian 128

Cadmium-sulphide plates, detection of acoustoelectric voltage by shear-horizontal-plate waves in. I.Ostrovski and M.Luukkala 154

Calculation of the exterior natural frequencies of a wire by the use of Hallen's integral equation. F.M.Tesche 558

Calculation of the radiation pattern and impedance of a log-periodic dipole array (Computer-Program Description). E.W.Munro and P.A.McInnes (Computer-program description) 530

Calculation of the secondary-radiation pattern for a paraboloid reflector with a given illumination function and feed position (Computer program description). E.W.Munro, A.J.T.Whitaker and P.A.McInnes (Computer-program description) 234 Errata 348

Calibration of microwave network analyser for computer-corrected S parameter measurements. E.F.da Silva and M.K.McPhun 126

Calibration procedure for computer-corrected s parameter characterisation of devices mounted in microstrip. H.V.Shurmer 323

Cancellation techniques, use of, in the measurement of atmospheric crosspolarisation. B.G.Evans and P.T.Thompson 447

Capacitances, equivalent, of T junctions. P.Stouten 552

Capacitively tuned dipole. D.Lamensdorf 445

Capacitors, ion-implanted hybrid voltage-variable, characteristics of. B.A.MacIver 210

Capacitors, m.o.s., effects of nonuniform doping on generation-lifetime measurement in. P.U.Calzolari, S.Graffi and C.Morandi 273

Capacitors, m.o.s., numerical calculation of the ideal C/V characteristics of nonumiformly doped. H.El-Siasi and R.S.C.Cobbold 594

Capacitors, m.o.s., with nonconstant doping profiles, numerical calculation of low-frequency capacitance/voltage curves of. G.Panigrahi 43

Capacitors, new method for the testing of, for internal ionisation discharges. M.J.Drury 215

Carrier-concentration profiles, measurement of, in epitaxial indium phosphide. M.J.Cardwell and R.F.Peart 88

Cassegrain and front-fed antennas, crosspolarisation in. P.A.Watson and S.I.Ghobrial 297

Cassegrainian and front-fed reflectors, crosspolarisation with. P.J.Wood 597

Cassegrainian, front-fed reflectors and, depolarisation with. P.J.Wood 181

Cathode contact, AgSn, in gallium-arsenide transferred-electron devices. M.P.Wasse, B.W.Clark and R.F.B.Conlon 189

Cavities and waveguides, use of nonseparable solutions of Helmholtz wave equation in. D.H.Schoonaert and P.J.Luypaert 617

Cavity containing a resonant ferrite sample, power-frequency distribution in a. W.J.R.Hoefer 357

Cellular array, rectangular universal. K.L.Kodandapani 286

Cellular arrays, cutpoint, synthesis of. G.Papakonstantinou 97

Cellular arrays, cutpoint, synthesis of, with any cell-index set. G.Papakonstantinou 350

Cellular dynamic memory array with reduced data-access time. W.Kluge 458 Errata 556

Ceramic, piezoelectric, generation of Bleustein-Gulyaev and bulk-shear waves by interdigital transducers on a. R.F.Milson and M.Redwood 417

Channel-dropping coupled-line filter. Z.M.Abdul Hadi and L.A.Jackson 462

Channels, fading, feedback-rate control in. R.Srinivasan 395

Characteristic impedance of surface-strip coplanar waveguides. P.A.J.Dupuis and C.K.Campbell 354

Characteristics, current/voltage, derivation of, for graded heterojunctions. W.F.Hall 548

Characteristics, isothermal transistor, pulsed measuring technique for. A.W.Alden and A.R.Boothroyd 82

Characteristics of a gallium-arsenide travelling-wave amplifier with Schottky-barrier contacts. H.Kanbe, N.Shimizu and K.Kumabe 29

Characteristics of ion-implanted hybrid voltage-variable capacitors. B.A.MacIver 210

Charge coupled device, v.m.o.s. conductively coupled. C.M.Parks and C.A.T.Salama 593

Charge-coupled devices, novel tapping technique for. D.J.McLennan, J.Mavor, G.F.Vanstone and D.J.Windle 610

Charge-coupled devices, overlapping-gate buried-channel. A.M.Mohsen, R.Bower, T.C.McGill and T.Zimmerman 396

Charge-coupled devices with submicron electrode separations. I.M.Baker, J.D.E.Beynon and M.A.Copeland 48

Charge transfer, bucket-brigade device with improved. W.Frey 588

Charging of spacecraft materials simulated in a scanning electron microscope. K.G.Balmain 544

Chebyshev approximation of arbitary frequency response for nonrecursive digital filters with linear phase. F.Braun, A.Kinzl and H.Rothenbuhler 507 Errata 624

Chebyshev quarter-wave stepped balun transformer. B.G.Evans 514

Chen's multiple-node removal algorithm, simple derivation of. C.Acar 186

Choice of parameters for calculating loudness ratings of telephone speech paths. D.L.Richards 249

Cholesteric-nematic phase-change effect in mixtures containing the liquid-crystal p.c.b.. J.Constant and Raynes. E.P. 561

Circuit-analysis program, trans-tran, a special feature of the, accurate calculation of device heat dynamics:. V.Szekely 132

Circuit realisation of threshold-logic gates, improvements in. S.L.Hurst 123

Circuits, bucket-brigade, differential mode of operation for. W.J.Butler, C.McD.Puckette and D.A.Smith 106

Circular waveguides, corrugated, experimental determination of attenuation in. A.D.Olver, P.J.B.Clarricoats and S.L.Chong 424 Errata 480

Circulator, input impedance of a, with an inphase eigen-excitation resonator. Y.Akaiwa 274

Classification, automatic, of mass spectra by means of digital learning nets. T.J.Stonham, I.Aleksander, M.Camp, M.A.Shaw and W.T.Pike 391

Coaxially fed hollow cylindrical monopole in a rectangular waveguide. A.G.Williamson and D.V.Otto 218

Cockcroft-Walton voltage multipliers, generalised. A.H.Falkner 585

Code generation with s.a.w. tapped delay lines. J.J.Crisp and J.S.Heeks 239

Codes, nonbinary commafree, restriction on. I.S.Taylor and D.H.Green 60

CODYMOS frequency dividers achieve low power consumption and high frequency. H.Oguey and E.Vittoz 386

Coherency, squared, correlator performance and the. R.F.Webber and W.H.Delashmit 496 Errata 624

Colmers and rowmers, realisation of. Y.Ceyhun and S.Penbeci 364

Colour-television signals, more aspects of quantisation noise associated with digital coding of. L.Verhoeven 69 Errata 152

Comment on active RC realisation of a 3rd-order lowpass Butterworth characteristic. F.Anday 212

Comment on determination of the velocity field characteristic for n-type indium phosphide from dipole-domain measurements. P.M.Boers 134

Comment on effect of unity-rank feedback on the transfer-function matrix of a multivariable system. D.Q.Mayne 569

Comment on estimation of discrete-time systems using pseudorandom sequences. C.J.Macleod 326

Comment on geometric criterion for the absence of limit cycles in nonlinear control systems. P.C.Byrne and M.Sheeran 576

Comment on metal-nitride-oxide-silicon avalanche-injection memory. P.J.T.Mellor and P.J.Dunn 252 349

Comment on new definition of multiple-root sensitivity. M.P.Dave 215

Comment on nonminimum-phase difficulties in multivariable-control-system design. D.Q.Mayne 571

Comment on numerical calculation of Fourier-transform integrals. W.Squire 291

Comment on use of synchronised dither in pseudorandom-sequence testing. K.R.Godfrey and J.L.Douce 450 Errata 480

Comments on new measurement method of Gunn-diode inpedance. R.Charlton, B.A.E.de Sa and G.S.Hobson 61

Comments on new measurement method of Gunn-diode impedance. H.Hartnagel 84

Communication-satellite time-division multiple-access systems, new synchronisation scheme for. A.K.Jefferis and K.Hodson 566

Communications, regenerated, symbol set for. J.T.Harvey 384

Compandor, 'nearly instantaneous' digital, for transmitting six sound-programme signals in a 2.048 Mbit/s multiplex. M.G.Croll, M.E.B.Moffat and D.W.Osborne 298

Comparative performance of equal-valued-capacitor active RC structures. F.W.Stephenson 505

Comparison of metal-n-p^+ and p^+-n-p^+ BARITT small-signal noise measures. J.Christie and J.A.C.Stewart 553

Comparison of methods of parameter estimation using pseudorandom sequences. C.J.Macleod 342

Comparison of plasma formation in n^+p and p^+n TRAPATT diodes. C.A.Lee and J.Frey 318

Comparison of surface-wave reflection coefficients for different metals on quartz. R.Larosa, C.F.Vasile and D.V.Zagardo 495

Comparison of the hot electron-diffusion rates for GaAs and InP. P.E.Bauhahn, G.I.Haddad and N.A.Masnari 460
Complementary dynamic m.o.s. logic circuits. E.Vittoz and H.Oguey 77
Complete photon conversion in backward-travelling-wave parametric amplification and oscillation. H.Hsu and C.Yu 442 Errata 624
Complex predistortion of high-frequency signals(Komplexe Vorverzerrung hochfrequenter Signale). K.Kiesel and H.-J.Hevn 565
Computational estimate of applicability of infinite-array theory. D.Parkin 94
Computer analysis of gradually tapered waveguide of arbitrary cross-sections. J.B.Davies, O.J.Davies and S.S.Saad 46
Computer analysis of nullor networks. D.Coldham and L.T.Bruton (Computer-program description) 80
Computer-corrected s parameter characterisation of devices mounted in microstrip, calibration procedure for. H.V.Shurmer 323
Computer correction of a microwave network analyser without accurate frequency measurement. J.W.Gould and G.M.Rhodes 494
Computer evaluation of network S parameters. D.G.W.Ingram 542
Computer optimisation of double-drift-region IMPATT diodes. A.Lekholm and J.Mayr 64
Computer, self-checking, serial residue generator for use in a. R.J.Gray 411
Computers, digital stochastic, adaptive logic circuits for. A.J.Miller, A.W.Brown and P.Mars 500
Conducting systems, 1-dimensional, microwave Hall-mobility measurements on. M.M.Sayed, C.R.Westgate and J.H.Perlstein 529
Constant-factor delta modulator. A.T.Kyaw and R.Steele 96
Construction of block-error-detection and correction codes to any base. D.A.H.Brown 290
Continuously equivalent networks in state space. R.Devanathan 372
Control circuits, asynchronous, duality principle for, for directed graphs. B.V.Howard 546
Control, deadbeat, of discrete-time systems incorporating deadbeat discrete-time observers. B.Porter 547
Control law, Box-Jenkins-Astrom, equivalence of the, to the Kalman linear regulator. D.J.Hughes 220
Control systems, general strategy for increasing type number of. H.M.Power 614
Control, time-optimal, normality conditions for the, of time-invariant linear systems. B.Porter 343
Controllability theorem, Simon-Mitter, simple proof of the. T.R.Crossley and B.Porter 51
Convertor, circulating-type analogue-digital, design of a, using bucket-brigade delay lines. A.Werenko and J.C.Majithia 428
Convertor, voltage-current, precision differential. R.Caprio 147
Convolution and imaging in acoustic-surface-wave-thin-film guides. R.A.Zakarevicius, E.A.Ash and I.M.Mason 363
Cooley-Tukey-type algorithm for the Haar transform. N.Ahmed, T.Natarajan and K.R.Rao 276
Cooling techniques, various, frequency stability of millimetre-band reflex klystrons of. D.J.E.Knight and E.C.Brown 163
Correction of microwave-network-analyser measurements of 2-port devices. O.J.Davies, R.B.Doshi and B.Nagenthiram 543
Correlation, interframe, possible improvement in television-signal prediction due to. J.Isailovic 427
Correlation, linear-, effects, extension of the moment-analysis method for statistical analysis to include. B.J.Hagan and J.A.Magowan 261
Correlation method, estimation of weighting-sequences matrices by. Y.Funahashi and K.Nakamura 209
Correlation of noise current and voltage in transistor-base regions. H.Sutcliffe 375
Correlator, diode, insertion loss and saturation effects in the. T.M.Reeder 254
Correlator performance and the squared coherency. R.F.Webber and W.H.Delashmit 496 Errata 624
Correlator, surface-wave, with inclined transducer. T.S.Fisher, E.Patterson and D.G.Scotter 55
Corrugated horn, oblique-flare-angle, influence of horn length on radiation pattern of. P.J.B.Clarricoats and L.M.Seng 15
Corrugated horns, propagation and radiation characteristics of. P.J.B.Clarricoats and L.M.Seng 7
Cost and radix. A.J.Spencer 521
Counter, lightning-earth flash, improved. R.B.Anderson, H.R.Van Niekerk and J.J.Gertenbach 394
Coupler, multistrip, improvement of an acoustic-surface-wave filter with a. R.H.Tancrell 316
Coupler, multistrip, in acoustic-surface-wave filters. J.M.Deacon, J.Heighway and J.A.Jenkins 235
Coupler, nonsymmetrical multistrip, as a surface-wave beam compressor of large bandwidth. C.Maerfeld and G.W.Farnell 432
Coupler, surface-acoustic-wave crossbar, analysis of the. P.V.H.Sabine 136
Couplers, optical directional, improved tolerance in. M.G.F.Wilson and G.A.Teh 453
Couplers, optical periodic, leaky-wave analysis of. S.T.Peng, T.Tamir and H.L.Bertoni 150
Crosscorrelation function, probability distribution of the, of finite-duration single-bit random waveforms. J.F.Howard Errata 72
Crosspolarisation, determination of, by the use of focal -region fields. G.T.Poulton and B.Claydon 568
Crosspolarisation in Cassegrain and front-fed antennas. P.A.Watson and S.I.Ghobrial 297
Crosspolarisation isolation and discrimination. P.A.Watson and M.Arbabi 516
Crosspolarisation with Cassegrainian and front-fed reflectors. P.J.Wood 597
Cryogenic electronic components, high-precision measurement of 2e/h that uses. J.C.Gallop and B.W.Petley 488
Current, conduction, dependence of, in polythene on specimen thickness. R.Cooper, B.R.Varlow and J.P.White 259
Current density, low threshold, in 5-layer-heterostructure (GaAl)As/GaAs localised-gain-region injection lasers. G.H.B.Thompson and P.A.Kirkby 295
Current distribution and far-field-radiation pattern of the axial-mode helical aerial, numerical computation of the. J.A.C.Hugh 257
Current, space-charge-limited, estimate of substrate influence on. E.De Chambost 351
Current-zero detection in thyristor convertors. J.S.Ford 73
Cutoff frequency, diode-package, effects of, on TRAPATT operation. J.E.Carroll 387 Errata 464

D

Data-access time, reduced, cellular dynamic memory array with. W.Kluge 458 Errata 556
Data, measured, to a known relationship, fitting of (Computer-program description). B.Bramer and A.R.Banerjee (Computer-program description) 184 Errata 348
Data-transmission characteristics of railway track. B.Mellitt 550 Errata 624
Deadbeat control of discrete-time systems incorporating deadbeat discrete-time observers. B.Porter 547
Deadbeat control of linear multivariable discrete-time systems. B.Porter 83
Deadbeat state reconstruction of linear multivariable discrete-time systems. B.Porter 176
Decoupling and pole assignment in nonlinear systems. E.Freund 373
Decoupling of interdigital transducers, thin-film-dielectric, analysis of. R.S.Wagers 302
Deflector, electro-optic, new form of. S.Wright and M.G.F.Wilson 169
Delay, bias-depe: 'ent phase, of Schottky contact microstrip line. D.Jager and W.Rabus 201
Delay, electronically variable analogue. J.M.Deacon, J.Heighway, D.E.Hooper and D.W.Tarrant 229
Delay, group, equaliser, magnetostatic wave. J.D.Adam, J.H.Collins and J.M.Owens 557
Delay lines, bucket-brigade, design of a circulating-type analogue-digital convertor using. A.Werenko and J.C.Majithia 428
Delay lines, diffraction on helical acoustic-surface-wave, and the concept of an anisotropic edge lens. E.Papadofrangakis and I.M.Mason 304
Delay lines, reflective surface-acoustic-wave, temperature effects in. P.C.Meyer and M.B.Shulz 523
Delay lines, s.a.w. tapped, code generation with. J.J.Crisp and J.S.Heeks 239
Delay-type firing circuit, asynchronous, extension of a small-signal model for thyristor-rectifier control loops when using an. R.Prajoux, P.Thierry and J.Jalade 228
Delay, variable, for acoustic surface waves by electro-acousto-optic interaction. M.Luukkala and P.Merilainen 471
Delta-modulation technique, A-law pulse-code modulation by a. H.Pennington and R.Steele 171
Delta modulator, constant-factor. A.T.Kyaw and R.Steele 96
Dependence of conduction current in polythene on specimen thickness. R.Cooper, B.R.Varlow and J.P.White 259
Depletion-mode transistors, optimisation of, for an m.o.s. p-channel technology. W.Schemmert and B.Hofflinger 555
Depolarisation with Cassegrainian and front-fed reflectors. P.J.Wood 181
Derivation of current/voltage characteristics for graded heterojunctions. W.F.Hall 548
Derivation of diffraction coefficients for a thin wire of finite length. L.Solymar 438
Describing functions, input, series expansion for two. D.P.Atherton 266
Design of circulating-type analogue-digital convertor using bucket-brigade delay lines. A.Werenko and J.C.Majithia 428
Design of low-crosspolarisation feeds, some data for the. S.I.Ghobrial 465
Detection, current-zero, in thyristor convertors. J.S.Ford 73
Detection of acoustoelectric voltage by shear-horizontal-plate waves in cadmium-sulphide plates. I.Ostrovski and M.Luukkala 154
Detection of phosphorus in heavily diffused silicon by He^+ backscattering. C.R.Allen and C.R.Thomas 475
Detection, zero-voltage, in thyristor and triac convertors. R.M.Davis and B.R.Downing 267
Detectors, Rayleigh-surface-wave, *n*- and *p*-channel M.O.S.F.E.T.s as. *n*- and *p*-channel M.O.S.F.E.T.s as Rayleigh-surface-wave and detectors 125
Determination of crosspolarisation by the use of focal-region fields. G.T.Poulton and B.Claydon 568
Dielectric anisotropy of new liquid-crystal mixtures and its effect on dynamic scattering. G.Elliott, D.Harvey and M.G.Williams 399
Dielectric-loaded waveguide bends, reflection coefficient of. M.A.K.Hamid 37
Dielectric materials, viscous, for application in microwave microcircuits. T.C.Edwards 406
Dielectric-rod aerial, composite, radiation properties of a. J.R.Blakey 146
Dielectric structures, curved, application to: local form of the radiation condition. L.Lewin 468
Differential mode of operation for bucket-brigade circuits. W.J.Butler, C.McD.Puckette and D.A.Smith 106
Differential operational amplifier, admittance-matrix representation of an ideal. M.Nakhla, K.Singhal and J.Vlach 562
Differential voltage-current convertor, precision. R.Caprio 147
Diffraction coefficients, derivation of, for a thin wire of finite length. L.Solymar 438
Diffraction coefficients, modified, for focusing reflectors. G.L.James and G.T.Poulton 537
Diffraction deflector/modulator, total-internal-reflection electro-optic. M.T.V.Scibor-Rylski 309
Diffraction on helical acoustic-surface-wave delay lines and the concept of an anisotropic edge lens. E.Papadofrangakis and I.M.Mason 304
Diffraction, ultraflow, acoustic-surface-wave propagation on $Bi_{12}GeO_{20}$. A.J.Slobodnik and T.L.Szabo 149
Diffusion of hot electrons in *n* indium phosphide. C.Hammar and B.Vinter 9
Digital-analogue convertor, high-accuracy. S.Marjanovic 131
Digital coding of colour-television signals, more aspects of quantisation noise associated with. L.Verhoeven 69 Errata 152
Digital convolution, low-order, improved algorithm for. P.M.Terrell and P.J.W.Rayner 618
Digital differential analysers, linear, suppression of 3rd-order truncation error in. P.W.Baker 582
Digital-filter 2nd-order element with low quantising noise for poles and zeros at low frequencies. N.G.Kingsbury 271 Errata 348
Digital filter, multirate, state-space description of a. K.M.Wong and R.A.King 32 Errata 120
Digital filter, pole sensitivity of a, with multi-shift sequences in each sampling interval. K.M.Wong and R.A.King 502
Digital filter, second-order, with only one magnitude-truncation quantiser and having practically no limit cycles. T.A.C.M.Claasen, W.F.G.Mecklenbrauker and J.B.H.Peek 531
Digital filter, state-space approach to the multiplication error in a. K.M.Wong 224
Digital filters, multiple-shift-sequence, time-domain synthesis with. M.Salerno 613
Digital filters, nonrecursive, with linear phase, Chebyshev approximation of arbitrary frequency response for. F.Braun, A.Kinzl and H.Rothenbuhler 507 Errata 624
Digital filters, recursive, invariant-sinusoid approximation method for. A.Antoniou and C.Shekher 498
Digital-phase-shifter performance. G.D.Brownlie 190
Digital technique, analogue multiplexing using a. J.R.Harris and L.A.M.Bennett 158
Diode correlator, insertion loss and saturation effects in the. T.M.Reeder 254
Diode-package cutoff frequency on TRAPATT operation, effects of. J.E.Carroll 387 Errata 464
Diode sources, TRAPATT, I band (8-10 GHz). J.Risko, J.Thomas, H.J.Prager and K.K.N.Chang 572
Diode structures, silicon double-sided n^+-n-p-p^+ TRAPATT, analytic theory for. M.G.Cottam 353
Diodes, metal-insulator-semiconductor electroluminescent, in single-crystal zinc oxide. B.W.Thomas and D.Walsh 362
Diodes, n^+p and p^+n TRAPATT, comparison of plasma formation in. C.A.Lee and J.Frey 318

Dipole array, log-periodic, impedance of a, calculation of the radiation pattern and (Computer-Program Description). E.W.Munro and P.A.McInnes (Computer-program description) 530
Dipole, capacitively tuned. D.Lamensdorf 445
Dipole, folded, direct analysis of by method of moments. M.C.Elias and C.T.Carson 520
Dipole, horizontal magnetic, locating a, buried in a 2-layer earth. V.Ramaswamy and H.W.Dosso 99
Direct analysis of folded dipole by method of moments. M.C.Elias and C.T.Carson 520
Direct microwave imaging with enhanced resolution. A.P.Anderson, R.D.Orme and S.J.Mawani 205
Direct modulation of double-heterostructure lasers at rates up to 1 Gbit/s. M.Chown, A.R.Goodwin, D.F.Lovelace, G.H.B.Thompson and P.R.Selway 34
Directed graphs, duality principle for asynchronous control circuits for. B.V.Howard 546
Directional coupler, active surface-wave. K.L.Davis, V.L.Newhouse, C.W.Lee and R.L.Gunshor 199
Directional couplers, surface-wave multistrip, scattering parameters of: a field approach. J.Bording and K.A.Ingebrigsten 63
Discontinuities, transverse, in inhomogeneous waveguides, field-matching solution of. W.K.McRitchie, M.M.Z.Kharadly and D.G.Corr 291
Discontinuity, rectangular-waveguide slot, m = 0, n = 0 mode and. T.Vu Khac and C.T.Carson 431
Discrete-time observers, deadbeat, deadbeat control of discrete-time systems incorporating. B.Porter 547
Discrete-time systems, deadbeat control of, incorporating deadbeat discrete-time observers. B.Porter 547
Discrete-time systems, estimation of, using pseudorandom sequences, comment on. C.J.Macleod 326
Discrete-time systems, estimations of, using pseudorandom seuqences. Y.Funahashi and K.Nakamura 208
Discrete-time systems, linear multivariable, deadbeat control of. B.Porter 83
Discrete-time systems, linear multivariable, deadbeat state reconstruction of. B.Porter 176
Displays, new cholesteric liquid crystals for. G.W.Gray, K.J.Harrison, J.A.Nash and E.P.Raynes 616
Displays, new family of nematic liquid crystals for. G.W.Gray, K.J.Harrison and J.A.Nash 130
Distributed frame synchronisation by nonlinear-shift-register sequences. P.T.Neilsen 73
Distribution, power-frequency, in a cavity containing a resonant ferrite sample. W.J.R.Hoefer 357
Dither, synchronised, use of, in pseudorandom-sequence testing. H.Banasiewicz, S.E.Williamson and W.F.Lovering 334 480
Dither, synchronised, use of, in pseudorandom-sequence testing, comment on. K.R.Godfrey and J.L.Douce 450 Errata 480
Dither, use of, to eliminate hysteresis effects in rotating amplifiers. R.J.Simpson and H.M.Power 369
Dividers, CODYMOS frequency, achieve low power consumption and high frequency. H.Oguey and E.Vittoz 386
Doping effects, heavy, influence of, on the f_t prediction of transistors. H.De Man, R.Mertens and R.Van Overstraeten 174
Doping, nonuniform, effects of, on generation-lifetime measurement in m.o.s. capacitors. P.U.Calzolari, S.Graffi and C.Morandi 273
Doping profiles, nonconstant, numerical calculation of low-frequency capacitance/voltage curves of m.o.s. capacitors with. G.Panigrahi 43
Doppler shift, sampling phase rotator for removal of, in a lunar radar. J.E.B.Ponsonby and I.Morison 409
Double-drift millimetre-wave IMPATT diodes prepared by epitaxial growth. B.E.Watts, A.M.Howard and G.Gibbons 183
Double-resonance bridge. A.D.Vorgucic 408
Dual-band reflector-feed element for frequency-reuse applications. J.H.Cowan 596
Dual-observer design procedure. P.Murdoch 270
Duality principle for asynchronous control circuits for directed graphs. B.V.Howard 546
Dyadic convolution theorem, discrete, simple matrix-theory proof of the. M.N.Gulamhusein 238

E

Earth electrodes, resistance of. J.R.Wait 90
Economical *RC* active lossy ladder filters. J.M.Rollett 70 Errata 152
Effect of circuit load on the phase of bias tuning in transferred-electron devices. D.Tang, R.J.Lomax and G.I.Haddad 564
Effect of doping profile on avalanche noise of silicon IMPATT diodes. E.Vollmann 602
Effect of recombination time on efficiency and frequency of operation in GaAs TRAPATT devices. P.E.Bauhahn and G.I.Haddad 455
Effect of scattering on radiometer measurements of attenuation in rain. A.M.Zavody 328
Effect of unity-rank feedback on the transfer-function matrix of a multivariable system, comment on. D.Q.Mayne 569
Effect of unity-rank feedback on the transfer-function matrix of a multivariable system. H.Seraji 477
Effects of binary quantisation when using the fast Fourier transform to compute power spectral estimates. J.D.S.Mason 361 Errata 436
Effects of boron density on radiation resistance of copper-contaminated n/p type silicon solar cells. Y.Kato and A.Usami 18
Effects of diode-package cutoff frequency on TRAPATT operation. J.E.Carroll 387 Errata 464
Effects of nonuniform doping on generation-lifetime measurement in m.o.s. capacitors. P.U.Calzolari, S.Graffi and C.Morandi 273
Efficiency transition point for inductively loaded monopole. R.C.Hansen 117
Efficient numerical solution of the transmission-line equivalent-circuit model of a semiconductor. M.A.Green and J.Shewchun 474
Electrical properties and simplified theory of a particular junction field-effect transistor operating with a forward gate-source bias. D.Esteve and M.Ezz el Arab 339
Electrically alterable avalanche-injection memory. H.C.Card and A.G.Worrall 14
Electro-acousto-optic interaction, variable delay for acoustic surface waves by. M.Luukkala and P.Merilainen 471
Electro-optic deflector, new form of. S.Wright and M.G.F.Wilson 169
Electro-optic devices, twisted nematic liquid-crystal, with areas of reverse twist. E.P.Raynes 101 Errata 260
Electro-optic performance of a new room-temperature nematic liquid crystal. A.Ashford, J.Constant, J.Kirton and E.P.Raynes 118
Electrode separations, submicron, charge-coupled devices with. I.M.Baker, J.D.E.Beynon and M.A.Copeland 48
Electroluminescent diodes, metal-insulator-semiconductor, in single-crystal zinc oxide. B.W.Thomas and D.Walsh 362
Electroluminescent memory switch, GaP. S.Y.Haeri 279
Electromyogram-controlled demand muscle stimulator, proportional. J.W.Moore and F.C.Monds 284
Electron-diffusion rates, hot, comparison of the, for GaAs and InP. P.E.Bauhahn, G.I.Haddad and N.A.Masnari 460
Electron microscope, scanning, charging of spacecraft materials simulated in a. K.G.Balmain 544
Electronic-amplifier networks, signal-flowgraph representation of. A.W.Keen and G.Usui 33
Electronic quencher for microdischarges in an industrial vacuum (Translated from French title). R.Berland and A.Dussauchoy 283
Electronically variable analogue delay. J.M.Deacon, J.Heighway, D.E.Hooper and D.W.Tarrant 229
Electrons, hot, diffusion of, in *n* indium phosphide. C.Hammar and B.Vinter 9
Epitaxial growth, double-drift millimetre-wave IMPATT diodes prepared by. B.E.Watts, A.M.Howard and G.Gibbons 183
Epitaxy, liquid-phase, ferromagnetic-resonance linewidth of thick yttrium-iron-garnet films grown by. J.D.Adam, J.M.Owens and J.H.Collins 325
Equaliser, magnetostatic wave group-delay. J.D.Adam, J.H.Collins and J.M.Owens 557
Equiripple functions, procedure for the generation of. P.Karivaratharajan and V.G.K.Murti 522
Equivalence of the Box-Jenkins-Astrom control law to the Kalman linear regulator. D.J.Hughes 220
Equivalent capacitances of T junctions. P.Stouten 552
Equivalent-circuit model for interdigital transducers with varying electrode widths. A.J.Bahr and R.E.Lee 281
Equivalent-circuit model, transmission-line, of a semiconductor, efficient numerical solution of the. M.A.Green and J.Shewchun 474
Equivalent relaive permittivity and unloaded Q factor of integrated finline. P.J.Meier 162
Error-correction and detection codes, block, to any base, construction of. D.A.H.Brown 290
Error-detection and correction codes, block, to any base, construction of. D.A.H.Brown 290
Error, multiplication, state-space approach to the, in a digital filter. K.M.Wong 224
Estimate of substrate influence on space-charge-limited current. E.De Chambost 351
Estimates, power spectral, effects of binary quantisation when using the fast Fourier transform to compute. J.D.S.Mason 361 Errata 436
Estimation in linear time-delay system with coloured observation noise. V.Shukla 1
Estimation of discrete-time systems using pseudorandom sequences. Y.Funahashi and K.Nakamura 208
Estimation of discrete-time systems using pseudorandom sequences, comment on. C.J.Macleod 326
Estimation of weighting-sequence matrices by correlation method. Y.Funahashi and K.Nakamura 209
Evaluation of attenuation from lossless triangular-finite-element solutions for inhomogeneously filled guiding structures. T.S.Bird 590
Evaluation of data reconstruction using Walsh functions. P.R.Risch and T.A.Brubaker 489
Evaluation of the matrix exponential. A.Wragg and C.Davies 525
Excitation, eigen-, resonator, inphase, input impedance of a circulator with an. Y.Akaiwa 274
Excitation, mode, in a multimode optical-fibre waveguide. W.A.Gambling, D.N.Payne and H.Matsumura 412
Expansions, piecewise-linear-basis-function. R.W.Koch and C.R.Paul 332
Experimental determination of attenuation in corrugated circular waveguides. A.D.Olver, P.J.B.Clarricoats and S.L.Chong 424 Errata 480
Experimental verification of new Gunn-effect reflection-insensitive pulse regenerator. T.Hariu and H.Hartnagel 112
Experimental verification of the Shockley-Read-Hall recombination theory in silicon. W.Zimmerman 378
Extension of a small-signal model for thyristor-rectifier control loops when using an asynchronous delay-type firing circuit. R.Prajoux, P.Thierry and J.Jalade 228
Extension of the moment-analysis method for statistical analysis to include linear-correlation effects. B.J.Hagan and J.A.Magowan 261
Extraction order of attenuation poles in a lowpass filter, influence of the. J.Neirynck, N.C.Bui and C.Tran 381

F

F.D.M. microwave transmission, injection-locked IMPATT oscillators applied to. H.B.Wood 141
F.E.T. theory of strip-coupled Rayleigh-wave amplifier. G.S.Kino 52
F.M.-noise measurements on p-type and n-type silicon IMPATT oscillators. G.A.Swartz, V.S.Chiang, C.P.Wen and A.Young 578
F.S.K. system, good performance i.f. and premodulation filters for simple. M.Tomlinson and A.E.Methiwalla 620
Fading channels, feedback-rate control in. R.Srinivasan 395
Far-field radiation pattern and current distribution of the axial-mode helical aerial, numerical computation of the. J.A.C.Hugh 257
Fast algorithm for finding a forest of a linear graph. A.D.Jovanovich and S.N.Chobeljich 504
Fast Fourier transform, effects of binary quantisation when using the, to compute power spectral estimates. J.D.S.Mason 361 Errata 436
Fast Fourier transform, forming the, of a step response in time-domain metrology. A.M.Nicolson 317
Fast high-input-impedance unity-gain buffer stage. B.L.Hart and R.W.J.Barker 223
Fast synchronisation of an earth station to a switching satellite. C.R.Carter and S.S.Haykin 513
Feed arrangement for axis definition of paraboloid reflector. S.Cornbleet 66
Feedback coefficients, use of unity-rank output feedback to guide the selection of. R.S.Hannah and D.H.Mee 263
Feedback-rate control in fading channels. R.Srinivasan 395
Feedback, tachometric, in nonlinear systems, use of. R.Walk and J.Rootenberg 180
Feedback, unity-rank, effect of, on the transfer-function matrix of a multivariable system, comment on. D.Q.Mayne 569
Feedback, unity-rank, effect of, on the transfer-function matrix of a multivariable system. H.Seraji 477
Feeds, low-crosspolarisation, some data for the design of. S.I.Ghobrial 465
Feeds, offset, offset-reflector antennas with. A.W.Rudge 611
Ferrite sample, resonant, power-frequency distribution in a cavity containing a. W.J.R.Hoefer 357
Ferromagnetic-resonance linewidth of thick yttrium-iron-garnet films grown by liquid-phase epitaxy. J.D.Adam, J.M.Owens and J.H.Collins 325
Fibre, cladded, optical waveguide, scattering loss in a. G.L.Yip, J.Matrucci and G.W.Farnell 293
Fibre, graded-index optical, pulse response of a. W.A.Gambling and H.Matsumura 336
Fibres, multimode, pulse broadening in, excited by GaAs lasers. D.Schicketanz 5

Fibres, optical, leaky rays cause failure of geometric optics on. A.W.Snyder and D.J.Mitchell 437
Field-effect transistors, GaAs, with ion-implanted channels. R.G.Hunsperger and N.Hirsch 577
Field-effect transistors, Si and GaAs 0.5 μm-gate Schottky-barrier. W.Baechtold, K.Daetwyler, T.Forster, T.O.Mohr, W.Walter and P.Wolf 232
Field-matching solution of transverse discontinuities in inhomogeneous waveguides. W.K.McRitchie, M.M.Z.Kharadly and D.G.Corr 291
Film, thin, acoustic-optic TE_0-TM_0 mode conversion in a, of amorphous tellurium dioxide. Yoshiro Ohmachi 539
Filter, acoustic-surface-wave, improvement of an, with a multistrip coupler. R.H.Tancrell 316
Filter, channel-dropping coupled-line. Z.M.Abdul Hadi and L.A.Jackson 462
Filter design, single-mode resonance in $LiNbO_3$ for. J.W.Burgess, M.C.Hales, F.W.Ainger and R.J.Porter 251
Filter, digital-, 2nd-order element with low quantising noise for poles and zeros at low frequencies. N.G.Kingsbury 271 Errata 348
Filter, Kalman, unsupervised learning of the. R.L.T.Hampton 383
Filter, lowpass, influence of the extraction order of attenuation poles in a. J.Neirynck, N.C.Bui and C.Tran 381
Filters, band-splitting, in oversized rectangular waveguide. U.Unrau 30
Filters, least-squares monotonic lowpass, with sharp cutoff. B.D.Rakovich and V.B.Litovski 75
Filters, microstrip bandpass, with reduced radiation effects. B.Easter and J.G.Richings 93
Filters, premodulation, good performance i.f. and, for simple f.s.k. system. M.Tomlinson and A.E.Methiwalla 620
Filters, surface-acoustic-wave, employing symmetric phase-weighted transducers. M.F.Lewis 138
Filters, surface-acoustic-wave pulse-compression, improvements in. J.D.Maines, G.L.Moule, N.R.Ogg and G.Rich 156
Finite-element solutions, triangular, evaluation of attenuation from lossless, for inhomogeneously filled guiding structures. T.S.Bird 590
Fitting of measured data to a known relationship (Computer-program description). B.Bramer and A.R.Banerjee (Computer-program description) 184 Errata 348
Flash counter, lightning-earth, improved. R.B.Anderson, H.R.Van Niekerk and J.J.Gertenbach 394
Flexible linear array, adaptive control of a. P.L.O'Donovan and A.W.Rudge 121
Floating switch with large-signal capability. A.Hamed and H.Sutcliffe 79
Forming the fast Fourier transform of a step response in time-domain metrology. A.M.Nicolson 317
Foster networks, simple evaluation of the matrix T that relates two equivalent. V.Tavsanolgu 422
Fourier transform, fast, to compute power spectral estimates, effects of binary quantisation when using the. J.D.S.Mason 361 Errata 436
Fourier transform, forming the fast, of a step response in time-domain metrology. A.M.Nicolson 317
Fourier-transform integrals, numerical calculation of, comment on. W.Squire 291
Fourier-transform integrals, numerical calculation of (Computer Program Description). R.Piessens and A.Haegemans (Computer-program description) 108
Frequencies, natural, of piecewise uniform transmission lines. B.Bianco and S.Ridella 287
Frequency-controlled beam steering of surface acoustic waves using a stepped transducer array. A.M.De La Rue, C.Stewart, C.D.W.Wilkinson and I.R.Williamson 326
Frequency dividers, CODYMOS, achieve low power consumption and high frequency. H.Oguey and E.Vittoz 386
Frequency-division, microwave, using transferred-electron devices. L.C.Upadhyayula and S.Y.Narayan 85
Frequency modulation and mode selection: surface-acoustic-wave oscillators. J.Crabb, M.F.Lewis and J.D.Maines 195
Frequency multiplier for square waves. N.Satyanarayana 509
Frequency response, arbitrary, Chebyshev approximation of, for nonrecursive digital filters with linear phase. F.Braun, A.Kinzl and H.Rothenbuhler 507 Errata 624
Frequency-selective scanning of acoustic surface wave. P.Hartemann 246
Frequency stability of millimetre-band reflex klystrons with various cooling techniques. D.J.E.Knight and E.C.Brown 163
Frequency stability, short-term, of an L band oscillator with a superconducting cavity. D.L.H.Blomfield and A.J.Pointon 461
Frequency-to-time-domain sensitivity matrix. P.R.Adby and J.R.Baxter 455
Fresnel's law, generalised, for loss due to curvature. A.W.Snyder and D.J.Mitchell 609
f_t anomaly, an. Kerr. J.A., J.A.G.Slatter and D.Vinton 338
f_t prediction of transistors, influence of heavy doping effects on the. H.De Man, R.Mertens and R.Van Overstraeten 174
Function, mean-value, realisation of the. E.Ball 528
Functions, elementary, predictive algorithms for some, in radix 2. P.W.Baker 493
Fundamental- and higher-order modes in open microstrip lines. A.R.Van de Capelle and P.J.Luypaert 345

G

(GaAl)As/GaAs localised-gain-region injection lasers, 5-layer-heterostructure, low threshold-current density in. G.H.B.Thompson and P.A.Kirkby 295
GaAs and InP, comparison of the hot electron-diffusion rates for. P.E.Bauhahn, G.I.Haddad and N.A.Masnari 460
GaAs field-effect transistors with ion-implanted channels. R.G.Hunsperger and N.Hirsch 577
GaAs TRAPATT devices, effect of recombination time on efficiency and frequency of operation in. P.E.Bauhahn and G.I.Haddad 455
Gallium-arsenide and indium-phosphide injection-limited diodes, noise performance of. B.Kallback 11
Gallium-arsenide lasers, short-pulse modulation of, with TRAPATT diodes. J.E.Carroll and J.G.Farrington 166
Gallium-arsenide travelling-wave amplifier, characteristics of a, with Schottky-barrier contacts. H.Kanbe, N.Shimizu and K.Kumabe 29
Gallium-arsenide travelling-wave amplifiers, *nd*-limited, optimum r.f.-power transport in. W.Frey 12
GaP electroluminescent memory switch. S.Y.Haeri 279
General strategy for increasing type number of control systems. H.M.Power 614
Generalisation of the bandpass-lowpass analogy and its application to a phase-shift-keying signal. N.Masamitsu Errata 168
Generalised autocorrelation theorm. K.R.Rao, K.Revuluri and N.Ahmed 212
Generalised Cockcroft-Walton voltage multipliers. A.H.Falkner 585
Generalised Fresnel's law for loss due to curvature. A.W.Snyder and D.J.Mitchell 609
Generalised transient response of bandpass transfer functions to F.S.K.- and P.S.K.-type signals. V.C.Chohan and J.K.Fidler 320
Generating function for spanning trees. B.R.Myers 360 Errata 464
Generation-lifetime measurement in m.o.s. capacitors effects of nonuniform doping on. P.U.Calzolari, S.Graffi and C.Morandi 273
Generation of Bleustein-Gulyaev and bulk-shear waves by interdigital transducers on a piezoelectric ceramic. R.F.Milson and M.Redwood 417
Generation of Rayleigh and bulk waves by interdigital transducers on y-cut z-propagating lithium niobate. N.H.C.Reilly, R.F.Milsom and M.Redwood 419
Generator, pseudorandom Poisson-process. F.de Coulon and P.A.Rumley 466
Generator, serial residue, for use in a self-checking computer. R.J.Gray 411
Generators, sequential, using read-only memories. J.C.Laprie and M.Souny 142
Geometric criterion for the absence of limit cycles in nonlinear control systems, comment on. P.C.Byrne and M.Sheeran 576
Geometric optics on optical fibres, leaky rays cause failure of. A.W.Snyder and D.J.Mitchell 437
Germanium-doped silicon, n-channel enhancement m.o.s. transistor built in. A.Neugroshel, S.Margalit and A.Bar-Lev 153
Glass-fibre waveguide with a triangular core. R.B.Dyott, C.R.Day and M.C.Brain 288
Glasses, high-purity, for optical-fibre communication. C.E.E.Stewart, D.Tyldesley, B.Scott, H.Rawson and G.R.Newns 482
Good performance i.f. and premodulation filters for simple f.s.k. system. M.Tomlinson and A.E.Methiwalla 620
Gunn-diode impedance, new measurement method of, comments on. R.Charlton, B.A.E.de Sa and G.S.Hobson 61
Gunn-diode impedance, new measurement method of, comments on. H.Hartnagel 84
Gunn diodes, measurement of admittance of, in passive and active regions of bias voltage. P.J.de Waard 59
Gunn-effect reflection-insensitive pulse regenerator, new, experimental verification of. T.Hariu and H.Hartnagel 112
Gunn oscillators, Q band (38 GHz) varactor-tuned. B.J.Downing and F.A.Myers 244 Errata 348
Gyrator networks, RLC, analysis of. F.Anday 403

H

Haar transform, Cooley-Tukey-type algorithm for the. N.Ahmed, T.Natarajan and K.R.Rao 276
Hall generator, integral equation for the potential distribution in a. G.De Mey 264
Hall-mobility measurements, microwave, on 1-dimensional conducting systems. M.M.Sayed, C.R.Westgate and J.H.Perlstein 529
Hallen's integral equation, calculation of the exterior natural frequencies of a wire by the use of. F.M.Tesche 558
He^+ backscattering, detection of phosphorus in heavily diffused silicon by. C.R.Allen and C.R.Thomas 475
Heat dynamics, device, accurate calculation of: a special feature of the trans-tran circuit-analysis program. V.Szekely 132
Heat spreaders, diamond, X band c.w. TRAPATT oscillators using ring diodes on. N.W.Cox, K.E.Gsteiger, G.N.Hill and C.T.Rucker 269
Helix, finite, numerical computation of the input impedance of a. D.C.Wynn and C.T.Carson 203
Helmholtz wave equation in waveguides and cavities, use of nonseparable solutions of. D.H.Schoonaert and P.J.Luypaert 617
Heterojunctions, graded, derivation of current/voltage characteristics for. W.F.Hall 548
High-accuracy digital-analogue convertor. S.Marjanovic 131
High-field transport in indium phosphide. W.Fawcett and D.C.Herbert 308
High-power high-efficiency operation of Read-type IMPATT-diode oscillators. C.Kim, R.Steele and R.Bierig 173
High-precision measurement of 2e/h that uses cryogenic electronic components. J.C.Gallop and B.W.Petley 488
High-purity glasses for optical-fibre communication. C.E.E.Stewart, D.Tyldesley, B.Scott, H.Rawson and G.R.Newns 482
High-voltage lines, signal-coupling system for intrabundle communication on. F.D.Pullen 109
Holography, 1-dimensional acoustic, surface-wave nondestructive testing using. H.K.Wickramsinghe and E.A.Ash 327
Horn, rectangular, with dielectric-slab insert. R.Ashton and R.Baldwin 26
Howitt transformations to 2-element-kind networks, application of. V.Tavsanoglu 206
Hysteresis effects in rotating amplifiers, use of dither to eliminate. R.J.Simpson and H.M.Power 369

I

I band (8-10 GHz) TRAPPAT-diode sources. J.Risko, J.Thomas, H.J.Prager and K.K.N.Chang 572
Image processing using acoustic surface waves. J.Henaff 102
Imaging and convolution in acoustic-surface-wave thin-film guides. R.A.Zakarevicius, E.A.Ash and I.M.Mason 363
Imaging, direct microwave, with enhanced resolution. A.P.Anderson, R.D.Orme and S.J.Mawani 205
IMPATT-diode oscillators, Read-type, high-power high-efficiency operation of. C.Kim, R.Steele and R.Bierig 173
IMPATT diodes, double-drift millimetre-wave, prepared by epitaxial growth. B.E.Watts, A.M.Howard and G.Gibbons 183
IMPATT diodes, double-drift-region, computer optimisation of. A.Lekholm and J.Mayr 64
IMPATT diodes, measurement technique for large-signal admittance of. I.S.Groves and N.D.Kenyon 331
IMPATT diodes, silicon, effect of doping profile on avalanche noise of. E.Vollmann 602
IMPATT oscillators, f.m.-noise measurements on p-type and n-type silicon. G.A.Swartz, V.S.Chiang, C.P.Wen and A.Young 578
IMPATT oscillators, injection-locked, applied to f.d.m. microwave transmission. H.B.Wood 141
IMPATT structure, low-noise silicon. F.Diamand 405
IMPATT structures, various, from a scaling approximation, power-generation potential of. K.P.Weller 420
IMPATTs, pulsed silicon double-drift, for microwave and millimetre-wave applications. G.Pfund, A.Podell and U.Tarakci 518
Impedance, bicubic, series-parallel RLC synthesis of. S.Tirtoprodjo 370
Impedance, characteristic, of surface-strip coplanar waveguides. P.A.J.Dupuis and C.K.Campbell 354
Impedance, Gunn-diode, new measurement method of, comments on. R.Charlton, B.A.E.de Sa and G.S.Hobson 61
Impedance, Gunn-diode, new measurement method of, comments on. H.Hartnagel 84

Impedance, input, of a circulator with an inphase eigen-excitation resonator. Y.Akaiwa 274
Impedance, input, of a finite helix, numerical computation of the. D.C.Wynn and C.T.Carson 203
Impedance, low-frequency, of a circular loop over a conducting ground. J.R.Wait and Spies. K.P. 346
Impedance of a log-periodic dipole array, calculation of the radiation pattern and (Computer-Program Description). E.W.Munro and P.A.McInnes (Computer-program description) 530
Implantation, boron, tungsten masking against. W.M.Portnoy and L.M.Leedy 129
Implementation of a moving-target indicator by bucket-brigade circuits. W.J.Butler, C.M.Puckette and M.B.Barron Errata 72
Improved algorithm for low-order digital convolution. P.M.Terrell and P.J.W.Rayner 618
Improved binary multiplication system. N.Johnson 6 Errata 120
Improved instrument for probing static potential profiles in semiconductor devices. P.H.Ladbrooke 315
Improved lightning-earth flash counter. R.B.Anderson, H.R.Van Niekerk and J.J.Gertenbach 394
Improved tolerance in optical directional couplers. M.G.F.Wilson and G.A.Teh 453
Improvement of an acoustic-surface-wave filter with a multistrip coupler. R.H.Tancrell 316
Improvements in circuit realisation of threshold-logic gates. S.L.Hurst 123
Improvements in surface-acoustic-wave pulse-compression filters. J.D.Maines, G.L.Moule, N.R.Ogg and G.Rich 156
Increase in surface-acoustic-wave velocity produced by ion implantation in quartz. P.Hartemann and M.(Miss) Morizot 497
Increasing the locking bandwidth of a waveguide-cavity oscillator through the use of a double-tuned circuit. F.Ivanek 444
Indium-phosphide and gallium-arsenide injection-limited diodes, noise performance of. B.Kalliback 11
Indium phosphide, epitaxial, measurement of carrier-concentration profiles in. M.J.Cardwell and R.F.Peart 88
Indium phosphide, high-field transport in. W.Fawcett and D.C.Herbert 308
Indium phosphide, n-type, comment on determination of the velocity field characteristic for, from dipole-domain measurements. P.M.Boers 134
Indium-phosphide transferred-electron amplifiers, low-noise wideband. P.W.Braddock and K.W.Gray 36
Inductively loaded monopole, efficiency transition point for. R.C.Hansen 117
Inductors, linear and nonlinear high-quality synthetic. F.Kouril and V.Ricny 430
Influence of heavy doping effects on the f_t prediction of transistors. H.De Man, R.Mertens and R.Van Overstraeten 174
Influence of horn length on radiation pattern of oblique-flare-angle corrugated horn. P.J.B.Clarricoats and L.M.Seng 15
Influence of the extraction order of attenuation poles in a lowpass filter. J.Neirynck, N.C.Bui and C.Tran 381
Infrared television: performance of pyroelectric vidicon at 8 to 14 μm. R.Watton, G.Smith, B.Harper and W.M.Wreathall 534
Injection lasers, large-signal direct modulation of. W.Harth 532 Errata 576
Injection-locked IMPATT oscillators applied to f.d.m. microwave transmission. H.B.Wood 141
InP and GaAs, comparison of the hot electron-diffusion rates for. P.E.Bauhahn, G.I.Haddad and N.A.Masnari 460
Input impedance of a circulator with an inphase eigen-excitation resonator. Y.Akaiwa 274
Insertion loss and saturation effects in the diode correlator. T.M.Reeder 254
Instability, oscillator, limitation of m.t.i. improvement factor due to. R.Nitzberg 470
Integral equation for the potential distribution in a Hall generator. G.De Mey 264
Integral equation, Hallen's calculation of the exterior natural frequencies of a wire by the use of. F.M.Tesche 558
Integral finite-element approach for solving the Laplace equation. B.H.McDonald, M.Friedman, M.Decreton and A.Wexler 242
Integrals, Fourier-transform, numerical calculation of, comment on. W.Squire 291
Integrals, Fourier-transform, numerical calculation of (Computer Program Description). R.Piessens and A.Haegemans (Computer-program description) 108
Integrated finline, equivalent relative permittivity and unloaded Q factor of. P.J.Meier 162
Interference, strong, zero-steering antenna system for receiving a signal close to the direction of. D.C.Cooper 140 Errata 260
Intermodulation distortion in transferred-electron reflection amplifiers. R.Charlton and G.S.Hobson 622
Intrabundle communication on high-voltage lines, signal-coupling system for. F.D.Pullen 109
Invariant-sinusoid approximation method for recursive digital filters. A.Antoniou and C.Shekher 498
Ion-implanted channels, GaAs field effect transistors with. R.G.Hunsperger and N.Hirsch 577
Ion-implanted hybrid voltage-variable capacitors, characteristics of. B.A.MacIver 210

J

J.F.E.T. bucket-brigade circuit: some recent experimental results. M.B.Barron and W.J.Butler 603
j multiplier: a new network device. A.B.Sardharwalla and M.A.Laughton 231
Junctions, abrupt, n^+-p and p^+-n, multiplication factors and breakdown voltages of. P.Spirito 367
Junctions, photovoltaic, formed on silk-screened cadmium-sulphide layers. S.Vojdani, A.Sharifnai and M.Doroudian 128

K

Kalman filter, unsupervised learning of the. R.L.T.Hampton 383
Kalman filtering, adaptive, using stochastic approximation. N.K.Sinha 177
Kalman linear regulator, equivalence of the Box-Jenkins-Åstrom control law to the. D.J.Hughes 220
Kirchhoff integration, some errors in the calculation of the radiation patterns of reflector antennas, using. J.Dijk and E.J.Maanders 510
Komplexe Vorverzerrung hochfrequenter Signale) Complex predistortion of high-frequency signals). K.Kiesel and H.-J.Hevn 565

L

L band oscillator, short-term frequency stability of an, with a superconducting cavity. D.L.H.Blomfield and A.J.Pointon 461
Ladder filters, economical *RC* active lossy. J.M.Rollett 70 Errata 152
Laplace equation, integral finite-element approach for solving the. B.H.McDonald, M.Friedman, M.Decreton and A.Wexler 242
Laplace transform, numerical inversion of the. MrsM.Nakhla, K.Singhal and J.Vlach (Computer-program description) 313
Large-matrix-ordering technique with applications to transposition. I.De Lotto and D.Dotti 374
Large-signal direct modulation of injection lasers. W.Harth 532 Errata 576
Laser, solid-state, radiation from. G.A.Hockham 389
Lasers, 5-layer-heterostructure (GaAl)As/GaAs localised-gain-region injection, low threshold-current density in. G.H.B.Thompson and P.A.Kirkby 295
Lasers, double heterostructure, direct modulation of, at rates up to 1 Gbit/s. M.Chown, A.R.Goodwin, D.F.Lovelace, G.H.B.Thompson and P.R.Selway 34
Lasers, GaAs, pulse broadening in multimode fibres excited by. D.Schicketanz 5
Lasers, gallium-arsenide, short-pulse modulation of, with TRAPATT diodes. J.E.Carroll and J.G.Farrington 166
Leaky rays cause failure of geometric optics on optical fibres. A.W.Snyder and D.J.Mitchell 437
Leaky-wave analysis of optical periodic couplers. S.T.Peng, T.Tamir and H.L.Bertoni 150
Learning nets, digital, automatic classification of mass spectra by means of. T.J.Stonham, I.Aleksander, M.Camp, M.A.Shaw and W.T.Pike 391
Learning, unsupervised, of the Kalman filter. R.L.T.Hampton 383
Least-squares monotonic lowpass filters with sharp cutoff. B.D.Rakovich and V.B.Litovski 75
Lightning-earth, flash counter, improved. R.B.Anderson, H.R.Van Niekerk and J.J.Gertenbach 394
Limit cycles in nonlinear control systems, geometric criterion for the absence of, comment on. P.C.Byrne and M.Sheeran 576
Limitation of m.t.i. improvement-factor due to oscillator instability. R.Nitzberg 470
Linear and nonlinear high-quality synthetic inductors. F.Kouril and V.Ricny 430
Linear graph, fast algorithm for finding a forest of a. A.D.Jovanovich and S.N.Chobeljich 504
Linear multivariable discrete-time systems, deadbeat control of. B.Porter 83
Linear systems, quadratic performance measure for optimum design of. S.Das and B.Sarkar 57
Linear time-delay system, estimation in, with coloured observation noise. V.Shukla 1
Lines, open microstrip, fundamental- and higher-order modes in. A.R.Van de Capelle and P.J.Luypaert 345
Liquid-crystal electro-optic devices, twisted nematic, with areas of reverse twist. E.P.Raynes 101 Errata 260
Liquid-crystal mixtures, new, dielectric anisotropy of, and its effect on dynamic scattering. G.Elliott, D.Harvey and M.G.Williams 399
Liquid crystal, new room-temperature nematic, electro-optic performance of a. A.Ashford, J.Constant, J.Kirton and E.P.Raynes 118
Liquid-crystal p.c.b., cholesteric-nematic phase-change effect in mixtures containing the. J.Constant and Raynes. E.P. 561
Liquid crystals, nematic, for displays, new family of. G.W.Gray, K.J.Harrison and J.A.Nash 130
Liquid crystals, new cholesteric, for displays. G.W.Gray, K.J.Harrison, J.A.Nash and E.P.Raynes 616
Lithium niobate, transducer and multistrip-coupler performance for leaky surface waves on. C.O.Newton 481
Lithium niobate, y-cut z-propagating, generation of Rayleigh and bulk waves by interdigital transducers on. N.H.C.Reilly, R.F.Milsom and M.Redwood 419
Local form of the radiation condition: application to curved dielectric structures. L.Lewin 468
Locating a horizontal magnetic dipole buried in a 2-layer earth. V.Ramaswamy and H.W.Dosso 99
Locking bandwidth, increasing the, of a waveguide-cavity oscillator through the use of a double-tuned circuit. F.Ivanek 444
Logic array, and-or, m.o.s. bucket-brigade. T.D.Mok and C.A.T.Salama 135
Logic circuits, adaptive, for digital stochastic computers. A.J.Miller, A.W.Brown and P.Mars 500
Logic circuits, complementary dynamic m.o.s.. E.Vittoz and H.Oguey 77
Logic gates, threshold, improvements in circuit realisation of. S.L.Hurst 123
Loop, circular, low-frequency impedance of a, over a conducting ground. J.R.Wait and Spies. K.P. 346
Loops, thyristor-rectifier control, extension of a small-signal model for, when using an asynchronous delay-type firing circuit. R.Prajoux, P.Thierry and J.Jalade 228
Loss due to curvature, generalised Fresnel's law for. A.W.Snyder and D.J.Mitchell 609
Loss, microwave, measurement. R.A.Court 278
Losses, wall, transmission-line-matrix solution of waveguides with. S.Akhtarzad and P.B.Johns 335
Loudness ratings, new definitions for. D.L.Richards 448
Loudness ratings of telephone speech paths, choice of parameters for calculating. D.L.Richards 249
Low attenuation in corrugated circular waveguides. P.J.B.Clarricoats and A.D.Olver 376
Low-crosspolarisation feeds, some data for the design of. S.I.Ghobrial 465
Low-field tunnelling current in thin-oxide m.n.o.s. memory transistors. H.Maes and R.Van Overstraeten 19
Low-frequency impedance of a circular loop over a conducting ground. J.R.Wait and Spies. K.P. 346
Low-noise receivers without transformer, optimum source admittance matching for. R.Kaesser 124
Low-noise room-temperature parametric amplifier. P.K.Lau and P.A.Watson 581
Low-noise silicon IMPATT structure. F.Diamand 405
Low-noise wideband indium-phosphide transferred-electron amplifiers. P.W.Braddock and K.W.Gray 36
Low threshold-current density in 5-layer-heterostructure (GaAl)As/GaAs localised-gain-region injection lasers. G.H.B.Thompson and P.A.Kirkby 295
Lowpass Butterworth characteristic, 3rd-order, active RC realisation of a, comment on. F.Anday 212

M

M.N.O.S. memory transistors, thin-oxide, low-field tunnelling current in. H.Maes and R.Van Overstraeten 19
m = O, n = O mode and rectangular-waveguide slot discontinuity. T.Vu Khac and C.T.Carson 431
M.O.S. bucket-brigade and-or logic array. T.D.Mok and C.A.T.Salama 135
M.O.S. capacitors, effects of nonuniform doping on generation-lifetime measurement in. P.U.Calzolari, S.Graffi and C.Morandi 273
M.O.S. capacitors with nonconstant doping profiles, numerical calculation of low-frequency capacitance/voltage curves of. G.Panigrahi 43
M.O.S.-device performance, statistical approach to the prediction of. B.J.Hagan and J.A.Magowan 23

M.O.S.F.E.T.s, *n*- and *p*-channel, as Rayleigh-surface-wave detectors. *n*- and *p*-channel M.O.S.F.E.T.s as Rayleigh-surface-wave and detectors 125
M.O.S. logic circuits, complementary dynamic. E.Vittoz and H.Oguey 77
M.O.S. p-channel technology, optimisation of depletion-mode transistors for an. W.Schemmert and B.Hofflinger 555
M.O.S. technology, complementary, quartz oscillator in. P.Tourki 451
M.O.S. transistor, n-channel enhancement, built in germanium-doped silicon. A.Neugroshel, S.Margalit and A.Bar-Lev 153
M.O.S. transistor technology, V groove. F.E.Holmes and C.A.T.Salama 457
M.T.I. improvement factor due to oscillator instability, limitation of. R.Nitzberg 470
Magnetic dipole, horizontal, locating a, buried in a 2-layer earth. V.Ramaswamy and H.W.Dosso 99
Magnetostatic wave group-delay equaliser. J.D.Adam, J.H.Collins and J.M.Owens 557
Mark- and space-time control, independent, astable multivibrator with. A.Cantoni 158
Masking, tungsten, against boron implantation. W.M.Portnoy and L.M.Leedy 129
Mass spectra, automatic classification of, by means of digital learning nets. T.J.Stonham, I.Aleksander, M.Camp, M.A.Shaw and W.T.Pike 391
Materials, spacecraft, charging of, simulated in a scanning electron microscope. K.G.Balmain 544
Matrices, dyadic transfer-function, structural modification of, using feedback. D.H.Owens 379
Matrix exponential, evaluation of the. A.Wragg and C.Davies 525
Matrix, frequency-to-time-domain sensitivity. P.R.Adby and J.R.Baxter 455
Matrix solution, transmission-line, of waveguides with wall losses. S.Akhtarzad and P.B.Johns 335
Matrix, T, simple evaluation of the, that relates two equivalent Foster networks. V.Tavsanoglu 422
Matrix-theory proof, simple, of the discrete dyadic convolution theorem. M.N.Gulamhusein 238
Matrix, transfer-function, effect of unity-rank feedback on the, of a multivariable system. H.Seraji 477
Matrix, transfer-function, of a multivariable system, effect of unity-rank feedback on the, comment on. D.Q.Mayne 569
Maximim Q factors for bandpass filters. A.G.J.Holt and J.Atikiouzel 434 Errata 576
Measurement, microwave loss. R.A.Court 278
Measurement of admittance of Gunn diodes in passive and active regions of bias voltage. P.J.de Waard 59
Measurement of carrier-concentration profiles in epitaxial indium phosphide. M.J.Cardwell and R.F.Peart 88
Measurement of external Q factor of microwave oscillators using frequency pulling or frequency locking. G.S.Hobson 191
Measurement, pulsed, of transistor-base charge against collector current. R.Bridgen 366
Measurement technique for large-signal admittance of IMPATT diodes. I.S.Groves and N.D.Kenyon 331
Memories, read-only, sequential generators using. J.C.Laprie and M.Souny 142
Memory array, cellular dynamic, with reduced data-access time. W.Kluge 458 Errata 556
Memory, electrically alterable avalanche-injection. H.C.Card and A.G.Worrall 14
Memory, metal-nitride-oxide-silicon avalanche-injection. J.Mavor 111 349
Memory, metal-nitride-oxide-silicon avalanche-injection, comment on. P.J.T.Mellor and P.J.Dunn 252 349
Memory switch, GaP electroluminescent. S.Y.Haeri 279
Metal-insulator semiconductor-electroluminescent diodes in single-crystal zinc oxide. B.W.Thomas and D.Walsh 362
Metal-nitride-oxide-silicon avalanche-injection memory. J.Mavor 111 349
Metal-nitride-oxide-silicon avalanche-injection memory, comment on. P.J.T.Mellor and P.J.Dunn 252 349
Method for measuring the anisotropy of precipitation media. G.C.McCormick and A.Hendry 216
Method of rapid numerical calculation of transient processes in a thyristor. R.Castagne and A.Vapaille 305
Microcircuits, microwave, viscous dielectric materials for application in. T.C.Edwards 406
Microdischarges in an industrial vacuum, electronic quencher for. R.Berland and A.Dussauchoy 283
Microstrip bandpass filters with reduced radiation effects. B.Easter and J.G.Richings 93
Microstrip, calibration procedure for computer-corrected s parameter characterisation of devices mounted in. H.V.Shurmer 323
Microstrip line, Schottky contact, bias-dependent phase delay of. D.Jager and W.Rabus 201
Microstrip lines, open, fundamental- and higher-order modes in. A.R.Van de Capelle and P.J.Luypaert 345
Microwave frequency division using transferred-electron devices. L.C.Upadhyayula and S.Y.Narayan 85
Microwave Hall-mobility measurements on 1-dimensional conducting systems. M.M.Sayed, C.R.Westgate and J.H.Perlstein 529
Microwave imaging, direct, with enhanced resolution. A.P.Anderson, R.D.Orme and S.J.Mawani 205
Microwave loss measurement. R.A.Court 278
Microwave microcircuits, viscous dielectric materials for application in. T.C.Edwards 406
Microwave network analyser, calibration of, for computer-corrected *S* parameter measurements. E.F.da Silva and M.K.McPhun 126
Microwave network analyser, computer correction of a, without accurate frequency measurement. J.W.Gould and G.M.Rhodes 494
Microwave oscillators, measurement of external Q factor of, using frequency pulling or frequency locking. G.S.Hobson 191
Microwave-package measurements at the Q band. B.J.Downing and P.N.Robson 245
Microwave region, rapid method suitable for liquids and powders for determination of relative permittivities in the. M.Kent 39
Microwave transmission, f.d.m., injection-locked IMPATT oscillators applied to. H.B.Wood 141
Microwaves, observation of the small-scale structure of intense rain by the scattering of. M.E.Cleverley 535
Millimetre-wave and microwave applications, pulsed silicon double-drift IMPATTs for. G.Pfund, A.Podell and U.Tarakci 518
Millimetre-wave IMPATT diodes, double-drift, prepared by epitaxial growth. B.E.Watts, A.M.Howard and G.Gibbons 183
Millimetre waves, rain-attenuation measurements of, over short paths. J.W.Mink 198
Mixtures containing the liquid-crystal p.c.b., cholesteric-nematic phase-change effect in. J.Constant and Raynes. E.P. 561
Mobile radio receivers, land, new mute for. W.Gosling 541
Mode excitation in a multimode optical-fibre waveguide. W.A.Gambling, D.N.Payne and H.Matsumura 412
Model, equivalent-circuit, for interdigital transducers with varying electrode widths. A.J.Bahr and R.E.Lee 281
Modele phenomenologique de transistor m.o.s. en regime de saturation. P.Rossel and H.Martinot 414
Modified diffraction coefficients for focusing reflectors. G.L.James and G.T.Poulton 537
Modulation, direct, of double heterostructure lasers at rates up to 1 Gbit/s. M.Chown, A.R.Goodwin, D.F.Lovelace, G.H.B.Thompson and P.R.Selway 34
Modulation in short-channel m.o.s. transistors, simple theory for threshold-voltage. R.C.Varshney 600
Modulation, large-signal direct, of injection lasers. W.Harth 532 Errata 576
Modulation, short-pulse, of gallium-arsenide lasers with TRAPATT diodes. J.E.Carroll and J.G.Farrington 166
Modulator, constant-factor delta. A.T.Kyaw and R.Steele 96
Modulator/deflector, total-internal-reflection electro-optic diffraction. M.T.V.Scibor-Rylski 309
Moire effects in professional, videotape recorders. M.O.Felix 440
Monolithic surface-acoustic-wave phase shifter. G.Chao 49
Monolithically integrated Bragg deflector for an optical guided wave made of zinc-oxide film. N.Chubachi, J.Kushibiki and Y.Kikuchi 193
Monopole, hollow cylindrical, coaxially fed, in a rectangular waveguide. A.G.Williamson and D.V.Otto 218
Monopole, inductively loaded, efficiency transition point for. R.C.Hansen 117
More aspects of quantisation noise associated with digital coding of colour-television signals. L.Verhoeven 69 Errata 152
Moving-target indicator, implementation of a, by bucket-brigade circuits. W.J.Butler, C.M.Puckette and M.B.Barron Errata 72
Moving-target-indicator recursive radar filter using bucket-brigade circuits. J.B.G.Roberts, R.Eames and K.A.Roche 89
Multibeam applications, antenna with. B.Claydon 517
Multiple-access systems, communication-satellite time-division, new synchronisation scheme for. A.K.Jefferis and K.Hodson 566
Multiplex, 2.048 Mbit/s, 'nearly instantaneous' digital compandor for transmitting six sound-programme signals in a. M.G.Croll, M.E.B.Moffat and D.W.Osborne 298
Multiplexing, analogue, using a digital technique. J.R.Harris and L.A.M.Bennett 158
Multiplication factors and breakdown voltages of n^+-p and p^+-n abrupt junctions. P.Spirito 367
Multiplication system, binary, improved. N.Johnson 6 Errata 120
Multistrip coupler in acoustic-surface-wave filters. J.M.Deacon, J.Heighway and J.A.Jenkins 235
Multistrip directional couplers, surface-wave, scattering parameters of: a field approach. J.Bording and K.A.Ingebrigsten 63
Multivariable-control-system design, nonminimum-phase difficulties in, comment on. D.Q.Mayne 571
Multivariable-control-system design, nonminimum-phase difficulties in. D.H.Mee and R.S.Hannah 469
Multivariable discrete-time systems, linear, deadbeat control of. B.Porter 83
Multivariable discrete-time systems, linear, deadbeat state reconstruction of. B.Porter 176
Multivariable system, effect of unity-rank feedback on the transfer-function matrix of a, comment on. D.Q.Mayne 569
Multivariable system, effect of unity-rank feedback on the transfer-function matrix of a. H.Seraji 477
Multivibrator, astable, with independent mark- and space-time control. A.Cantoni 158
Muscle stimulator, proportional electromyogram-controlled demand. J.W.Moore and F.C.Monds 284

N

n- and p-channel M.O.S.F.E.T.S as Rayleigh-surface-wave detectors. *n*- and *p*-channel M.O.S.F.E.T.s as Rayleigh-surface-wave and detectors 125
n-channel enhancement m.o.s. transistor built in germanium-doped silicon. A.Neugroshel, S.Margalit and A.Bar-Lev 153
n indium phosphide, diffusion of hot electrons in. C.Hammar and B.Vinter 9
n-p-n4-quadrant analogue multiplier, all. M.McGinn 472
Natural frequencies of piecewise uniform transmission lines. B.Bianco and S.Ridella 287
'Nearly instantaneous' digital compandor for transmitting six sound-programme signals in a 2.048 Mbit/s multiplex. M.G.Croll, M.E.B.Moffat and D.W.Osborne 298
Nematic liquid crystals for displays, new family of. G.W.Gray, K.J.Harrison and J.A.Nash 130
Network-analyser measurements, microwave, of 2-port devices, correction of. O.J.Davies, R.B.Doshi and B.Nagenthiram 543
Network analyser, microwave, calibration of, for computer-corrected *S* parameter measurements. E.F.da Silva and M.K.McPhun 126
Network analyser, microwave, computer correction of a, without accurate frequency measurement. J.W.Gould and G.M.Rhodes 494
Network analysis, differential-input operational-amplifier, new method of. V.S.Gootnikov and H.B.Al-Rishi 341
Network, centralised tree, structural reliability of. I.Cahit and R.Cahit 621
Network device, a new: *j* multiplier. A.B.Sardharwalla and M.A.Laughton 231
Networks, 2-element-kind, application of Howitt transformations to. V.Tavsanoglu 206
Networks, continuously equivalent, in state space. R.Devanathan 372
Networks, electronic-amplifier, signal-flowgraph representation of. A.W.Keen and G.Usui 33
Networks, Foster, simple evaluation of the matrix T that relates two equivalent. V.Tavsanolgu 422
Networks, nullor, computer analysis of. D.Coldham and L.T.Bruton (Computer-program description) 80
Networks, operational-amplifier allpass, realisation of. A.M.Soliman 67
Networks, tensor-field interpretation of the dynamic behaviour of. D.J.Holding and F.J.Evans 56
New cholesteric liquid crystals for displays. G.W.Gray, K.J.Harrison, J.A.Nash and E.P.Raynes 616
New definition of multiple-root sensivity, comment on. M.P.Dave 215
New definitions for loudness ratings. D.L.Richards 448
New family of nematic liquid crystals for displays. G.W.Gray, K.J.Harrison and J.A.Nash 130
New form of electro-optic deflector. S.Wright and M.G.F.Wilson 169
New measurement method of Gunn-diode impedance, comments on. R.Charlton, B.A.E.de Sa and G.S.Hobson 61
New measurement method of Gunn-diode impedance, comments on. H.Hartnagel 84
New method for the testing of capacitors for internal ionisation discharges. M.J.Drury 215
New method of differential-input operational-amplifier-network analysis. V.S.Gootnikov and H.B.Al-Rishi 341

New mute for land mobile radio receivers. W.Gosling 541
New synchronisation scheme for communication-satellite time-division multiple-access systems. A.K.Jefferis and K.Hodson 566
Noise analysis, small-signal of $p+$-n-$p+$ BARITT diodes. A.Sjolund 2
Noise, avalanche, of silicon IMPATT diodes, effect of doping profile on. E.Vollmann 602
Noise, burst, behaviour of, under mechanical stress. T.Rodriguez, J.Mulet and A.Luque 248
Noise, coloured observation, estimation in linear time-delay system with. V.Shukla 1
Noise current and voltage in transistor-base regions, correlation of. H.Sutcliffe 375
Noise, low, silicon IMPATT structure. F.Diamand 405
Noise measurements, f.m., on p-type and n-type silicon IMPATT oscillators. G.A.Swartz, V.S.Chiang, C.P.Wen and A.Young 578
Noise measures, BARITT small-signal, comparison of metal-n-p^+ and p^+-n-p^+. J.Christie and J.A.C.Stewart 553
Noise performance of gallium-arsenide and indium-phosphide injection-limited diodes. B.Kallback 11
Noise, reduction of, in high-power crossed-field amplifiers. N.S.Nicholls, L.Damon and B.P.Schoffield 398
Noise, signal/ratio in rectangular-wave modulation. J.N.Tripathi 256
Nomograms for estimating clear-sky zenith atmospheric attenuation in range 80 - 130 GHz. C.J.Gibbins 605
Nondestructive testing, surface-wave, using 1-dimensional acoustic holography. H.K.Wickramsinghe and E.A.Ash 327
Nonlinear and linear high-quality synthetic inductors. F.Kouril and V.Ricny 430
Nonlinear-circuit analysis, secant algorithm applied to the solution for the steady-state condition in. J.D.Patterson and R.H.Moore 496
Nonlinear control systems, geometric criterion for the absence of limit cycles in, comment on. P.C.Byrne and M.Sheeran 576
Nonlinear interaction of acoustic surface waves with carriers. M.Rouzeyre and G.Sagnes 160
Nonlinear power amplification at the second harmonic in TRAPATT diodes. B.Rama Rao 526
Nonlinear systems, use of tachometric feedback in. R.Walk and J.Rootenberg 180
Nonlinear systems, Volterra kernels in. P.K.Reddy and D.C.Reddy 426
Nonminimum-phase difficulties in multivariable-control system design, comment on. D.Q.Mayne 571
Nonminimum-phase difficulties in multivariable-control-system design. D.H.Mee and R.S.Hannah 469
Nonsymmetrical multistrip coupler as a surface-wave beam compressor of large bandwidth. C.Maerfeld and G.W.Farnell 432
Normality conditions for the time-optimal control of time-invariant linear systems. B.Porter 343
Novel tapping technique for charge-coupled devices. D.J.McLennan, J.Mavor, G.F.Vanstone and D.J.Windle 610
Numerical calculation of Fourier-transform integrals, comment on. W.Squire 291
Numerical calculation of Fourier-transform integrals (Computer Program Description). R.Piessens and A.Haegemans (Computer-program description) 108
Numerical calculation of low-frequency capacitance/voltage curves of m.o.s. capacitors with nonconstant doping profiles. G.Panigrahi 43
Numerical calculation of the ideal C/V characteristics of nonuniformly doped m.o.s. capacitors. H.El-Siasi and R.S.C.Cobbold 594
Numerical calculation, rapid method of, transient processes in a thyristor. R.Castagne and A.Vapaille 305
Numerical computation of the current distribution and far-field-radiation pattern of the axial-mode helical aerial. J.A.C.Hugh 257
Numerical computation of the input impedance of a finite helix. D.C.Wynn and C.T.Carson 203
Numerical inversion of the laplace transform. MrsM.Nakhla, K.Singhal and J.Vlach (Computer-program description) 313
Numerical solution, efficient, of the transmission-line equivalent-circuit model of a semiconductor. M.A.Green and J.Shewchun 474

O

Observation of the small-scale structure of intense rain by the scattering of microwaves. M.E.Cleverley 535
Observation on the construction of C sets in incompletely specified state tables. R.G.Bennetts and F.W.M.Stentiford 27
Offset-reflector antennas with offset feeds. A.W.Rudge 611
Open resonator operating at 337 μm wavelength. R.J.Batt, H.L.Bradley and D.J.Harris 78
Operational-amplifier allpass networks, realisation of. A.M.Soliman 67
Operational amplifier, differential, admittance-matrix representation of an ideal. M.Nakhla, K.Singhal and J.Vlach 562
Optical bridge, 1-arm phase, with axial symmetry (with interference Newton fringes) for measuring small periodic displacements. M.I.Borisov and J.I.Burov 355
Optical directional couplers, improved tolerance in. M.G.F.Wilson and G.A.Teh 453
Optical-fibre communication, high-purity glasses for. C.E.E.Stewart, D.Tyldesley, B.Scott, H.Rawson and G.R.Newns 482
Optical guided wave mnade of zinc-oxide film, monolithically integrated Bragg deflector for an. N.Chubachi, J.Kushibiki and Y.Kikuchi 193
Optical periodic couplers, leaky-wave analysis of. S.T.Peng, T.Tamir and H.L.Bertoni 150
Optimisation, computer, of double-drift-region IMPATT diodes. A.Lekholm and J.Mayr 64
Optimisation of delay and risetime in iterative multistage wideband amplifier circuits. A.Barna 143
Optimisation of depletion-mode transistors for an m.o.s. p-channel technology. W.Schemmert and B.Hofflinger 555
Optimum r.f.-power transport in *nd*-limited gallium-arsenide travelling-wave amplifiers. W.Frey 12
Optimum source admittance matching for low-noise receivers without transformers. R.Kaesser 124
Oscillation, complete photon conversion in backward-travelling-wave parametric amplification and. H.Hsu and C.Yu 442 Errata 624
Oscillator instability, limitation of m.t.i. improvement factor due to. R.Nitzberg 470
Oscillator, quartz, in complementary m.o.s. technology. P.Tourki 451
Oscillators, punchthrough injection transit-time, power limitation of. D.Delagebeauderf and J.Lacombe 538
Oscillators, Read-type, IMPATT-diode, high-power high-efficiency operation of. C.Kim, R.Steele and R.Bierig 173
Oscillators, surface-acoustic-wave: mode selection and frequency modulation. J.Crabb, M.F.Lewis and J.D.Maines 195
Oscillators, transferred-electron, overlength modes of. D.Jones and H.D.Rees 105
Oscillators, X band c.w. TRAPATT, using ring diodes on diamond heat spreaders. N.W.Cox, K.E.Gsteiger, G.N.Hill and C.T.Rucker 269
Overlapping-gate buried-channel charge-coupled devices. A.M.Mohsen, R.Bower, T.C.McGill and T.Zimmerman 396
Overlength modes of transferred-electron oscillators. D.Jones and H.D.Rees 105
Oxidising atmospheres, boron redistribution at the oxide-silicon interface during drive in. G.Masetti, S.Solmi and G.Soncini 226 Errata 380

P

P.C.M. transmission system, simulation of, for use in subscriber network. R.P.Loretan 42
P.S.K. regenerator using phase-script logic. P.A.Watson and J.Hobdell 47
Package, microwave-, measurements at the Q band. B.J.Downing and P.N.Robson 245
Parameter estimation, comparison of methods of, using pseudorandom sequences. C.J.Macleod 342
Parametric amplification and oscillation, backward-travelling-wave, complete photon conversion in. H.Hsu and C.Yu 442 Errata 624
Parametric amplifier, low-noise room-temperature. P.K.Lau and P.A.Watson 581
Paratellurite, acoustic surface waves on. G.Simpson 21
Performance, comparative, of equal-valued-capacitor active RC structures. F.W.Stephenson 505
Performance measure, quadratic, for optimum design of linear systems. S.Das and B.Sarkar 57
Permittivities, relative, in the microwave region, rapid method suitable for liquids and powders for determination of. M.Kent 39
Permittivity, equivalent relative, and unloaded Q factor of integrated finline. P.J.Meier 162
Perturbation theory for multistrip acoustoelectric surface-wave amplifier. C.Maerfeld and P.Tournois 113
Perturbation theory for the surface-wave multistrip coupler. C.Maerfeld and P.Tournois 115
Phase-change effect, cholesteric-nematic, in mixtures containing the liquid-crystal p.c.b.. J.Constant and Raynes. E.P. 561
Phase rotator, sampling, for removal of Doppler shift in a lunar radar. J.E.B.Ponsonby and I.Morison 409
Phase-script logic, p.s.k. regenerator using. P.A.Watson and J.Hobdell 47
Phase-shift-keying signal, generalisation of the bandpass-lowpass analogy and its application to a. N.Masamitsu Errata 168
Phase-shifter digital-, performance. G.D.Brownlie 190
Phase shifter, monolithic surface-acoustic-wave. G.Chao 49
Phase-weighted transducers, symmetric, surface-acoustic-wave filters employing. M.F.Lewis 138
Phosphorus, detection of, in heavily diffused silicon by He^+ backscattering. C.R.Allen and C.R.Thomas 475
Photocells, ZnS sputtered. H.Murray and A.Tosser 491
Photon conversion, complete, in backward-travelling-wave parametric amplification and oscillation. H.Hsu and C.Yu 442 Errata 624
Photovoltaic junctions formed on silk-screened cadmium-sulphide layers. S.Vojdani, A.Sharifnai and M.Doroudian 128
Piecewise-linear-basis-function expansions. R.W.Koch and C.R.Paul 332
Piecewise-linear-signal representation. C.R.Paul and R.W.Koch 194
Piezoelectric coupling parameter $\Delta v/v$ for acoustic surface waves in a layered CdSe-on-yz-cut-$LiNbO_3$ structure. E.Voges and J.Angerstein 241
Piezoelectric surface waves in zinc-oxide-layered substrates, preferential excitation of 2nd-mode. G.A.Armstrong 322
Pipeline array for square-root extraction. J.C.Majithia 4
Plasma formation in n^+p and p^+n TRAPATT diodes, comparison of. C.A.Lee and J.Frey 318
Plasma-probe self detection of resonance cones. K.G.Balmain 312
Plotting, Smith-chart, time-domain reflectometry from. P.I.Somlo 221
Poisson-process generator, pseudorandom. F.de Coulon and P.A.Rumley 466
Pole assignment and decoupling in nonlinear systems. E.Freund 373
Pole sensitivity of a digital filter with multishift sequences in each sampling interval. K.M.Wong and R.A.King 502
Poles and zeros at low frequencies, digital-filter 2nd-order element with low quantising noise for. N.G.Kingsbury 271 Errata 348
Polythene, dependence of conduction current in, on specimen thickness. R.Cooper, B.R.Varlow and J.P.White 259
Possible improvement in television-signal prediction due to interframe correlation. J.Isailovic 427
Potential distribution in a Hall generator, integral equation for the. G.De Mey 264
Potential, power-generation, of various IMPATT structures from a scaling approximation. K.P.Weller 420
Power amplification, nonlinear, at the second harmonic in TRAPATT diodes. B.Rama Rao 526
Power consumption, low, and high frequency, CODYMOS frequency dividers achieve. H.Oguey and E.Vittoz 386
Power-frequency distribution in a cavity containing a resonant ferrite sample. W.J.R.Hoefer 357
Power-generation potential of various IMPATT structures from a scaling approximation. K.P.Weller 420
Power limitation of punchthrough injection transit-time oscillators. D.Delagebeauderf and J.Lacombe 538
Practical 2-dimensional bipolar-transistor-analysis algorithm. E.J.Zaluska, P.A.Dubock and H.A.Kemhadjian 599
Precipitation media, method for measuring the anisotropy of. G.C.McCormick and A.Hendry 216
Precision differential voltage-current convertor. R.Caprio 147
Prediction, television-signal, possible improvement in, due to interframe correlation. J.Isailovic 427
Predictive algorithms for some elementary functions in radix 2. P.W.Baker 493
Preferential excitation of 2nd-mode piezoelectric surface waves in zinc-oxide-layered substrates. G.A.Armstrong 322
Probabilistic switching circuits, reliability estimation for. K.K.Aggarwal 441
Probability distribution of the crosscorrelation function of finite-duration single-bit random waveforms. J.F.Howard Errata 72
Probe, plasma-, self detection of resonance cones. K.G.Balmain 312
Probing, improved instrument for, static potential profiles in semiconductor devices. P.H.Ladbrooke 315
Procedure for the generation of eqiripple functions. P.Karivaratharajan and V.G.K.Murti 522
Processing, image, using acoustic surface waves. J.Henaff 102
Profiles, static potential, improved instrument for probing, in semiconductor devices. P.H.Ladbrooke 315

Propagation and radiation characteristics of corrugated horns. P.J.B.Clarricoats and L.M.Seng 7
Propagation of an arbitrary impulsive plane wave with arbitrary angle of incidence and polarisation in isotropic-plasma halfspace. B.V.Stanic and M.M.Skoric 583
Proportional electromyogram-controlled demand muscle stimulator. J.W.Moore and F.C.Monds 284
Pseudorandom Poisson-process generator. F.de Coulon and P.A.Rumley 466
Pseudorandom-sequence testing, use of synchronised dither in. H.Banasiewicz, S.E.Williamson and W.F.Lovering 334 480
Pseudorandom-sequence testing, use of synchronised dither in, comment on. K.R.Godfrey and J.L.Douce 450 Errata 480
Pseudorandom sequences, estimation of discrete-time systems using. Y.Funahashi and K.Nakamura 208
Pseudorandom sequences, estimation of discrete-time systems using, comment on. C.J.Macleod 326
Pulse broadening in multimode fibres excited by GaAs lasers. D.Schicketanz 5
Pulse-code modulation, A-law, by a delta-modulation technique. H.Pennington and R.Steele 171
Pulse regenerator, new Gunn-effect reflection-insensitive, experimental verification of. T.Hariu and H.Hartnagel 112
Pulse response of a graded-index optical fibre. W.A.Gambling and H.Matsumura 336
Pulsed measurement of transistor-base charge against collector current. R.Bridgen 366
Pulsed measuring technique for isothermal transistor characteristics. A.W.Alden and A.R.Boothroyd 82
Pulsed silicon double-drift IMPATTs for microwave and millimetre-wave applications. G.Pfund, A.Podell and U.Tarakci 518
Punchthrough currents in short-channel m.o.s.t. devices. R.A.Stuart and W.Eccleston 586
Pyroelectric vidicon at 8 to 14 m, performance of: infrared television. R.Watton, G.Smith, B.Harper and W.M.Wreathall 534

Q

Q band (38 GHz) varactor-tuned Gunn oscillators. B.J.Downing and F.A.Myers 244 Errata 348
Q band, microwave-package measurements at the. B.J.Downing and P.N.Robson 245
Q factor, external, measurement of, of microwave oscillators using frequency pulling or frequency locking. G.S.Hobson 191
Q factor, unloaded, and equivalent relative permittivity of integrated finline. P.J.Meier 162
Q factors, maximum, for bandpass filters. A.G.J.Holt and J.Atikiouzel 434 Errata 576
Quadratic performance measure for optimum design of linear systems. S.Das and B.Sarkar 57
Quantisation, binary, effects of, when using the fast Fourier transform to compute power spectral estimates. J.D.S.Mason 361 Errata 436
Quantisation noise, more aspects of, with digital coding of colour-television signals. L.Verhoeven 69 Errata 152
Quantiser, magnitude-truncation, second-order digital filter with only one,and having practically no limit cycles. T.A.C.M.Claasen, W.F.G.Mecklenbrauker and J.B.H.Peek 531
Quartz, comparison of surface-wave reflection coefficients for different metals on. R.Larosa, C.F.Vasile and D.V.Zagardo 495
Quartz, increase in surface-acoustic-wave velocity produced by ion implantation in. P.Hartemann and M.(Miss) Morizot 497
Quartz oscillator in complementary m.o.s. technology. P.Tourki 451
Quencher, electronic, for microdischarges in an industrial vacuum. R.Berland and A.Dussauchoy 283

R

Radar, clutter-reference pulse Doppler, use of a surface-acoustic-wave delay line to provide pseudocoherence in a. M.A.C.S.Brown, W.J.Hannis, J.M.Skinner and D.K.Turton 17
Radar filter, moving-target-indicator recursive, using bucket-brigade circuits. J.B.G.Roberts, R.Eames and K.A.Roche 89
Radar, lunar, sampling phase rotator for removal of Doppler shift in a. J.E.B.Ponsonby and I.Morison 409
Radiating apertures in a corrugated rectangular waveguide. A.J.Sangster and D.C.Hawkins 329
Radiation characteristics of waveguide-excited dielectric spheres with matched sphere-air boundary. P.S.Neelakantaswamy and D.K.Banerjee 40 Errata 348
Radiation condition, local form of the: application to curved dielectric structures. L.Lewin 468
Radiation from a solid-state laser. G.A.Hockham 389
Radiation pattern, calculation of the, and impedance of a log-periodic dipole array (Computer-Program Description). E.W.Munro and P.A.McInnes (Computer-program description) 530
Radiation pattern of oblique-flare-angle corrugated horn, influence of horn length on. P.J.B.Clarricoats and L.M.Seng 15
Radiation pattern, secondary, calculation of the, for a paraboloid reflector with a given illumination function and feed position (Computer program description). E.W.Munro, A.J.T.Whitaker and P.A.McInnes (Computer-program description) 234 Errata 348
Radiation patterns of reflector antennas, some errors in the calculation of, using Kirchhoff integration. J.Dijk and E.J.Maanders 510
Radiation properties of a composite-dielectric-rod aerial. J.R.Blakey 146
Radiation resistance of copper-contaminated n/p type silicon solar cells, effects of boron density on. Y.Kato and A.Usami 18
Radio propagation, slant-path microwave, through distorted raindrops. M.Arabi and P.A.Watson 187 Errata 380
Radio receivers, land mobile, new mute for. W.Gosling 541
Radix 2, predictive algorithms for some elementary functions in. P.W.Baker 493
Railway track, data-transmission characteristics of. B.Mellitt 550 Errata 624
Rain-attenuation measurements of millimetre waves over short paths. J.W.Mink 198
Rain, intense, observation of the small-scale structure of, by the scattering of microwaves. M.E.Cleverley 535
Raindrops, distorted, slant-path microwave radio propagation through. M.Arabi and P.A.Watson 187 Errata 380
Rapid method suitable for liquids and powders for determination of relative permittivities in the microwave region. M.Kent 39
Rayleigh and bulk waves, generation of, by interdigital transducers on y-cut z-propagating lithium niobate. N.H.C.Reilly, R.F.Milsom and M.Redwood 419
Rayleigh-surface-wave detectors, n- and p-channel M.O.S.F.E.T.s as. n- and p-channel M.O.S.F.E.T.s as Rayleigh-surface-wave and detectors 125
Rayleigh-wave amplifier, strip-coupled, f.e.t. theory of. G.S.Kino 52
Rays, leaky, cause failure of geometric optics on optical fibres. A.W.Snyder and D.J.Mitchell 437
Read-only-memory, binary multiplier. Tien-Lin Chang 580
Realisation of colmers and rowmers. Y.Ceyhun and S.Penbeci 364
Realisation of operational-amplifier allpass networks. A.M.Soliman 67
Realisation of the mean-value function. E.Ball 528
Realisation of transfer function with prescribed sensitivity function. F.Anday 53
Receivers, low-noise, without transformer, optimum source admittance matching for. R.Kaesser 124
Recombination theory, Shockley-Read-Hall, in silicon, experimental verification of the. W.Zimmerman 378
Recombination time, effect of, on efficiency and frequency of operation in GaAs TRAPATT devices. P.E.Bauhahn and G.I.Haddad 455
Recorders, professional videotape, Moire effects in. M.O.Felix 440
Rectangular horn with dielectric-slab insert. R.Ashton and R.Baldwin 26
Rectangular universal cellular array. K.L.Kodandapani 286
Rectangular universal iterative array. M.Davio and J.J.Quisquater 485
Rectangular-wave modulation, signal/noise ratio in. J.N.Tripathi 256
Rectangular waveguide, coaxilly fed hollow cylindrical monopole in a. A.G.Williamson and D.V.Otto 218
Rectangular waveguide, oversized, band-splitting filters in. U.Unrau 30
Reduction of noise in high-power crossed-field amplifiers. N.S.Nicholls, L.Damon and B.P.Schoffield 398
Reflection coefficient of dielectric-loaded waveguide bends. M.A.K.Hamid 37
Reflection coefficients, surface-wave, comparison of, for different metals on quartz. R.Larosa, C.F.Vasile and D.V.Zagardo 495
Reflection, total-internal-, electro-optic diffraction deflector/modulator. M.T.V.Scibor-Rylski 309
Reflectometry, time-domain, from Smith-chart plotting. P.I.Somlo 221
Reflector-feed element, dual-band, for frequency-reuse applications. J.H.Cowan 596
Reflector, offset-, antennas with offset feeds. A.W.Rudge 611
Reflector, paraboloid calculation of the secondary-radiation pattern for a, with a given illumination function and feed position (Computer program description). E.W.Munro, A.J.T.Whitaker and P.A.McInnes (Computer-program description) 234 Errata 348
Reflector, paraboloid, feed arrangement for axis definition of. S.Cornbleet 66
Reflectors, Cassegrainian and front-fed, crosspolarisation with. P.J.Wood 597
Reflectors, focusing, modified diffraction coefficients for. G.L.James and G.T.Poulton 537
Reflectors, front-fed and Cassegrainian, depolarisation with. P.J.Wood 181
Reflex klystrons, millimetre-band, frequency stability of, with various cooling techniques. D.J.E.Knight and E.C.Brown 163
Reliability estimation for probabilistic switching circuits. K.K.Aggarwal 441
Reliability, structural, of centralised tree network. I.Cahit and R.Cahit 621
Resistance of earth electrodes. J.R.Wait 90
Resistance, spreading, of multiple-layer cylindrical structures. P.Brook and J.G.Smith 253 Errata 348
Resolution, enhanced, direct microwave imaging with. A.P.Anderson, R.D.Orme and S.J.Mawani 205
Resonance cones, self detection of, plasma-probe. K.G.Balmain 312
Resonance, double, bridge. A.D.Vorgucic 408
Resonance linewidth, ferromagnetic, of thick yttrium-iron-garnet films grown by liquid-phase epitaxy. J.D.Adam, J.M.Owens and J.H.Collins 325
Resonance properties of dielectric-loaded short unipoles. J.R.James and R.M.Burrows 300
Resonance, single-mode, in $LiNbO_3$ for filter design. J.W.Burgess, M.C.Hales, F.W.Ainger and R.J.Porter 251
Resonant-grid quasioptical diplexer. J.A.Arnaud and J.T.Ruscio 589
Resonant lines, two, in atomic-beam device, analysis of superposition of. S.L.Hahn 608
Resonator, inphase eigen-excitation, input impedance of a circulator with an. Y.Akaiwa 274
Resonator, open, operating at 337 μm wavelength. R.J.Batt, H.L.Bradley and D.J.Harris 78
Resonators, unstable, waveguide analysis of. L.W.Chen and L.B.Felsen 311
Restriction of nonbinary commafree codes. I.S.Taylor and D.H.Green 60
Ring diodes on diamond heat spreaders, X band c.w. TRAPATT oscillators using. N.W.Cox, K.E.Gsteiger, G.N.Hill and C.T.Rucker 269
RLC synthesis, series-parallel, of bicubic impedance. S.Tirtoprodjo 370
Room-temperature nematic liquid crystal, new, electro-optic performance of a. A.Ashford, J.Constant, J.Kirton and E.P.Raynes 118
Rowmers and colmers, realisation of. Y.Ceyhun and S.Penbeci 364

S

S.A.W. tapped delay lines, code generation with. J.J.Crisp and J.S.Heeks 239
S parameter measurements, computer-corrected, calibration of microwave network analyser for. E.F.da Silva and M.K.McPhun 126
Sampling interval, pole sensitivity of a digital filter with multishift sequences in each. K.M.Wong and R.A.King 502
Sampling phase rotator for removal of Doppler shift in a lunar radar. J.E.B.Ponsonby and I.Morison 409
Satellite, switching, fast synchronisation of an earth station to a. C.R.Carter and S.S.Haykin 513
Saturation region, model of a metal-oxide-silicon transistor operating in the. P.Rossel and H.Martinot 414
Scattering, dynamic, dielectric anisotropy of new liquid-crystal mixtures and its effect on. G.Elliott, D.Harvey and M.G.Williams 399
Scattering, effect of, on radiometer measurements of attenuation in rain. A.M.Zavody 328
Scattering loss in a cladded-fibre optical waveguide. G.L.Yip, J.Matrucci and G.W.Farnell 293
Scattering of microwaves, observation of the small-scale structure of intense rain by the. M.E.Cleverley 535
Scattering parameters of surface-wave multistrip directional couplers: a field approach. J.Bording and K.A.Ingebrigsten 63
Schottky-barrier contacts, characteristics of a gallium-arsenide travelling-wave amplifier with. H.Kanbe, N.Shimizu and K.Kumabe 29
Schottky-barrier field-effect transistors, Si and GaAs 0.5 μm-gate. W.Baechtold, K.Daetwyler, T.Forster, T.O.Mohr, W.Walter and P.Wolf 232
Schottky contact microstrip line, bias-dependent phase delay of. D.Jager and W.Rabus 201
Secant algorithm applied to the solution for the steady-state condition in nonlinear-circuit analysis. J.D.Patterson and R.H.Moore 496

Second-order digital filter with only one magnitude-truncation quantiser and having practically no limit cycles. T.A.C.M.Claasen, W.F.G.Mecklenbrauker and J.B.H.Peek 531
Semiconductor devices, static potential profiles in, improved instrument for probing. P.H.Ladbrooke 315
Semiconductor, efficient numerical solution of the transmission-line equivalent-circuit model of a. M.A.Green and J.Shewchun 474
Sensitivity function, prescribed, realisation of transfer function with. F.Anday 53
Sensitivity matrix, frequency-to-time-domain. P.R.Adby and J.R.Baxter 455
Sensitivity, multiple-root, new definition of, comment on. M.P.Dave 215
Sensitivity, pole, of a digital filter with multishift sequences in each sampling interval. K.M.Wong and R.A.King 502
Sequence testing, pseudorandom, use of synchronised dither in. H.Banasiewicz, S.E.Williamson and W.F.Lovering 334 480
Sequences, multishift, in each sampling interval, pole sensitivity of a digital filter with. K.M.Wong and R.A.King 502
Sequences, pseudorandom, comparison of methods of parameter estimation using. C.J.Macleod 342
Sequential circuits, asynchronous, automation of the synthesis of. C.Metaxaki-Kossionides 478
Sequential generators using read-only memories. J.C.Laprie and M.Souny 142
Sequential machines, synchronous, state-assignment technique for. B.Dervisoglu 416
Serial residue generator for use in a self-checking computer. R.J.Gray 411
Series expansion for two input describing functions. D.P.Atherton 266
Series-parallel RLC synthesis of bicubic impedance. S.Tirtoprodjo 370
Sets, C, observation on the construction of, in incompletely specified state tables. R.G.Bennetts and F.W.M.Stentiford 27
Shift-register sequences, nonlinear, distributed frame synchronisation by. P.T.Neilsen 73
Short-pulse modulation of gallium-arsenide lasers with TRAPATT diodes. J.E.Carroll and J.G.Farrington 166
Short-term frequency stability of an L band oscillator with a superconducting cavity. D.L.H.Blomfield and A.J.Pointon 461
Si and GaAs 0.5 μm-gate Schottky-barrier field-effect transistors. W.Baechtold, K.Daetwyler, T.Forster, T.O.Mohr, W.Walter and P.Wolf 232
Signal-coupling system for intrabundle communication on high-voltage lines. F.D.Pullen 109
Signal-flowgraph analysis using only loops. U.Ozguner 359
Signal-flowgraph representation of electronic-amplifier networks. A.W.Keen and G.Usui 33
Signal/noise ratio in rectangular-wave modulation. J.N.Tripathi 256
Signal piecewise-linear-, representation. C.R.Paul and R.W.Koch 194
Signal, small-, model extension of a, for thyristor-rectifier control loops when using an asynchronous delay-type firing circuit. R.Prajoux, P.Thierry and J.Jalade 228
Signal, zero-steering antenna system for receiving a, close to the direction of strong interference. D.C.Cooper 140 Errata 260
Signals, F.S.K.- and P.S.K.-type, generalised transient response of bandpass transfer functions to. V.C.Chohan and J.K.Fidler 320
Signals, high-frequency, complex predistortion of (Komplexe Vorverzerrung hochfrequenter Signale). K.Kiesel and H.-J.Hevn 565
Silicon double-drift IMPATTs, for microwave and millimetre-wave applications. G.Pfund, A.Podell and U.Tarakci 518
Silicon double-sided n^+-n-p-p^+ TRAPATT-diode structures, analytic theory for. M.G.Cottam 353
Silicon, experimental verification of the Shockley-Read-Hall recombination theory in. W.Zimmerman 378
Silicon, heavily diffused, detection of phosphorus in, by He^+ backscattering. C.R.Allen and C.R.Thomas 475
Silicon solar cells, copper-contaminated n/p type, effects of boron density on radiation resistance of. Y.Kato and A.Usami 18
Simon-Mitter controllability theorem, simple proof of the. T.R.Crossley and B.Porter 51
Simple derivation of Chen's multiple-node removal algorithm. C.Acar 186
Simple evaluation of the matrix T that relates two equivalent Foster networks. V.Tavsanolgu 422
Simple matrix-theory proof of the discrete dyadic convolution theorem. M.N.Gulamhusein 238
Simple proof of the Simon-Mitter controllability theorem. T.R.Crossley and B.Porter 51
Simple theory for threshold-voltage modulation in short-channel m.o.s. transistors. R.C.Varshney 600
Simple TRAPATT circuit model. S.G.Allen 178
Simulation of p.c.m. transmission system for use in subscriber network. R.P.Loretan 42
Single-mode resonance in $LiNbO_3$ for filter design. J.W.Burgess, M.C.Hales, F.W.Ainger and R.J.Porter 251
Slant-path microwave radio propagation through distorted raindrops. M.Arbabi and P.A.Watson 187 Errata 380
Small-signal noise analysis of $p+$-n-$p+$ BARITT diodes. A.Sjolund 2
Smith-chart plotting, time-domain reflectometry from. P.I.Somlo 221
Solar cells, copper-contaminated n/p type silicon, effects of boron density on radiation resistance of. Y.Kato and A.Usami 18
Solid-state laser, radiation from. G.A.Hockham 389
Some data for the design of low-crosspolarisation feeds. S.I.Ghobrial 465
Some errors in the calculation of the radiation patterns of reflector antennas, using Kirchhoff integration. J.Dijk and E.J.Maanders 510
Some experimental results for a capacitively loaded V antenna. M.B.Dragovic, B.D.Popovic and N.E.Jensen 45
Sound fields, high-frequency, Bragg imaging of. J.M.Rouvaen, N.Gremillet, M.Delannoy, E.Bridoux and R.Torguet 275
Source admittance matching, optimum, for low-noise receivers without transformer. R.Kaesser 124
Space-charge-limited current, estimate of substrate influence on. E.De Chambost 351
Speech paths, telephone, choice of parameters for calculating loudness ratings of. D.L.Richards 249
Spreading resistance of multiple-layer cylindrical structures. P.Brook and J.G.Smith 253 Errata 348
Sputtered-glass optical waveguides. C.W.Pitt 401
Square waves, frequency multiplier for. N.Satyanarayana 509
State assignment of asynchronous machines, table-lookup method for the. R.Barry and D.W.Lewin 574
State-assignment technique for synchronous sequential machines. B.Dervisoglu 416
State-space approach to the multiplication error in a digital filter. K.M.Wong 224
State space, continuously equivalent networks in. R.Devanathan 372
State-space description of a multirate digital filter. K.M.Wong and R.A.King 32 Errata 120
Statistical analysis to include linear-correlation effects, extension of the moment-analysis method for. B.J.Hagan and J.A.Magowan 261
Statistical approach to the prediction of m.o.s.-device performance. B.J.Hagan and J.A.Magowan 23
Step response in time-domain metrology, forming the fast Fourier transform of a. A.M.Nicolson 317
Stochastic approximation, adaptive Kalman filtering using. N.K.Sinha 177
Stress, mechanical, behaviour of burst noise under. T.Rodriguez, J.Mulet and A.Luque 248
Strip-coupled Rayleigh-wave amplifier, f.e.t. theory of. G.S.Kino 52
Stripline terminations, open-circuited, surface-wave phenomena associated with. J.R.James and P.H.Ladbrooke 570
Structual reliability of centralised tree network. I.Cahit and R.Cahit 621
Structural modification of dyadic transfer-function matrices using feedback. D.H.Owens 379
Substrate influence, estimate of, on space-charge-limited current. E.De Chambost 351
Substrates, zinc-oxide-layered, preferential excitation of 2nd-mode piezoelectric surface waves in. G.A.Armstrong 322
Superconducting cavity, short-term frequency stability of an L band oscillator with a. D.L.H.Blomfield and A.J.Pointon 461
Suppression of 3rd-order truncation error in linear digital differential analysers. P.W.Baker 582
Surface-acoustic-wave crossbar coupler, analysis of the. P.V.H.Sabine 136
Surface-acoustic-wave delay line, use of a, to provide pseudocoherence in a clutter-reference pulse Doppler radar. M.A.C.S.Brown, W.J.Hannis, J.M.Skinner and D.K.Turton 17
Surface-acoustic-wave delay lines, reflective, temperature effects in. P.C.Meyer and M.B.Shulz 523
Surface-acoustic-wave filters employing symmetric phase-weighted transducers. M.F.Lewis 138
Surface-acoustic-wave oscillators: mode selection and frequency modulation. J.Crabb, M.F.Lewis and J.D.Maines 195
Surface-acoustic-wave phase shifter, monolithic. G.Chao 49
Surface-acoustic-wave velocity, increase in, produced by ion implantation in quartz. P.Hartemann and M.(Miss) Morizot 497
Surface acoustic waves, frequency-controlled beam steering of, using a stepped transducer array. A.M.De La Rue, C.Stewart, C.D.W.Wilkinson and I.R.Williamson 326
Surface-wave beam compressor of a large bandwidth nonsymmetrical multistrip coupler as a. C.Maerfeld and G.W.Farnell 432
Surface-wave convolver, accumulation-layer. J.M.Smith, E.Stern and A.Bers 145
Surface-wave correlator with inclined transducer. T.S.Fisher, E.Patterson and D.G.Scotter 55
Surface-wave detectors, Rayleigh, n- and p-channel M.O.S.F.E.T.s as. n- and p-channel M.O.S.F.E.T.s as Rayleigh-surface-wave and detectors 125
Surface-wave directional coupler, active. K.L.Davis, V.L.Newhouse, C.W.Lee and R.L.Gunshor 199
Surface-wave multistrip coupler, perturbation theory for the. C.Maerfeld and P.Tournois 115
Surface-wave multistrip directional couplers, scattering parameters of: a field approach. J.Bording and K.A.Ingebrigsten 63
Surface-wave nondestructive testing using 1-dimensional acoustic holography. H.R.Wickramsinghe and E.A.Ash 327
Surface-wave phenomena associated with open-circuited stripline terminations. J.R.James and P.H.Ladbrooke 570
Surface-wave reflection coefficients, comparison of, for different metals on quartz. R.Larosa, C.F.Vasile and D.V.Zagardo 495
Surface-wave transducers, ZnO thin-film, thickness dependence of effective coupling factors of. H.sasaki, N.Chubachi and Y.Kikuchi 92
Switch, floating, with large-signal capability. A.Hamed and H.Sutcliffe 79
Switch, memory, GaP electroluminescent. S.Y.Haeri 279
Switching circuits, probabilistic, reliability estimation for. K.K.Aggarwal 441
Symbol set for regenerated communications. J.T.Harvey 384
Synchronisation, distributed frame, by nonlinear-shift-register sequences. P.T.Neilsen 73
Synchronisation scheme, new, for communication-satellite time-division multiple-access systems. A.K.Jefferis and K.Hodson 566
Synchronised dither, use of, in pseudorandom-sequence testing. H.Banasiewicz, S.E.Williamson and W.F.Lovering 334 480
Synchronised dither, use of, in pseudorandom-sequence testing, comment on. K.R.Godfrey and J.L.Douce 450 Errata 480
Synthesis, automation of the, of asynchronous sequential circuits. C.Metaxaki-Kossionides 478
Synthesis of cutpoint cellular arrays. G.Papakonstantinou 97
Synthesis of cutpoint cellular arrays with any cell-index set. G.Papakonstantinou 350
Synthesis, series-parallel RLC, of bicubic impedance. S.Tirtoprodjo 370
Systems, nonlinear, decoupling and pole assignment in. E.Freund 373
Systems, time-invariant, normality conditions for the time-optimal control of. B.Porter 343

T

Table-lookup method for the state assignment at asynchronous machines. R.Barry and D.W.Lewin 574
Tachometric feedback in nonlinear systems, use of. R.Walk and J.Rootenberg 180
Telephone speech paths, choice of parameters for calculating loudness ratings of. D.L.Richards 249
Television, infrared: performance of pyroelectric vidicon at 8 to 14 m. R.Watton, G.Smith, B.Harper and W.M.Wreathall 534
Television-signal prediction, possible improvement in, due to interframe correlation. J.Isailovic 427
Temperature-dependent design parameters of TRAPATT diodes. P.K.Chaturvedi and W.S.Khokle 170
Temperature effects in reflective surface-acoustic-wave delay lines. P.C.Meyer and M.B.Shulz 523
Tensor-field interpretation of the dynamic behaviour of networks. D.J.Holding and F.J.Evans 56
Testing of capacitors for internal ionisation discharges, new method for the. M.J.Drury 215
Thickness dependence of effective coupling factors of ZnO thin-film surface-wave transducers. H.sasaki, N.Chubachi and Y.Kikuchi 92
Thin-film-dielectric decoupling of interdigital transducers, analysis of. R.S.Wagers 302
Thin-film surface-wave transducers, ZnO, thickness dependence of effective coupling factors of. H.sasaki, N.Chubachi and Y.Kikuchi 92
Threshold-logic gates, improvements in circuit realisation of. S.L.Hurst 123
Thyristor and triac convertors, zero-voltage detection in. R.M.Davis and B.R.Downing 267

Thyristor convertors, current-zero detection in. J.S.Ford 73
Thyristor, method of rapid numerical calculation of transient processes in a. R.Castagne and A.Vapaille 305
Thyristor-rectifier control loops, extension of a small-signal model for, when using an asynchronous delay-type firing circuit. R.Prajoux, P.Thierry and J.Jalade 228
Time-division multiple-access systems, communication-satellite, new synchronisation scheme for. A.K.Jefferis and K.Hodson 566
Time-domain reflectometry from Smith-chart plotting. P.I.Somlo 221
Time-domain synthesis with multiple-shift-sequence digital filters. M.Salerno 613
Tolerance, improved in optical directional couplers. M.G.F.Wilson and G.A.Teh 453
Total-internal-reflection electro-optic diffraction deflector/modulator. M.T.V.Scibor-Rylski 309
Tracking sensitivity with peripheral-horn autotrack. P.J.Wood 484
Trans-tran circuit-analysis program, a special feature of the, accurate calculation of device heat dynamics:. V.Szekely 132
Transducer and multistrip-coupler performance for leaky surface waves on lithium niobate. C.O.Newton 481
Transducer array, stepped, frequency-controlled beam steering of surface acoustic waves using a. A.M.De La Rue, C.Stewart, C.D.W.Wilkinson and I.R.Williamson 326
Transducer, inclined, surface-wave correlator with. T.S.Fisher, E.Patterson and D.G.Scotter 55
Transducers, analysis of thin-film-dielectric decoupling of interdigital. R.S.Wagers 302
Transducers, bonded acoustic-surface-wave. R.Wagers and G.S.Kino 165
Transducers, interdigital, equivalent-circuit model for, with varying electrode widths. A.J.Bahr and R.E.Lee 281
Transducers, interdigital, generation of Rayleigh and bulk waves by, on y-cut z-propagating lithium niobate. N.H.C.Reilly, R.F.Milsom and M.Redwood 419
Transducers, interdigital, on a piezoelectric ceramic, generation of Bleustein-Gulyaev and bulk-shear waves by. R.F.Milson and M.Redwood 417
Transfer function, realisation of, with prescribed sensitivity function. F.Anday 53
Transferred-electron amplifiers, ambient-temperature effects in. G.S.Hobson 559
Transferred-electron amplifiers, low-noise wide-band indium-phosphide. P.W.Braddock and K.W.Gray 36
Transferred-electron devices, effect of circuit load on the phase of bias tuning in. D.Tang, R.J.Lomax and G.I.Haddad 564
Transferred-electron devices, gallium-arsenide, AgSn cathode contact in. M.P.Wasse, B.W.Clark and R.F.B.Conlon 189
Transferred-electron devices, microwave frequency division using. L.C.Upadhyayula and S.Y.Narayan 85
Transferred-electron oscillators, overlength modes of. D.Jones and H.D.Rees 105
Transferred-electron reflection amplifiers, intermodulation distortion in. R.Charlton and G.S.Hobson 622
Transform, Haar, Cooley-Tukey-type algorithm for the. N.Ahmed, T.Natarajan and K.R.Rao 276
Transformations, Howitt, application of, to 2-element-kind networks. V.Tavsanoglu 206
Transient analysis of waveguides with curved boundaries. P.B.Johns and G.F.Slater 486
Transient processes in a thyristor, method of rapid numerical calculation of. R.Castagne and A.Vapaille 305
Transient response of bandpass transfer functions, generalised, to F.S.K.- and P.S.K.-type signals. V.C.Chohan and J.K.Fidler 320
Transistor-base charge, pulsed measurement of, against collector current. R.Bridgen 366
Transistor-base regions, correlation of noise current and voltage in. H.Sutcliffe 375
Transistor characteristics, isothermal, pulsed measuring technique for. A.W.Alden and A.R.Boothroyd 82
Transistor, model of a metal-oxide-silicon, operating in the saturation region. P.Rossel and H.Martinot 414
Transistor, particular junction field-effect, electrical properties and simplified theory of a, operating with a forward gate-source bias. D.Esteve and M.Ezz el Arab 339
Transistor technology, V groove m.o.s.. F.E.Holmes and C.A.T.Salama 457
Transistors, influence of heavy doping effects on the f_t prediction of. H.De Man, R.Mertens and R.Van Overstraeten 174
Transistors, thin-oxide m.n.o.s. memory, low-field tunnelling current in. H.Maes and R.Van Overstraeten 19
Transit-time oscillators, punchthrough injection, power limitation of. D.Delagebeauderf and J.Lacombe 538
Transmission-line equivalent-circuit model of a semiconductor, efficient numerical solution of the. M.A.Green and J.Shewchun 474
Transmission-line-matrix solution of waveguides with wall losses. S.Akhtarzad and P.B.Johns 335
Transmission lines, piecewise, uniform, natural frequencies of. B.Bianco and S.Ridella 287
Transport, high-field, in indium phosphide. W.Fawcett and D.C.Herbert 308
Transposition, large-matrix-ordering technique with applications to. I.De Lotto and D.Dotti 374
TRAPATT circuit model, simple. S.G.Allen 178
TRAPATT devices, GaAs, effect of recombination time on efficiency and frequency of operation in. P.E.Bauhahn and G.I.Haddad 455
TRAPATT diodes, nonlinear power amplification at the second harmonic in. B.Rama Rao 526
TRAPATT diodes, short-pulse modulation of gallium-arsenide lasers with. J.E.Carroll and J.G.Farrington 166
TRAPATT diodes, temperature-dependent design paramaters of. P.K.Chaturvedi and W.S.Khokle 170
TRAPATT operation, effects of diode-package cutoff frequency on. J.E.Carroll 387 Errata 464
TRAPATT oscillators, X band c.w., using ring diodes on diamond heat spreaders. N.W.Cox, K.E.Gsteiger, G.N.Hill and C.T.Rucker 269
Tree network, centralised, structural reliability of. I.Cahit and R.Cahit 621
Trees, generating function for spanning. B.R.Myers 360 Errata 464
Triac and thyristor convertors, zero-voltage detection in. R.M.Davis and B.R.Downing 267
Tuned dipole, capacitively. D.Lamensdorf 445
Tungsten masking against boron implantation. W.M.Portnoy and L.M.Leedy 129
Tuning, bias, in transferred-electron devices, effect of circuit load on the phase of. D.Tang, R.J.Lomax and G.I.Haddad 564
Tunnelling current, low-field, in thin-oxide m.n.o.s. memory transistors. H.Maes and R.Van Overstraeten 19
Twisted nematic liquid-crystal electro-optic devices with areas of reverse twist. E.P.Raynes 101 Errata 260
Two-frequency secondary radar incorporating passive transponders. D.E.N.Davies and H.Makridis 592

U

Ultraflow-diffraction acoustic-surface-wave propagation on $Bi_{12}GeO_{20}$. A.J.Slobodnik and T.L.Szabo 149
Unipoles, dielectric-loaded short, resonance properties of. J.R.James and R.M.Burrows 300
Unsupervised learning of the Kalman filter. R.L.T.Hampton 383
Use of a surface-acoustic-wave delay line to provide pseudocoherence in a clutter-reference pulse Doppler radar. M.A.C.S.Brown, W.J.Hannis, J.M.Skinner and D.K.Turton 17
Use of cancellation techniques in the measurement of atmospheric crosspolarisation. B.G.Evans and P.T.Thompson 447
Use of dither to eliminate hysteresis effects in rotating amplifiers. R.J.Simpson and H.M.Power 369
Use of nonseparable solutions of Helmholtz wave equation in waveguides and cavities. D.H.Schoonaert and P.J.Luypaert 617
Use of synchronised dither in pseudorandom-sequence testing, comment on. K.R.Godfrey and J.L.Douce 450 Errata 480
Use of synchronized dither in pseudorandom-sequence testing. H.Banasiewicz, S.E.Williamson and W.F.Lovering 334 480
Use of tachometric feedback in nonlinear systems. R.Walk and J.Rootenberg 180
Use of unity-rank output feedback to guide the selection of feedback coefficients. R.S.Hannah and D.H.Mee 263

V

V groove m.o.s. transistor technology. F.E.Holmes and C.A.T.Salama 457
V.M.O.S. conductively coupled charge coupled device. C.M.Parks and C.A.T.Salama 593
Varactor-tuned Gunn oscillators, Q band (38 GHz). B.J.Downing and F.A.Myers 244 Errata 348
Variable delay for acoustic surface waves by electro-acousto-optic interaction. M.Luukkala and P.Merilainen 471
Velocity, surface-acoustic-wave, increase in, produced by ion implantation in quartz. P.Hartemann and M.(Miss) Morizot 497
Videotape recorders, professional, Moire effects in. M.O.Felix 440
Viscous dielectric materials for application in microwave microcircuits. T.C.Edwards 406
Voltage multipliers, generalised, Cockroft-Walton. A.H.Falkner 585
Volterra kernels in nonlinear systems. P.K.Reddy and D.C.Reddy 426

W

Walsh functions, evaluation of data reconstruction using. P.R.Risch and T.A.Brubaker 489
Walton-Cockcroft voltage multipliers, generalised. A.H.Falkner 585
Wave equation, Helmholtz, in waveguides and cavities, use of nonseparable solutions of. D.H.Schoonaert and P.J.Luypaert 617
Waveguide analysis of unstable resonators. L.W.Chen and L.B.Felsen 311
Waveguide bends, dielectric-loaded, reflection coefficient of. M.A.K.Hamid 37
Waveguide-cavity oscillator, increasing the locking bandwidth of a, through the use of a double-tuned circuit. F.Ivanek 444
Waveguide, cladded-fibre optical, scattering loss in a. G.L.Yip, J.Matrucci and G.W.Farnell 293
Waveguide, corrugated rectangular, radiating apertures in a. A.J.Sangster and D.C.Hawkins 329
Waveguide, elliptic, attenuation in an. L.Lewin and A.M.B.Al-Hariri 388 Errata 480
Waveguide-excited dielectric spheres with matched sphere-air boundary, radiation characteristics of. P.S.Neelakantaswamy and D.K.Banerjee 40 Errata 348
Waveguide, glass-fibre, with a triangular core. R.B.Dyott, C.R.Day and M.C.Brain 288
Waveguide, gradually tapered, of arbitrary cross-sections, computer analysis of. J.B.Davies, O.J.Davies and S.S.Saad 46
Waveguide, multimode optical-fibre, mode excitation in a. W.A.Gambling, D.N.Payne and H.Matsumura 412
Waveguide, rectangular, slot discontinuity, m = O, n = O mode and. T.Vu Khac and C.T.Carson 431
Waveguide standard, 2-port $\lambda_g/4$, of voltage standing-wave ratio. R.W.Beatty 24
Waveguide transmitter, 640 Mbit/s, at 38 GHz. G.Hanke and W.Lorek 86
Waveguides and cavities, use of nonseparable solutions of Helmholtz wave equation in. D.H.Schoonaert and P.J.Luypaert 617
Waveguides, corrugated circular, experimental determination of attenuation in. A.D.Olver, P.J.B.Clarricoats and S.L.Chong 424 Errata 480
Waveguides, corrugated circular, low attenuation in. P.J.B.Clarricoats and A.D.Olver 376
Waveguides, inhomogeneous, field-matching solution of transverse discontinuities in. W.K.McRitchie, M.M.Z.Kharadly and D.G.Corr 291
Waveguides, sputtered-glass optical. C.W.Pitt 401
Waveguides, surface-strip coplanar, characteristic impedance of. P.A.J.Dupuis and C.K.Campbell 354
Waveguides, transmission-line-matrix solution of, with wall losses. S.Akhtarzad and P.B.Johns 335
Waveguides with curved boundaries, transient analysis of. P.B.Johns and G.F.Slater 486
Waves in zinc-oxide-layered substrates, preferential excitation of 2nd-mode piezoelectric surface. G.A.Armstrong 322
Weighting sequence matrices, estimation of, by correlation method. Y.Funahashi and K.Nakamura 209
Wideband amplifier circuits, iterative multistage, optimisation of delay and risetime in. A.Barna 143
Wideband indium-phosphide transferred-electron amplifiers, low-noise. P.W.Braddock and K.W.Gray 36
Wire, thin, of finite length, derivation of diffraction coefficients for a. L.Solymar 438

X

X band c.w. TRAPATT oscillators using ring diodes on diamond heat spreaders. N.W.Cox, K.E.Gsteiger, G.N.Hill and C.T.Rucker 269

Y

Yttrium-iron-garnet films, thick, grown by liquid-phase epitaxy, ferromagnetic-resonance linewidth of. J.D.Adam, J.M.Owens and J.H.Collins 325

Z

Zero-steering antenna system for receiving a signal close to the direction of strong interference. D.C.Cooper 140 Errata 260
Zero-voltage detection in thyristor and triac convertors. R.M.Davis and B.R.Downing 267
ZnS sputtered photocells. H.Murray and A.Tosser 491